

V-TAC
Meaningful Innovation.

LIGHTING CATLOG | Q2

2026



HIGHLY ACCREDITED GLOBALLY



CE/EMC



POWERED



Illuminated



DRIVEN BY INNOVATION

—
Global
Warehouses

—
75+
Countries

—
5000+
Products



V-TAC is a global lighting brand built on a simple belief — innovation should be accessible to everyone.

From our early success with Samsung LED technology to our latest advancements powered by CREE, we have continuously evolved to deliver lighting solutions that combine performance, efficiency, and reliability.

With a presence in over 75 countries and a portfolio of more than 5000 products, V-TAC has grown into a trusted partner for residential, commercial, and industrial lighting projects worldwide.

Today, we go beyond lighting — expanding into smart and renewable energy solutions, shaping a future that is not only brighter, but more sustainable.

UK | Poland | Hungary | Bulgaria | Romania | UAE | China | India

EVOLVING WITH TECHNOLOGY.

Our journey is defined by continuous innovation — partnering with global technology leaders to deliver the next generation of lighting solutions.



2009

Foundation

V-TAC was founded with the vision of delivering energy-efficient LED lighting solutions worldwide.



2017

Samsung Partnership

V-TAC partnered with Samsung to deliver high-performance LED solutions with enhanced efficiency and reliability



2021

Renewable Expansion

V-TAC expanded into renewable energy, introducing solar solutions, inverters, and advanced power systems.



2025

CREE Partnership

V-TAC partnered with CREE to advance next-generation lighting with superior performance and cutting-edge innovation.



COLLABORATION FOR IMPACT.

CREE LED



Powered by Global LED Leaders

With CREE LED technology, V-TAC introduces a new level of performance, combining advanced engineering, superior efficiency, and enhanced lighting quality.

WHY CREE LIGHTING?

Cree Lighting is committed to delivering the best solutions on the market, inspired by the needs of our customers, and perfected by the knowledge and expertise of our engineers. We recognize the importance of beautiful energy-efficient lighting and aspire to improve every business with uncompromising performance and payback.

We Put Innovation To Work For You.

We turn technology breakthroughs into best-in-class solutions that solve our customers' lighting challenges without compromise.



Productivity and Savings

From impressive energy savings to intelligent controls, we deliver solutions that help make cities more productive and businesses more profitable.



Safety and Well-being

We focus on things like optical precision, low-glare comfort and superb color to ensure everyone who experiences our lights feels safe and comfortable



Reliable and Easy Experiences

On the line, in the boardroom, or in the field, every team member is focused on making it super easy to specify, order and install our solutions.

INNOVATION THAT MATTERS.



CREE LED

NanoComfort® Technology distills two decades of groundbreaking optical engineering into a modular system with near-universal applicability, offering exceptional efficiency and control while significantly enhancing visual comfort. By precisely sculpting and shaping acrylic optics into facets that reduce glare and harshness, NanoComfort® Technology improves visual comfort without sacrificing efficacy. In addition, its standardized scable modules guarantee consistently high-quality illumination—which we call “Better Light”—across a wide range of sizes and luminaire configurations.



NanoComfort® Technology optic With multiple LED images (yellow)



Conventional optic with single LED image (yellow)

Quality Isn't Just A Goal, It's Our Gold Standard.


We're focused on making solutions that last, so you can be sure we don't compromise on quality. To prove it, all our commercial products are rigorously tested, often for years, to ensure the highest levels of performance and reliability.

Experience What Matters

Because what matters to you, matters most to us. We've got the expertise, leading solutions, service and support to prove that no one better delivers on the promise of LED lighting.

COLLABORATION FOR IMPACT.

SAMSUNG LED



Intense yet Economical

As a forefront pioneer of LED technology, Samsung LEDs marks a new era in a global industry. Our company delivers a product line that comprises core components for LED lighting systems.



Long-Lasting Uniform Light via Film Coating Technology

Samsung film coating achieves 20% greater lens-ceramic adhesive strength resulting in improved color consistency



LEDs Realize Improved Operation

Maintaining maximized high flux and efficacy in a compact size allows cutting down on the number of LEDs used, leading to simple management and lower costs

TECHNOLOGY PARTNERSHIPS

V-TAC has built its reputation through strategic partnerships with leading LED technology providers, ensuring high-performance and reliable lighting solutions.

Our long-standing collaboration with Samsung played a key role in delivering proven and efficient products across global markets. While this partnership has concluded, selected Samsung-based products remain available in this catalogue.

Today, V-TAC continues its commitment to innovation through advanced CREE LED technology, offering enhanced performance, efficiency, and next-generation lighting solutions.

This combination reflects our approach — maintaining trusted quality while continuously evolving with the latest advancements.



TABLE OF CONTENT

Solar Lighting	14
CREE Series	54
Samsung Series	96
Essential Series	194



LED SOLAR LIGHTING

V-TAC has an extensive range of LED solar lights. These lights are designed to be energy-efficient and eco-friendly, making them a popular choice for various outdoor lighting applications.



15



LED SOLAR FLOODLIGHT

20



LED SOLAR STREETLIGHTS

26



LED SOLAR WALL LIGHTS

34



SOLAR TABLE LAMPS

35



LED SOLAR GARDEN LIGHTS

52



LED SOLAR STRING LIGHT

52



LED SOLAR STRIP KIT

53



LED SOLAR FLAME LIGHT

CREE SERIES

A commitment to quality, powered by CREE with a 6-year warranty for unmatched reliability and long-term performance.



54

LED BULBS



62

LED TUBES
& BATTEN FITTINGS



66

LED PANELS



72

LED BULKHEAD



76

LED HIGHBAY



78

LED FLOODLIGHTS




82

LED STRIP &
COB TRACK
LIGHTS



86

LED WALL/
BEDSIDE
LIGHTS



94

LINEAR HANGING
LIGHTS



95

LED EMERGENCY LIGHTS

SAMSUNG SERIES

The PRO-Series features advanced Samsung chips, designed for professional use and backed by a 5-year warranty.



96



LED FLOODLIGHTS

122



LED HIGHBAY LIGHTS

126



LED PANELS

130



LED STREET LIGHTS

142



LED TUBES & FIXTURES

154



LED LINEAR LIGHTS

165



LED TRACKLIGHTS

168



LED DOME & DOWN LIGHTS

182



EMERGENCY EXIT LIGHTS

184



LED STRIP LIGHTS

186



LED SPOTLIGHTS

188



LED BULBS

ESSENTIAL SERIES

A wide range of essential LED solutions for diverse applications, tested by top EU labs and backed by a 2–5 year warranty.

194



LED BULBS

226



LED SPOTLIGHTS

234



SPOTLIGHTS
FITTINGS

260



LED
FLOODLIGHTS

268



LED PANELS

280



LED TUBES AND
BATTEN FITTINGS

285



LED WP BATTEN
FITTINGS

290



LED Highbay
LIGHTS

294



LED STREET LIGHTS

296



LED STRIP LIGHTS

336



LED TRACK
LIGHTS

341



LED MAGNETIC
TRACKLIGHTS

ESSENTIAL SERIES

A wide range of essential LED solutions for diverse applications, tested by top EU labs and backed by a 2—5 year warranty.



350

COB DOWNLIGHTS



356

LED DOME LIGHTS



368

LED WALL LIGHTS



410

LED EMERGENCY LIGHTS



414

MOTION SENSORS



428

OUTDOOR LIGHTS & FITTINGS



454

DECORATIVE LIGHTS




522

LED TABLE & FLOOR LAMPS



544

DECORATIVE PENDANTS



558

LED DISPLAY SCREEN

SMART DIGITAL AND ELECTRICAL

V-TAC introduces its all-new extensive range of smart products. Smart cameras that are fully compatible with any smart device (mobile phones, tablets, or PCs) through Wi-Fi integration. Self-powered wireless switches that function using an RF receiver, making their use a hassle free experience.

564



SMART
CAMERAS

566



SMART
SWITCHES

568



SOCKETS AND
ADAPTERS

582



DECORATIVE
CEILING FANS

586



WIRELESS
SPEAKERS

588



POWER
BANKS

588



LED RING LIGHT

590



INSECT KILLER &
ROBOT VACUUM
CLEANER

LED SMART HOME AND LIGHTING

V-TAC meets the growing IoT demand for home lighting with the new SMART Light series — a collection of Wi-Fi-supported LED lighting solutions that can be fully controlled via Amazon Alexa or Google Home.



595



LED SMART BULB

596



LED SMART SPOTLIGHT

596



SMART LED DOME LIGHT

597



LED SMART PANEL

597



LED SMART STRIPLIGHT KITS

597



LED SMART FLOODLIGHTS

598



LED SMART GARDEN LIGHTS

598



LED SMART AMBIANCE LAMPS

599



LED SMART MAGNETIC TRACK LIGHTS

603



SMART HOME

V-TAC
Meaningful Innovation.



LED SOLAR LIGHTS

Transform the exteriors of a Building or a Garden into a Beautiful piece of Architecture. Simultaneously help navigate obstacles at night, prevent accidents and provide security.

LED FLOODLIGHT WITH SOLAR PANEL



Charging Time: 4-6 hr

Working Time: 12 hr

IP Rating: IP65

Body Type: Aluminium



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
7822 - 4000K DAY WHITE 7821 - 6400K WHITE	VT-40W-B	6W Solar Panel	400	3.2V-5000mAh	190x55x170	10
7824 - 4000K DAY WHITE 7823 - 6400K WHITE	VT-80W-B	10W Solar Panel	800	3.2V-6000mAh	190x55x170	10
7826 - 4000K DAY WHITE 7825 - 6400K WHITE	VT-120W-B	15W Solar Panel	1200	3.2V-12000mAh	235x55x180	6
7828 - 4000K DAY WHITE 7827 - 6400K WHITE	VT-180W-B	20W Solar Panel	1800	3.2V-16000mAh	290x55x235	5
7830 - 4000K DAY WHITE 7829 - 6400K WHITE	VT-240W-B	30W Solar Panel	2600	3.2V-20000mAh	365x55x260	4

LED FLOODLIGHT WITH SOLAR PANEL



Charging Time: 4-6 hr

Working Time: 12 hr

IP Rating: IP65

Body Type: Aluminium



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
7840 - 4000K DAY WHITE 7839 - 6400K WHITE	VT-40W-W	6W Solar Panel	400	3.2V-5000mAh	190x55x170	10
7842 - 4000K DAY WHITE 7841 - 6400K WHITE	VT-80W-W	10W Solar Panel	800	3.2V-6000mAh	190x55x170	10
7844 - 4000K DAY WHITE 7843 - 6400K WHITE	VT-120W-W	15W Solar Panel	1200	3.2V-12000mAh	235x55x180	6
7846 - 4000K DAY WHITE 7845 - 6400K WHITE	VT-180W-W	20W Solar Panel	1800	3.2V-16000mAh	290x55x235	5
7848 - 4000K DAY WHITE 7847 - 6400K WHITE	VT-240W-W	30W Solar Panel	2600	3.2V-20000mAh	365x55x260	4

NEW LED FLOODLIGHT WITH SOLAR PANEL



Charging Time: 4-6 hr

Working Time: 12 hr

IP Rating: IP65

Body Type: ABS+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
24082 - 7IN1	VT-54W	6W Solar Panel	700	3.2V-3800mAh	185x57x143	10
24083 - 7IN1	VT-104W	8W Solar Panel	1000	3.2V-5000mAh	233x57x178	10
24084 - 7IN1	VT-204W	12W Solar Panel	1700	3.2V-10000mAh	285x58x215	6
24085 - 7IN1	VT-304W	20W Solar Panel	2400	3.2V-15000mAh	322x57x248	6
24086 - 7IN1	VT-404W	25W Solar Panel	3000	3.2V-20000mAh	350x57x275	5

NEW LED CCT FLOODLIGHT-CUBE WITH SOLAR PANEL-SENSOR



Sensing Range: <6 Meters

Charging Time: 5-6 hr

Working Time: Max.60 hr

IP Rating: IP65

Body Type: ABS+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23756 - 4000K+6000K DAY WHITE+WHITE	VT-411CCT	4.5W Solar Panel	1500	3.7V-3600mAh	134x31.2x121	12
24277 - 4000K+6000K DAY WHITE+WHITE	VT-432CCT	10.5W Solar Panel	4800	6.4V-6000mAh	199.7x190.9x49	8

LED FLOODLIGHT-CUBE WITH SOLAR PANEL-SENSOR



Sensing Range: <6 Meters

Charging Time: 4-6 hr

Working Time: Max.60 hr

IP Rating: IP65

Body Type: ABS+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
10314 - 4000K DAY WHITE 10313 - 6400K WHITE	VT-411	4.5W Solar Panel	1500	3.7V-3600mAh	152.7x32.3x143.8	12
10310 - 4000K DAY WHITE 10311 - 6400K WHITE	VT-432	12.5W Solar Panel	4800	6.4V-6000mAh	197.2x49x190.9	8

LED FLOODLIGHT WITH SOLAR PANEL



Charging Time: 4-6 hr

Working Time: 8-12 hr

IP Rating: IP65

Body Type: Aluminium



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
6973 - 3000K WARM WHITE 6965 - 4000K DAY WHITE 6964 - 6400K WHITE	VT-55050	6W Solar Panel	400	3.2V-5000mAh	175x50x210	12
6974 - 3000K WARM WHITE 6967 - 4000K DAY WHITE 6966 - 6400K WHITE	VT-55100	12W Solar Panel	1200	3.2V-10000mAh	215x50x260	7
6975 - 3000K WARM WHITE 6969 - 4000K DAY WHITE 6968 - 6400K WHITE	VT-55200	16W Solar Panel	1600	3.2V-15000mAh	215x50x260	7
6976 - 3000K WARM WHITE 6971 - 4000K DAY WHITE 6970 - 6400K WHITE	VT-55300	20W Solar Panel	2400	3.2V-20000mAh	255x50x310	4

LED FLOODLIGHT WITH SOLAR PANEL



Charging Time: 4 hr

Working Time: 8 hr

IP Rating: IP65

Body Type: Aluminium



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
8573 - 4000K DAY WHITE 94006 - 6400K WHITE	VT-25W	12W Solar Panel	550	3.2V-5000mAh	206x54x148	8
8574 - 4000K DAY WHITE 94008 - 6400K WHITE	VT-40W	16W Solar Panel	1050	3.2V-10000mAh	255x68x190	6
8575 - 4000K DAY WHITE 94010 - 6400K WHITE	VT-60W	20W Solar Panel	1650	Life PO4, 3.2V 20000mAh Battery	284x76x223	5
8576 - 4000K DAY WHITE 94012 - 6400K WHITE	VT-100W	35W Solar Panel	2450	Life PO4, 3.2V 30000mAh Battery	325x280x85	2
8577 - 4000K DAY WHITE 94026 - 6400K WHITE	VT-200W	40W Solar Panel	3100	Life PO4, 3.2V 40000mAh Battery	360x90x290	2
8578 - 4000K DAY WHITE 94027 - 6000K WHITE	VT-300W	50W Solar Panel	4200	Life PO4, 3.2V 50000mAh Battery	437x90x356	2

LED FLOODLIGHT WITH SOLAR PANEL



Charging Time: 4 hr

Working Time: 8 hr

IP Rating: IP65

Body Type: Aluminium



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23018 - 4000K DAY WHITE 10405 - 6400K WHITE	VT-25W-W	12W Solar Panel	550	3.2V-5000mAh	206x54x148	8
10406 - 4000K DAY WHITE 10407 - 6400K WHITE	VT-40W-W	16W Solar Panel	1050	3.2V-10000mAh	255x68x190	6
10408 - 4000K DAY WHITE 10409 - 6400K WHITE	VT-60W-W	20W Solar Panel	1650	3.2V-20000mAh	284x76x223	5
10410 - 4000K DAY WHITE 23019 - 6400K WHITE	VT-100W-W	35W Solar Panel	2450	3.2V-30000mAh	335x86x250	2
10413 - 4000K DAY WHITE 10414 - 6400K WHITE	VT-200W-W	40W Solar Panel	3100	3.2V-40000mAh	360x90x290	2
10415 - 4000K DAY WHITE 10416 - 6400K WHITE	VT-300W-W	50W Solar Panel	4200	3.2V-50000mAh	445x110x380	2

LED FLOODLIGHT WITH SOLAR PANEL



Detecting Angle: Detection Angle
Sensing Range: Sensing Range
Charging Time: Charging Time
Working Time: Working Time
IP Rating: IP Rating
Body Type: Body Type



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23438 - 4000K DAY WHITE	VT-55W	10W Solar Panel	1000	3.7V, 8000mAh	191x241x73	5
23439 - 4000K DAY WHITE	VT-102W	15W Solar Panel	1800	3.7V, 12000mAh	191x241x73	4

LED PIR SENSOR SOLAR FLOODLIGHT



Detecting Angle: 180°
Sensing Range: 2-6M
Charging Time: 6-7 hr
Working Time: 2-24 hr
IP Rating: IP65
Body Type: ABS+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
8547 - 4000K DAY WHITE	VT-777-5	5W	500	3.7V-3000mAh	231.9x33.68x149.62	18
24341 - 3IN1	VT-777-7	7W	900	3.7V-3600mAh	231.9x35x149.6	18

LED FLOODLIGHTS WITH USB PORT



Detecting Angle: 120°
Sensing Range: ≤8Mtr
Charging Time: 6-7 hr
Working Time: Max 24 hr
IP Rating: IP65
Body Type: Aluminium



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
8674 - 4000K DAY WHITE	VT-788-10	10W	1100	3.7V-7200mAh	232x166x33	10

LED SOLAR FLOODLIGHT



Detecting Angle: 120°

Charging Time: 4-8 hr

Working Time: 4 hr

IP Rating: IP44

Body Type: Aluminum



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
9747 - 6500K WHITE	VT-4110-S	10W	600lm	3.7V-2000mAh	175x43x266	8

LED SOLAR STREETLIGHT



Detecting Angle: 120°

Sensing Range: 3-8M

Charging Time: 6-7 hr

Working Time: 2-36 hr

IP Rating: IP65

Body Type: ABS+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
8549 - 4000K DAY WHITE 8548 - 6000K WHITE	VT-ST15	15W	1600	7.4V-5400mAh	413x232x58	10
24099 - 3IN1	VT-ST20CCT	20W	3000	7.4V-5400mAh	232x492.5x58	8

LED STREETLIGHT WITH SOLAR PANEL



Charging Time: 4-6 hr

Working Time: 8-12 hr

IP Rating: IP65

Body Type: Aluminium



SKU	Model	Watts	Lumens	Battery	Box Qty
5502 - 4000K DAY WHITE	VT-ST200	50W Solar Panel	4000	Li-ion 6.4V / 27.5AH	1

HYBRID LED STREETLIGHT WITH SOLAR PANEL



- Uses Solar Panel for efficient photovoltaic conversion and lengthy lifespan
- Remote Control with Auto and Timer function
- Automatically switches to AC mode when the battery power is low

Charging Time: 4-6 hr

Working Time: 8-12 hr

IP Rating: IP65

Body Type: Aluminium



SKU	Model	Watts	Lumens	Battery	Box Qty
23578 - 4000K DAY WHITE 23579 - 6500K WHITE	VT-ST201	50W Solar Panel	4000	3.4V-5000mAh	1

NEW LED SOLAR STREETLIGHT



Charging Time: 4-6 hr

Working Time: Min 12 hr Max 15 hr


IP Rating: IP65

Body Type: PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
95532 - 6000K WHITE	VT-ST63	6W Solar Panel	800	3.2V-5000mAh	187x55x360	10
98417 - 6000K WHITE	VT-ST120	8W Solar Panel	1000	3.2V-9000mAh	190x55x470	8
95534 - 6000K WHITE	VT-ST180	12W Solar Panel	1200	3.2V-10000mAh	197x55x600	6

LED SOLAR STREETLIGHT



Detecting Angle: Detection Angle
 Sensing Range: Sensing Range
 Charging Time: Charging Time
 Working Time: Working Time
 IP Rating: IP Rating
 Body Type: Body Type



SKU	Model	Watts	Lumens	Battery	Box Qty
7837- 4000K DAY WHITE 20341- 6400K WHITE	VT-ST303	50W Solar Panel	3000	6.4V-30000mAh	1

LED SOLAR STREETLIGHT



Charging Time: 4-6 hr
 Working Time: 8-10 hr
 IP Rating: IP65



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
10224 - 4000K DAY WHITE 10225 - 6500K WHITE	VT-15111ST	40W Solar Panel	2500	3.2V-30000mAh	200x530	1
10226 - 4000K DAY WHITE 10227 - 6500K WHITE	VT-15200ST	60W Solar Panel	3000	3.2V-50000mAh	200x530	1
10228 - 4000K DAY WHITE 10229 - 6500K WHITE	VT-15300ST	70W Solar Panel	3500	3.2V-75000mAh	200x530	1

LED INTEGRATED SOLAR PANEL STREET LIGHT



Charging Time: 4-6 Hours

Working Time: 8-10 hours in always mode, 12 hours in induction mode


IP Rating: IP65

Body Type: Aluminum



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
6756 - 6400K WHITE	VT-20201ST	33W Solar Panel	Always Mode-1400 Sensor Mode-2300	3.2V-30000mAh	680x320x50	3
6758 - 6400K WHITE	VT-30301ST	40W Solar Panel	Always Mode-2000 Sensor Mode-3500	3.2V-40000mAh	900x320x50	2
6760 - 6400K WHITE	VT-40401ST	50W Solar Panel	Always Mode-2200 Sensor Mode-4300	3.2V-60000mAh	1000x320x50	2

LED SOLAR GARDEN LIGHT SENSOR



FUTURISTIC DESIGN



- ✓ REMOTE CONTROL
- ✓ RADAR SENSOR
- ✓ TIMER FUNCTION

Detecting Angle: 120°

Sensing Range: <6M

Charging Time: 6-8 hr

Working Time: 10-12 hr


IP Rating: IP65

Body Type: ABS



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
5150 - 4000K DAY WHITE 5151 - 6500K WHITE	VT-45W	15W Solar Panel	1000	3.2V-15000mAh	420x123	4
5152 - 4000K DAY WHITE 5153 - 6500K WHITE	VT-65W	24W Solar Panel	1500	3.2V-22000mAh	520x137	4
11258	Pole for Solar Garden Light				3 meter (1000x3pcs)	2

LED SOLAR GARDEN LIGHT SENSOR



Detecting Angle: 120°
 Sensing Range: <8Mtr
 Charging Time: 8 hr
 Working Time: Constant Lighting Mode: 3 nights+ Sensor Mode: 5 nights+
 IP Rating: IP65
 Body Type: Aluminium+ABS



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
5505 - 4000K DAY WHITE 5506 - 6400K WHITE	VT-130W	20W	2000	6.4V-6000mAh	601.1x200x292.8	1

HIGH LUMEN LED SOLAR STREETLIGHT



Detecting Angle: 120°
 Sensing Range: 8-12m
 Charging Time: 8-10hr
 Working Time: Min 36 hr and Max 120 hr
 IP Rating: IP65
 Body Type: ABS+PC and Aluminium



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
5503 - 4000K DAY WHITE 5504 - 6000K WHITE	VT-ST42	40W	4800 120lm/W	9.6V-12000mAh	289.7x73.6x706.1	4
24423 - 3IN1	VT-ST43	40W	6000 150lm/W	9.6V-12000mAh LiFePO4	706.1x289.7x73.6	

LED SOLAR TRI-PROOF LIGHT WITH SENSOR



Charging Time: 4-6 hr

Working Time: 8-10 hr

IP Rating: IP65

Body Type: PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
6500 - 3IN1	VT-120018	25W Solar Panel	3000K - 920 lm 4000K - 950 lm 6400K - 1000 lm	3.7V-18,000mAh	1185x80x65	10

LED SOLAR WALL LIGHT-8IN1-SENSOR



Battery: 3.7V-4000mah

Sensing Range: <8 Meters

Charging Time: 5-6 hr

Working Time: Min 20 - Max 60 hr

IP Rating: IP65

Body Type: ABS+PC



INTEGRATED WALL MOUNT



SPLIT WALL MOUNT




PORTABLE




STANDABLE




HANGING IN TWO-DIRECTIONS



MAGNETIC ADSORPTIVE



STICK-ON



POLE MOUNTED



SKU	Model	Watts	Lumens	Unit Color	Box Qty
6844 - 3000K WARM WHITE 6849 - 4000K DAY WHITE 6850 - 6000K WHITE	VT-11108	8W	950	Black	12

NEW COB SOLAR/TYPE C WALL LIGHT CCT-SENSOR




Battery: 3.7V-2600mAh
 Detecting Angle: 120°
 Sensing Range: 4-5 Meters
 Charging Time: 4-5 hr(Type C) 8-10 hr(Solar)
 Working Time: Max 30 hr
 IP Rating: IP65
 Body Type: Aluminium+PC



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
24293 - 3IN1	VT-408CCT-B	3x0.75W Solar Panel	2x450	Black	100x100x100mm	20
24294 - 3IN1	VT-408CCT-C	3x0.75W Solar Panel	2x450	Corten	100x100x100mm	20
24295 - 3IN1	VT-408CCT-W	3x0.75W Solar Panel	2x450	White	100x100x100mm	20

NEW SOLAR COB WALL LIGHT CCT-SENSOR



Battery: 3.7V-2600mAh
 Detecting Angle: 120°
 Sensing Range: 4-5 Meters
 Charging Time: 8 hr
 Working Time: Max 30 hr
 IP Rating: IP65
 Body Type: Aluminium+PC



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
23770 - 3IN1	VT-409CCT-B	3W Solar Panel	800	Black	150x153x150mm	12
23824 - 3IN1	VT-409CCT-C	3W Solar Panel	800	Corten	150x153x150mm	12
24063 - 3IN1	VT-409CCT-W	3W Solar Panel	800	White	150x153x150mm	12
24089 - 3IN1	VT-409CCT-G	3W Solar Panel	800	Dark Grey	150x153x150mm	12

NEW LED SOLAR/TYPE C WALL LIGHT CCT-SENSOR



Battery: 3.7V-2600mAh
 Detecting Angle: 120°
 Sensing Range: 4-5 Meters
 Charging Time: 8 hr
 Working Time: Max 30 hr
 IP Rating: IP65
 Body Type: Aluminium+PC



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
23770-1 - 3IN1	VT-409CCT-B-1	3W Solar Panel	800	Black	150x153x150mm	12
23824-1 - 3IN1	VT-409CCT-C-1	3W Solar Panel	800	Corten	150x153x150mm	12
24063-1 - 3IN1	VT-409CCT-W-1	3W Solar Panel	800	White	150x153x150mm	12



SKU	Model	Size	Colour	Description
24090	VT-11080-B	100x35x800	Black	Fix poles with wall lights and use them as garden lighting fixtures.
24091	VT-11080-C	100x35x800	Corten	
24092	VT-11080-G	100x35x800	Dark Grey	



SKU	Model	Size	Colour	Description
24093	VT-12050-B	97x32x274	Black	Fix spikes with wall lights and use them as garden lighting fixtures.
24094	VT-12050-C	97x32x274	Corten	
24095	VT-12050-G	97x32x274	Dark Grey	

SOLAR COB WALL LIGHT-SENSOR




Battery: 3.7V-2600mAh
 Detecting Angle: 120°
 Sensing Range: 4-5 Meters
 Charging Time: 8 hr
 Working Time: Max 30 hr
 IP Rating: IP65
 Body Type: Aluminium+PC



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
11884 - 3000K WARM WHITE 11885 - 4000K DAY WHITE	VT-11109-B	3W Solar Panel	860	Black	150x153x150mm	12
11886 - 3000K WARM WHITE 11887 - 4000K DAY WHITE	VT-11109-W	3W Solar Panel	860	White	150x153x150mm	12
11888 - 3000K WARM WHITE 11889 - 4000K DAY WHITE	VT-11109-C	3W Solar Panel	860	Corten	150x153x150mm	12

LED SOLAR YARD LIGHT-KEEPER-SENSOR



Battery: 3.2V--6000mAh

Sensing Range: <8 Meters

Charging Time: 5 hr

Working Time: Up to 80 hr

IP Rating: IP65

Body Type: ABS+PC



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10315 - 6000K+4000K WHITE+DAY WHITE	VT-414-B	15W	2000	Black	294x236x77	6
10316 - 6000K+4000K WHITE+DAY WHITE	VT-414-W	15W	2000	White	294x236x77	6

LED SOLAR WALL LIGHT-BRICK-SENSOR



Battery: 3.7V-1200mAh

Sensing Range: <6 Meters

Charging Time: 5 hr

Working Time: Up to 50 hr


IP Rating: IP65

Body Type: ABS+PC



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10305 - 4000K+3000K DAY WHITE+WARM WHITE	VT-403-B	3W	350	Black	137.6x90.4x35.4	24
10306 - 4000K+3000K DAY WHITE+WARM WHITE	VT-403-W	3W	350	White	137.6x90.4x35.4	24

LED SOLAR WALL LIGHT-BRICK-SENSOR



Battery: 3.7V-3000mAh

Sensing Range: <6 Meters

Charging Time: 8-10 hr

Working Time: Mode A: 4 Nights +, Mode B: 2 Nights +

IP Rating: IP65

Body Type: ABS+PC



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10307 - 4000K DAY WHITE	VT-406-B	6W	900	Black	230x97x42.7	24
10308 - 4000K DAY WHITE	VT-406-W	6W	900	White	230x97x42.7	24

SOLAR GARDEN LAWN LIGHT



Battery: 3.7V 2600mAh (Li(NiCoMn)O2)

Charging Time: 9 hr

Working Time: Upto 8 hr

IP Rating: IP65



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
23351 - 3000K WARM WHITE	VT-7655	3W	40	Black+White	205x205x190mm	4
23352 - 3000K WARM WHITE	VT-7656	5W	50	Black+White	305x305x190mm	1

LED SOLAR GARDEN PILLAR LIGHT-SENSOR



Battery: 3.7V-2600mAh
Sensing Range: 3-5 Meters
Charging Time: 4-6 hr
Working Time: Min 3 hr Max 12 hr
IP Rating: IP65
Body Type: AL+PC



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
6805 - 3000K WARM WHITE	VT-11022-B	2W	90	Black	140x140x163	20
6806 - 3000K WARM WHITE	VT-11022-W	2W	90	White	140x140x163	20

LED SOLAR GARDEN WALL LIGHT-SENSOR



Battery: 3.7V-2200mAh
Detecting Angle: 50°
Sensing Range: 3-4 Meters
Charging Time: 11-13 hr
Working Time: 18-20 hr
IP Rating: IP54
Body Type: Aluminium+PC



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
23032 - 3000K WARM WHITE	VT-1193-B	0.5W	95	Black	126x83x252	10

LED SOLAR GARDEN WALL LIGHT-SENSOR



Battery: 3.7V-2200mAh
 Detecting Angle: 50°
 Sensing Range: 3-4 Meters
 Charging Time: 11-13 hr
 Working Time: 18-20 hr
 IP Rating: IP54
 Body Type: Aluminium+PC



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
23033 - 3000K WARM WHITE	VT-1193-G	0.5W	95	Dark Grey	126x83x252	10

SOLAR BOLLARD



Battery: Lithium 3.7V/2600mAh
 Charging Time: 4-6 hr
 Working Time: 3-12 hr
 IP Rating: IP65
 Body Type: PC+AL



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
785 3000K WARM WHITE	VT-66	2W	280	Grey	140x140x500mm	10
21785 3000K WARM WHITE	VT-66-N	2W	280	Grey	140x140x500mm	10

SOLAR WALL LIGHT




Battery: Lithium 3.7V/2600mAh

Charging Time: 4-6 hr

Working Time: 3-12 hr

IP Rating: IP65

Body Type: PC+AL



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
784 3000K WARM WHITE	VT-77	2W	220	Grey	140x140x290mm	10
21784 3000K WARM WHITE	VT-77-N	2W	220	Grey	140x140x290mm	10

NEW LED SOLAR WALL LIGHT-MAGIC POWER-SENSOR



Detecting Angle: 120°

Sensing Range: <6 Meters

Charging Time: 5 hr

Working Time: Max 50 hr

IP Rating: IP65

Body Type: ABS+PC



SKU	Model	Watts	Lumens	Unit Color	Battery	Size(mm)	Box Qty
24096- 3IN1	VT-11025CCT-B	2.5W	300	Black	3.7V-1200mAh	75.6x137.6x94.8	24
24097- 3IN1	VT-11025CCT-W	2.5W	300	White	3.7V-1200mAh	75.6x137.6x94.8	24

LED SOLAR WALL LIGHT



Detecting Angle: 90°
Sensing Range: 2-6M
Charging Time: 6-7 hr
Working Time: Min 8 hr and Max 24 hr
IP Rating: IP65
Body Type: ABS+PC



SKU	Model	Watts	Lumens	Unit Color	Battery	Size(mm)	Box Qty
8276 - 4000K DAY WHITE	VT-767-2-W	1.5W	220	White+Black	3.7V-1200mAh	144.5x96x79	20
8277 - 4000K DAY WHITE	VT-767-2-B	1.5W	220	Black	3.7V-1200mAh	144.5x96x79	20

LED SOLAR WALL LIGHT



Detecting Angle: 120°
Sensing Range: 2-6M
Charging Time: 12-15 hr
Working Time: Min 5-8 hr and Max 24 hr
IP Rating: IP65
Body Type: ABS+PC



SKU	Model	Watts	Lumens	Unit Color	Battery	Size(mm)	Box Qty
7523 - DAY+WARM WHITE	VT-768-W	2.4W	400	White+Black	3.7V-2000mAh	140x212x109.2	12
7528 - DAY+WARM WHITE	VT-768-B	2.4W	500	Black	3.7V-2000mAh	140x212x109.2	12

LED SOLAR WALL LIGHT



Detecting Angle: 120°
Sensing Range: 2-6M
Charging Time: 12-15 hr
Working Time: 5 hr to 4 nights- 3 modes
IP Rating: IP65
Body Type: ABS+PC



SKU	Model	Watts	Lumens	Unit Color	Battery	Size(mm)	Box Qty
8278 - 4000K DAY WHITE	VT-767-7-W	8W	850	White+Black	3.7V-4000mAh	232x220.6x121.4	8
8279 - 4000K DAY WHITE	VT-767-7-B	8W	850	Black	3.7V-4000mAh	232x220.6x121.4	8

SOLAR TABLE LAMP



Battery: Lin-ion 18650, 3.7V, 4000mAh

Charging Time: 8-10 Hours

Working Time: 12 Hours

IP Rating: IP44

Body Type: Metal



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
23383 - 3000K+6000K WARM WHITE+WHITE	VT-7993-B	1W	120	Black	420x305mm	1
23384 - 3000K+6000K WARM WHITE+WHITE	VT-7993-G	1W	120	Grey	420x305mm	1

SOLAR TABLE LAMP



Battery: Lin-ion 18650, 3.7V, 1200mAh

Charging Time: 6-8 Hours


Working Time: 10 Hours

IP Rating: IP44

Body Type: Metal

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
23385 - 3000K WARM WHITE	VT-7994	0.5W	21	Black	180x210mm	20

NEW SOLAR GARDEN LAWN LIGHT



Charging Time: 11 hr

Working Time: 4-25 hr

IP Rating: IP65



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
24287 - 2800K WARM WHITE	VT-84043	1.5W	150	3.7V 1800mAh Ni-HM	120x345mm	4

NEW SOLAR GARDEN LAWN LIGHT



Charging Time: 11 hr

Working Time: 4-25 hr

IP Rating: IP65



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
24288 - 2800K WARM WHITE	VT-84044	1.5W	150	3.7V 1800mAh Ni-HM	335x395mm	4

NEW LED SOLAR GARDEN LIGHT-SENSOR



Detecting Angle: 180°

Charging Time: 6-8 hr

Working Time: 10-12 hr

IP Rating: IP54



SKU	Model	Watts	Lumens	Battery	Size(mm)
24365 - 3000K WARM WHITE	VT-81018	3.5W Solar Panel	95	3.7V-1800mAh Li-ion	200x137x160

NEW LED SOLAR GARDEN LIGHT-SENSOR



Detecting Angle: 120°

Sensing Range: <8 Meters

Charging Time: 7 hr

Working Time: Max 70 hr

IP Rating: IP65

Body Type: ABS+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
24098 - 3IN1	VT-12014CCT	15W	2200	3.7V-12000mAh LiFePO4	324.7x184.8	2

NEW LED SOLAR WALL LIGHT-REMOTE CONTROL



Charging Time: 6-8 hr

Working Time: 10-12 hr

IP Rating: IP54

Body Type: PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
24152 - 3IN1	VT-11149CCT	0.9W	120	3.7V-1800mAh	190x130x205	20

NEW LED SOLAR WALL LIGHT-REMOTE CONTROL



Charging Time: 6-8 hr

Working Time: 10-12 hr

IP Rating: IP54

Body Type: PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
24153 - 3IN1	VT-11148CCT	0.9W	120	3.7V-1800mAh	190x100x220	20

LED SOLAR WALL LIGHT



Charging Time: 8-10 hr

Working Time: 6-8 hr

IP Rating: IP54

Body Type: Aluminium+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23012 - 3000K WARM WHITE	VT-1139-B	1W	70	3.7V-1200mAh	121x90x112.5	32

LED SOLAR WALL LIGHT



Charging Time: 8-10 hr

Working Time: 6-8 hr

IP Rating: IP54

Body Type: Aluminium+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23013 - 3000K WARM WHITE	VT-1139-W	1W	70	3.7V-1200mAh	121x90x112.5	32

LED SOLAR WALL LIGHT-SENSOR



Detecting Angle: 360°

Sensing Range: 3-4 Meters

Charging Time: 8-10 hr

Working Time: 6-8 hr

IP Rating: IP54

Body Type: Aluminium+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
10399 - 3000K WARM WHITE	VT-1145	1W	70	3.7V-1200mAh	121x90x112.5	32

LED SOLAR WALL LIGHT-SENSOR



Detecting Angle: 90°-110°
 Charging Time: 8-10 hr
 Working Time: 6-8 hr
 IP Rating: IP54
 Body Type: Aluminium+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23016 - 3000K WARM WHITE	VT-1147-RD	5.5W	220	3.7V-2200mAh	229x155x155	6

LED SOLAR WALL LIGHT-SENSOR



Detecting Angle: 90°-110°
 Charging Time: 8-10 hr
 Working Time: 6-8 hr
 IP Rating: IP54
 Body Type: Aluminium+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
10402 - 3000K WARM WHITE	VT-1147-SQ	5.5W	220	3.7V-2200mAh	224x130x155	6

LED SOLAR WALL LIGHT-SENSOR



Detecting Angle: 90°-110°
 Charging Time: 8-10 hr
 Working Time: 6-8 hr
 IP Rating: IP54
 Body Type: Aluminium+Glass



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23017 - 3000K WARM WHITE	VT-1148	2.5W	100	3.7V-2000mAh	181x91x66	12

LED SOLAR WALL LIGHT



Charging Time: 8-10 hr

Working Time: 6-8 hr

IP Rating: IP54

Body Type: Aluminium+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
10384 - 3000K WARM WHITE	VT-1138-B	1W	70	3.7V-1200mAh	121x90x121.5	32

LED SOLAR WALL LIGHT



Charging Time: 8-10 hr

Working Time: 6-8 hr

IP Rating: IP54

Body Type: Aluminium+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
10395 - 3000K WARM WHITE	VT-1138-W	1W	70	3.7V-1200mAh	121x90x121.5	32

LED SOLAR WALL LIGHT-SENSOR



Detecting Angle: 360°

Sensing Range: 3-4 Meters

Charging Time: 8-10 hr

Working Time: 6-8 hr

IP Rating: IP54

Body Type: Aluminium+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23014 - 3000K WARM WHITE	VT-1140	1W	70	3.7V-1200mAh	121x90x121.5	32

LED SOLAR WALL LIGHT-DIAMOND



Sensing Range: <8 Meters
 Charging Time: 7 hr
 Working Time: Up to 80 hr
 IP Rating: IP65
 Body Type: ABS+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23004 - 6000K+4000K WHITE+DAY WHITE	VT-425	15W	1900	3.2V--6000mAh	257x288.5x206.5	4

LED SOLAR PILLAR LIGHT-DIAMOND



Sensing Range: <8 Meters
 Charging Time: 7 hr
 Working Time: Up to 80 hr
 IP Rating: IP65
 Body Type: ABS+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23005 - 6000K+4000K WHITE+DAY WHITE	VT-426	15W	2200	3.2V--6000mAh	Ø257x217	4

LED SOLAR PATH LIGHT-DIAMOND



Sensing Range: <8 Meters
 Charging Time: 7 hr
 Working Time: Up to 80 hr
 IP Rating: IP65
 Body Type: ABS+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23006 - 6000K+4000K WHITE+DAY WHITE	VT-413	15W	2200	3.2V--6000mAh	Ø257x885	125

LED SOLAR WALL LIGHT-PANDA-SENSOR



Sensing Range: <6 Meters
 Charging Time: 8-10 hr
 Working Time: Min 35 hr
 IP Rating: IP65
 Body Type: ABS+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
10309 - 4000K DAY WHITE	VT-422	2W	200	3.7V-1200mAh	138.9x68.5x106.9	24

LED SOLAR WALL LIGHT-SENSOR



Detecting Angle: 360°
 Sensing Range: 3-4 Meters
 Charging Time: 8-10 hr
 Working Time: 6-8 hr
 IP Rating: IP54
 Body Type: Polycrystalline Solar Panel



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23010 - 3000K WARM WHITE	VT-1136	2.5W	150	3.7V-2000mAh	185x120x260	6

LED SOLAR BOLLARD LIGHT-SENSOR



Detecting Angle: 360°
 Sensing Range: 3-4 Meters
 Charging Time: 8-10 hr
 Working Time: 6-8 hr
 IP Rating: IP54
 Body Type: Polycrystalline Solar Panel



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23009 - 3000K WARM WHITE	VT-1134	2.5W	150	3.7V-2000mAh	120x120x800	6

LED SOLAR WALL LIGHT-REMOTE CONTROL



Sensing Range: 3-5M
 Charging Time: 4-6 hr
 Working Time: Min 3 hr and Max 12 hr
 IP Rating: IP44
 Body Type: PC



SKU	Model	Watts	Lumens	Battery	Size(mm)
93575 - 3IN1	VT-969	0.8W	60-75Lm	3.7V-1200mAh	160x230

LED SOLAR WALL LIGHT-REMOTE CONTROL



Sensing Range: 3-5M
 Charging Time: 4-6 hr
 Working Time: Min 3 hr and Max 12 hr
 IP Rating: IP44
 Body Type: PC



SKU	Model	Watts	Lumens	Battery	Size(mm)
93578 - 3IN1	VT-972	0.8W	60-75Lm	3.7V-1200mAh	160x160x230

LED SOLAR WALL LAMP



Charging Time: 5-6 hr
 Working Time: 3-12 hr
 IP Rating: IP65
 Body Type: Aluminum Die-Casting



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
2889 - 3IN1	VT-982-S	2W	110	3.7V-2200mAh	190x150x240	6

LED SOLAR STAND LAMP



Charging Time: 5-6 hr
 Working Time: 10-12 hr
 IP Rating: IP65
 Body Type: Aluminum Die-Casting



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
2890 - 3IN1	VT-983-S	2W	110	3.7V-2200mAh	150x150x240	6

LED SOLAR WALL LAMP



Charging Time: 5-6 hr
 Working Time: 10-12 hr
 IP Rating: IP65
 Body Type: Aluminum Die-Casting



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
2892 - 3000K+6000K WARM WHITE+WHITE	VT-982	2W	110	3.7V-2200mAh	230x200x175	6

LED SOLAR STAND LAMP



Charging Time: 5-6 hr
 Working Time: 10-12 hr
 IP Rating: IP65
 Body Type: Aluminum Die-Casting



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
2893 - 3000K+6000K WARM WHITE+WHITE	VT-983	2W	110	3.7V-2200mAh	175x175x250	6

LED SOLAR LAWN LAMP



Charging Time: 5-6 hr
 Working Time: 10-12 hr
 IP Rating: IP65
 Body Type: Aluminum Die-Casting



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
2894 - 3000K+6000K WARM WHITE+WHITE	VT-984	2W	110	3.7V-2200mAh	175x175x930	4

LED SOLAR LAWN LAMP



Charging Time: 5-6 hr
 Working Time: 10-12 hr
 IP Rating: IP65
 Body Type: Aluminum Die-Casting



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
2891 - 3IN1	VT-984-S	2W	110	3.7V-2200mAh	150x150x940	4

LED SOLAR BOLLARD LIGHT




Charging Time: 12-15 hr
 Working Time: 20-36 hr
 IP Rating: IP65
 Body Type: ABS+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
6666 - 3000K WARM WHITE 6665 - 4000K DAY WHITE	VT-945	5W	400	3.7V-2000mAh	705.7x155	8

LED SOLAR BOLLARD LIGHT



Charging Time: 8-10 hr
 Working Time: 6-8 hr
 IP Rating: IP54
 Body Type: Aluminium+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23011 - 3000K WARM WHITE	VT-1137	2W	120	3.7V-2000mAh	800x180x270	4

2IN1(SPIKE+STAND) GARDEN LIGHT



Charging Time: 4-5 hr
 Working Time: 30-36 hr
 IP Rating: IP65
 Body Type: ABS+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
6668 - 3000K WARM WHITE 6667 - 4000K DAY WHITE	VT-943	3W	260	3.7V-1000mAh	148x800	32

LED SOLAR GARDEN LIGHT - ADJUSTABLE



Charging Time: 4-5 hr
 Working Time: 30-36 hr
 IP Rating: IP65
 Body Type: ABS+PC+Metal



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
6669 - 4000K DAY WHITE	VT-948	8W	500	7.4V-2000mAh	264x1290.55	4

LED SOLAR BOLLARD LIGHT WITH SENSOR



Detecting Angle: 90-110°
 Charging Time: 8-10 hr
 Working Time: 6-8 hr
 IP Rating: IP54
 Body Type: Aluminium+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23398 - 3000K WARM WHITE	VT-1167	5.5W	220	DC:3.7V Li-ion 2200mAh	130x203.5x800	6

LED SOLAR BOLLARD LIGHT WITH SENSOR



Detecting Angle: 90-110°
 Charging Time: 8-10 hr
 Working Time: 6-8 hr
 IP Rating: IP54
 Body Type: Aluminium+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23399 - 3000K WARM WHITE	VT-1168	5.5W	220	DC:3.7V Li-ion 2200mAh	130x203.5x800	6

LED SOLAR BOLLARD LIGHT WITH SENSOR



Detecting Angle: 90-110°
 Charging Time: 8-10 hr
 Working Time: 6-8 hr
 IP Rating: IP54
 Body Type: Aluminium+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23401 - 3000K WARM WHITE	VT-1170	3W	250	DC:3.7V Li-ion 2200mAh	145x145x800	4

SOLAR GARDEN LIGHT-HEMP ROPE WITH HANDLE



Charging Time: 9 hr

Working Time: Upto 8 hr

IP Rating: IP65



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23349 - 3000K WARM WHITE	VT-7653	2.4W	20	3.7V 2600mAh (Li(NiCoMn)O2)	200x325mm	1

LED SOLAR HANGING LANTERN LIGHT



Charging Time: 6-8 hr

Working Time: 8-12 hr

IP Rating: IP44

Body Type: Metal



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23386 - 2700K WARM WHITE	VT-7995	0.16W	8	1.2V, 300mAh 18650 Ni-HM Battery	180x210	20

NEW 2IN1(SPIKE+WALL MOUNT) GARDEN LIGHT



Charging Time: 6-8 hr

Working Time: 10-12 hr

IP Rating: IP65

Body Type: Monocrystal Solar Panel



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23757 - 3000K WARM WHITE	VT-41009	0.9W	80	3.7V-1200mAh	145x84x215	20

NEW 2IN1(SPIKE+WALL MOUNT) GARDEN LIGHT




Charging Time: 6-8 hr
 Working Time: 10-12 hr
 IP Rating: IP65
 Body Type: ABS



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23996 - 3IN1	VT-10183	0.9W	100	3.7V-1200mAh	114x175x310	20

NEW 2IN1(SPIKE+STAND) GARDEN LIGHT



Charging Time: 6-8 hr
 Working Time: 10-12 hr
 IP Rating: IP65
 Body Type: ABS



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23997 - 3IN1	VT-10185	1.5W	80	3.7V-1500mAh	160x95x975	10

LED SOLAR WALL LIGHT-SENSOR



Detecting Angle: 90-110°
 Sensing Range: 2-8 Meters
 Charging Time: 8-10 hr
 Working Time: 6-8 hr
 IP Rating: IP54
 Body Type: Aluminium+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23400 - 3000K WARM WHITE	VT-1169	3W	250	3.7V Li-ion 2200mAh	162x145x170	8

NEW LED SOLAR SPIKE LIGHT



Charging Time: 7-8 hr
 Working Time: 8-10 hr
 IP Rating: IP54
 Body Type: ABS



SKU	Model	Watts	Lumens	Battery	Size(mm)
24154 - 3000K WARM WHITE	VT-50154	2W	180	3.7V-2200mAh	93x480x115

LED SOLAR LAWN LAMP



Charging Time: 9 hr
 Working Time: Upto 8 hr
 IP Rating: IP65
 Body Type: Iron



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23350 - 3000K WARM WHITE	VT-7654	2W	20	3.7V 2600mAh (Li(NiCoMn)O2)	150x150x635	1

2IN1(SPIKE+STAND) GARDEN LIGHT



Charging Time: 6-8 hr
 Working Time: 10-12 hr
 IP Rating: IP65
 Body Type: ABS



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
10304 - 3IN1	VT-4102	3W	220	3.7V-2600mAh	155x720	10

LED SOLAR SPIKE LIGHT



Charging Time: 8-10 hr

Working Time: 6-8 hr

IP Rating: IP54

Body Type: Aluminium+PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23015 - 3000K WARM WHITE	VT-1146	1.8W	90	3.7V-1800mAh	Ø155x200mm	24

LED SOLAR SPIKE LIGHT



Charging Time: 6-8 hr

Working Time: 10-12 hr

IP Rating: IP65

Body Type: ABS



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
6660 - 3000K WARM WHITE 6661 - 4000K DAY WHITE 6662 - 6400K WHITE	VT-952	2W	40	3.7V-1200mAh	140x150x280	20

LED SOLAR SPIKE LIGHT



Charging Time: 4-6 hr

Working Time: 3-12 hr

IP Rating: IP65

Body Type: ABS



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
20488 - 3000K WARM WHITE	VT-11031	1.2Wx2	90x2	3.7V-4000mAh	60x75x250	20

LED SOLAR SPIKE LIGHT



Charging Time: 4-6 hr

Working Time: 3-12 hr

IP Rating: IP65

Body Type: ABS



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
20489 - 3000K WARM WHITE	VT-11032	1.2Wx3	50x3	3.7V-4000mAh	60x75x250	10

SOLAR BUG ZAPPER



- UV Light Solar Bug Zapper
- Silicone handle for easy carrying or hanging
- Tabletop, hang and spike installation
- Flexibility in positioning to maximize bug zapping efficiency
- Collection tray for dead insects
- UV Light:2W
- Tabletop size (12.8x12.8x34.4cm), Standing size (12.8x12.8x67.2cm)
- Charging Time 8-10 hours (Solar), 4 hours (Type-C)
- Work time maximum of 4 hours when fully charged
- High voltage grid rated at 1000V

SKU	Model	Watts	Battery	Size(mm)	Box Qty
23459	VT-3215	1.3W	3.7V,2200mAh	128x128x672mm	12

LED SOLAR STRING LIGHT-REMOTE CONTROL



IP Rating: IP44

Body Type: PVC Wire, Plastic Bulb

G50x10 Bulbs



SKU	Model	Watts	Lumens	Battery	Size	Box Qty
7804 - 3000K WARM WHITE	VT-70512	5W	300	3.7V-1200mAh	12 Meters	10

LED SOLAR STRING LIGHT



Charging Time: 8-12 hr

Working Time: 6-8 hr

IP Rating: IP44

Body Type: PC

10 Bulbs



SKU	Model	Watts	Lumens	Battery	Size	Box Qty
8559 - 3000K WARM WHITE	VT-71010	10W	100	1pc AA Ni-MH 1.2V-300mAh	2 Meters	24

LED SOLAR STRING LIGHT




IP Rating: IP44

ST64x15 Bulbs



SKU	Model	Watts	Lumens	Battery	Size	Box Qty
23034 - 3000K WARM WHITE	VT-7155	3W	50	3.7V (2 x 1200mAh)	15.6 Meters	2

LED SOLAR PANEL STRIP KIT-IP67-2IN1



SKU	Model	Watts	Lumens	Battery	Size	Box Qty
23044 - 3000K WARM WHITE 23045 - 4000K DAY WHITE 23046 - RGB	VT-2835 60	1.2W	120	3.7V-1500mAh	5 Meter Roll	20

LED SOLAR EGG LIGHT



Charging Time: 8-12 hr
Working Time: 6-8 hr
IP Rating: IP44
Body Type: PC



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
8557 - RGB+WW	VT-7815	0.2W	4	1xAA BATTERY, 1.2V/500mAH NI-MH	D:188x395	12

LED SOLAR FLAME LIGHT



Charging Time: 8-12 hr
Working Time: 6-8 hr
IP Rating: IP44
Body Type: PC

4 IN 1 4 DIFFERENT WAY OF INSTALLATION
1: SPIKE 2: HANGING
3: LAMP POST 4: WALL MOUNTING

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
8558 - 2200K WARM WHITE	VT-719	0.4W	5	3.7V/500mAH Lithium Battery,	100x100x650	24

LED SOLAR FLAME LIGHT



Charging Time: 8 hr
Working Time: 6 hr
IP Rating: IP44
Body Type: PP



SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
8689 - 2200K WARM WHITE	VT-724	1W	10	1.2V 2/3AAA NI-MH	75x75x500	24

LED BULBS & SPOTLIGHTS

Find the right lighting solution with V-TAC's newly improved range of LED bulbs. Through our latest in-branding program, the LED PRO Series is now powered by CREE LEDs, ensuring superior performance, reliability, and efficiency—backed by a 6-year warranty for long-lasting, dependable illumination.

LED Candle Bulbs | E14



Body Type	Plastic
Beam Angle	180°
CRI	>80
IP Rating	IP20
Input Power	AC:220-240V, 50Hz
Lifespan	25,000 Hours
On/Off Cycles	>20000



SKU CCT	Model	Watts	Lumens	Base	Shape	Size
2142166 3000K WARM WHITE 2141666 4000K DAY WHITE 2141226 6500K WHITE	VT-1818	3.7W	320	E14	Candle	36.5x92.5mm
21421516 3000K WARM WHITE 21425816 4000K DAY WHITE 21424116 6500K WHITE	VT-1855	4.5W	470	E14	Candle	36.5x92.5mm
2120186-6 4000K DAY WHITE	VT-293D	5.5W Dimmable	470	E14	Candle	36.5x110mm
2111116 3000K WARM WHITE 2111216 4000K DAY WHITE 2111316 6500K WHITE	VT-268	6.5W	600	E14	Candle	36.5x100mm

LED Golf Bulbs | P45 | E14



Body Type	Plastic
Beam Angle	180°
CRI	>80
IP Rating	IP20
Input Power	AC:220-240V, 50Hz
Lifespan	25,000 Hours
On/Off Cycles	>20000



SKU CCT	Model	Watts	Lumens	Base	Shape	Size
2141236 3000K WARM WHITE 2141746 4000K DAY WHITE 2141246 6500K WHITE	VT-1819	3.7W	320	E14	P45	45x70mm
218636 3000K WARM WHITE 218646 4000K DAY WHITE 218656 6500K WHITE	VT-270	6.5W	600	E14	P45	45x80mm

LED Golf Bulbs | G45 | E27



Body Type	Plastic
Beam Angle	180°
CRI	>80
IP Rating	IP20
Input Power	AC:220-240V, 50Hz
Lifespan	25,000 Hours
On/Off Cycles	>20000



SKU CCT	Model	Watts	Lumens	Base	Shape	Size
2141606 3000K WARM WHITE 2141626 4000K DAY WHITE 2142076 6500K WHITE	VT-1830	3.7W	320	E27	G45	45x70mm
218666 3000K WARM WHITE 21867-6 4000K DAY WHITE 218686 6500K WHITE	VT-290	6.5W	600	E27	G45	45x80mm

LED GLS Bulbs | E27



Body Type	Plastic
Beam Angle	200°
CRI	>80
IP Rating	IP20
Input Power	AC:220-240V, 50Hz
Lifespan	25,000 Hours
On/Off Cycles	>20000



SKU CCT	Model	Watts	Lumens	Base	Shape	Size
2172606 3000K WARM WHITE 2172616 4000K DAY WHITE 2172626 6500K WHITE	VT-2099	8.5W	806	E27	A60	59x104mm
2173506 3000K WARM WHITE 2173496 4000K DAY WHITE 2173516 6500K WHITE	VT-2112	10.5W	1055	E27	A60	59x112mm
2144536 3000K WARM WHITE 2144546 4000K DAY WHITE 2144556 6500K WHITE	VT-2015	15W	1521	E27	A65	65x125mm
2144566 3000K WARM WHITE 2144576 4000K DAY WHITE 2144586 6500K WHITE	VT-2017	17W	1710	E27	A65	65x134mm

LED Reflector Bulbs



Body Type	Plastic
Beam Angle	120°
CRI	>80
IP Rating	IP20
Input Power	AC:220-240V, 50Hz
Lifespan	25,000 Hours
On/Off Cycles	>20000



SKU CCT	Model	Watts	Lumens	Base	Shape	Size
212106 3000K WARM WHITE 212116 4000K DAY WHITE 21212-6 6500K WHITE	VT-239	2.9W	250	E14	R39	39x67mm
211386 3000K WARM WHITE 211396 4000K DAY WHITE 211406 6500K WHITE	VT-250	4.8W	470	E14	R50	50x85mm
211416 3000K WARM WHITE 211426 4000K DAY WHITE 211436 6500K WHITE	VT-263	8.5W	806	E27	R63	63x100mm
211356 3000K WARM WHITE 211366 4000K DAY WHITE 211376 6500K WHITE	VT-280	11W	1055	E27	R80	80x112mm

LED Bulbs | T37 | E14



Body Type	Plastic
Beam Angle	230°
CRI	>80
IP Rating	IP20
Input Power	AC:220-240V, 50Hz
Lifespan	25,000 Hours
On/Off Cycles	>20000



SKU CCT	Model	Watts	Lumens	Base	Shape	Size
21267-6 3000K WARM WHITE 212686 4000K DAY WHITE 212696 6500K WHITE	VT-248	7.5W	660	E14	T37	37x100mm

LED Bulbs | T37 | E27



Body Type	Plastic
Beam Angle	230°
CRI	>80
IP Rating	IP20
Input Power	AC:220-240V, 50Hz
Lifespan	25,000 Hours
On/Off Cycles	>20000



SKU CCT	Model	Watts	Lumens	Base	Shape	Size
211446 3000K WARM WHITE 211456 4000K DAY WHITE 21146-6 6500K WHITE	VT-237	7.5W	660	E27	T37	37x100mm

LED Bulbs | ST26 | E14



Body Type	Plastic
Beam Angle	200°
CRI	>80
IP Rating	IP20
Input Power	AC:220-240V, 50Hz
Lifespan	25,000 Hours
On/Off Cycles	>20000



SKU CCT	Model	Watts	Lumens	Base	Shape	Size
212346 3000K WARM WHITE 212356 4000K DAY WHITE 212366 6500K WHITE	VT-202	2W	180	E14	ST26	26x59mm

LED Globe Bulbs | E27



Body Type	Plastic
Beam Angle	200°
CRI	>80
IP Rating	IP20
Input Power	AC:220-240V, 50Hz
Lifespan	25,000 Hours
On/Off Cycles	>20000



SKU CCT	Model	Watts	Lumens	Base	Shape	Size
21200216 3000K WARM WHITE 21200226 4000K DAY WHITE 21200236 6500K WHITE	VT-242	22W	2600	E27	G120	120x160mm

LED Olive Bulbs | E27



Body Type	Plastic
Beam Angle	300°
CRI	>80
IP Rating	IP20
Input Power	AC:220-240V, 50Hz
Lifespan	25,000 Hours
On/Off Cycles	>20000



SKU CCT	Model	Watts	Lumens	Base	Shape	Size
21284-6 4000K DAY WHITE 21285-6 6500K WHITE	VT-240	36W	4000	E27	Olive	90x220mm



LED Olive Bulbs | E40

Body Type	Plastic
Beam Angle	300°
CRI	>80
IP Rating	IP20
Input Power	AC:220-240V, 50Hz
Lifespan	25,000 Hours
On/Off Cycles	>20000



SKU CCT	Model	Watts	Lumens	Base	Shape	Size
211876 4000K DAY WHITE 211886 6500K WHITE	VT-260	60W	6500	E40	Olive	102x320mm

LED Spotlights | GU10 Lens | 38°



Body Type	Plastic
Beam Angle	38°
CRI	>80
IP Rating	IP20
Input Power	AC:220-240V, 50Hz
Lifespan	25,000 Hours
On/Off Cycles	>20000



SKU CCT	Model	Watts	Lumens	Base	Size
211086 3000K WARM WHITE 211976 4000K DAY WHITE 215116 6500K WHITE	VT-275	4.5W	345	GU10	50x55mm
211896 3000K WARM WHITE 211906 4000K DAY WHITE 211916 6500K WHITE	VT-227	6W	445	GU10	50x55mm
211956 3000K WARM WHITE 211966 4000K DAY WHITE 211976 6500K WHITE	VT-227D	6W Dimmable	445	GU10	50x55mm
218756 3000K WARM WHITE 218766 4000K DAY WHITE 218776 6500K WHITE	VT-291	7.5W	610	GU10	50x55mm

LED Spotlights | GU10 Milky | 100°



Body Type	Plastic
Beam Angle	100°
CRI	>80
IP Rating	IP20
Input Power	AC:220-240V, 50Hz
Lifespan	25,000 Hours
On/Off Cycles	>20000



SKU CCT	Model	Watts	Lumens	Base	Size
21201-6 3000K WARM WHITE 21202-6 4000K DAY WHITE 21203-6 6500K WHITE	VT-205	4.5W	400	GU10	50x56.5mm

218786 3000K WARM WHITE 218796 4000K DAY WHITE 218806 6500K WHITE	VT-271	10W	1000	GU10	50x56.5mm
---	--------	-----	------	------	-----------

LED Spotlights | GU10 Lens | 110°



Body Type	Plastic
Beam Angle	110°
CRI	>80
IP Rating	IP20
Input Power	AC:220-240V, 50Hz
Lifespan	25,000 Hours
On/Off Cycles	>20000



SKU CCT	Model	Watts	Lumens	Base	Size
211926 3000K WARM WHITE 211936 4000K DAY WHITE 211946 6500K WHITE	VT-247	6W	445	GU10	50x55mm

211986 3000K WARM WHITE 211996 4000K DAY WHITE 212006 6500K WHITE	VT-247D	6W Dimmable	445	GU10	50x55mm
---	---------	---------------	-----	------	---------

218726 3000K WARM WHITE 218736 4000K DAY WHITE 218746 6500K WHITE	VT-292	7.5W	610	GU10	50x55mm
---	--------	------	-----	------	---------

LED TUBES & BATTEN FITTINGS

V-TAC's extensive range of LED Tubes and Batten Fittings features premium CREE LED chips, delivering outstanding performance and a lifespan of up to 25,000 hours. Built with durable, unbreakable materials and available in multiple sizes, the range also includes IP65-rated waterproof fittings with hermetically sealed bodies, ensuring reliable protection against dust and water—ideal for demanding indoor and outdoor applications.

High Lumen LED T8 Tubes



Body Type	Nano Plastic
Beam Angle	160°
CRI	>80
PF	>0.5
IP Rating	IP20
Input Power	AC:220-240V, 50Hz
Lifespan	25,000 Hours
On/Off Cycles	>15000



SKU CCT	Model	Watts	Lumens	Base	Shape	Size
240646 4000K DAY WHITE 240656 6500K WHITE	VT-007	7W	1050	G13	T8	600x28mm
240666 4000K DAY WHITE 240676 6500K WHITE	VT-012	12W	1800	G13	T8	1200x28mm
240686 4000K DAY WHITE 240696 6500K WHITE	VT-015	15W	2250	G13	T8	1500x28mm

LED T8 Tubes



Body Type	Nano Plastic
Beam Angle	160°
CRI	>80
PF	>0.5
IP Rating	IP20
Input Power	AC:220-240V, 50Hz
Lifespan	25,000 Hours
On/Off Cycles	>15000



SKU CCT	Model	Watts	Lumens	Base	Shape	Size
216506 3000K WARM WHITE 216516 4000K DAY WHITE 216526 6500K WHITE	VT-061	9W	850	G13	T8	600x28mm
216536 3000K WARM WHITE 216546 4000K DAY WHITE 216556 6500K WHITE	VT-121	18W	1850	G13	T8	1200x28mm
216566 3000K WARM WHITE 216576 4000K DAY WHITE 216586 6500K WHITE	VT-151	20W	2100	G13	T8	1500x28mm

High Lumen Prismatic Slim Fittings



Body Type	Plastic
Beam Angle	120°
CRI	>80
PF	>0.9
IP Rating	IP20
Input Power	AC:220-240V, 50Hz
Lifespan	30,000 Hours
On/Off Cycles	>15000



SKU CCT	Model	Watts	Lumens	Size
203446 3000K WARM WHITE 203456 4000K DAY WHITE 203466 6500K WHITE	VT-8-10	10W	3000K - 1000lm 4000K - 1200lm 6500K - 1200lm	300x76x24mm
203476 3000K WARM WHITE 203486 4000K DAY WHITE 203496 6500K WHITE	VT-8-20	20W	3000K - 2050lm 4000K - 2400lm 6500K - 2400lm	566x76x24mm
203506 3000K WARM WHITE 203516 4000K DAY WHITE 203526 6500K WHITE	VT-8-40	40W	3000K - 4300lm 4000K - 4800lm 6500K - 4800lm	1166x76x24mm
203546 4000K DAY WHITE 203556 6500K WHITE	VT-8-50	50W	6000lm	1466x76x24mm


Integrated T5 Fitting



Body Type	Plastic
Beam Angle	160°
CRI	>80
IP Rating	IP20
Input Power	AC:220-240V, 50/60Hz
Lifespan	30,000 Hours
On/Off Cycles	>15000

SKU CCT	Model	Watts	Lumens	Size
216896 3000K WARM WHITE 216906 4000K DAY WHITE 216916 6500K WHITE	VT-035	4W	400	290x27x30mm
216926 3000K WARM WHITE 216936 4000K DAY WHITE 216946 6500K WHITE	VT-065	7W	700	551x27x30mm
216956 3000K WARM WHITE 216966 4000K DAY WHITE 216976 6500K WHITE	VT-125	16W	1600	1151x27x30mm

LED Waterproof Batten Fittings



Body Type	PC
Beam Angle	120°
CRI	>80
PF	>0.7
IP Rating	IP65
Input Power	AC:220-240V, 50/60Hz
Lifespan	50,000 Hours
On/Off Cycles	>25000



SKU CCT	Model	Watts	Lumens	Size
2162836 4000K DAY WHITE 2162826 6500K WHITE	VT-6076	18W	2410	600x66x58mm
2162856 4000K DAY WHITE 2162846 6500K WHITE	VT-1249	36W	4820	1200x65x58mm
2162876 4000K DAY WHITE 2162866 6500K WHITE	VT-1574	48W	6480	1500x65x58mm

LED Waterproof Batten Fittings



Body Type	PC
Beam Angle	120°
CRI	>80
PF	>0.7
IP Rating	IP65
Input Power	AC:220-240V, 50/60Hz
Lifespan	50,000 Hours
On/Off Cycles	>25000




SKU CCT	Model	Watts	Lumens	Size
233916 4000K DAY WHITE 233926 6500K WHITE	VT-12017	18W	2160	600x68x59mm
233876 4000K DAY WHITE 233886 6500K WHITE	VT-12035	36W	4320	1200x68x59mm
233896 4000K DAY WHITE 233906 6500K WHITE	VT-12049	48W	5760	1500x68x59mm

LED PANELS

LED panel series are made with high quality diffusers which provide a evenly distributed light and prevents the panels from turning yellow.

The panels' durability is evidenced by exteriors composed of an innovative combination of FE+PS, and further energy savings thanks to the upgraded driver box and CREE LEDs. Available in Big and mini sizes.




High Lumen Panel 60x60

Body Type	FE+PS	IP Rating	IP20
Beam Angle	110°	Input Power	AC:220-240V, 50/60Hz
CRI	>80	Lifespan	50,000 Hours
PF	>0.9	On/Off Cycles	>25000



SKU CCT	Model	Watts	Lumens	Size
236246 4000K DAY WHITE 236256 6500K WHITE	VT-61036	36W	4320	595x595x33mm
241456 4000K DAY WHITE 241466 6500K WHITE	VT-61044	40W	4800	595x595x33mm



High Lumen Panel 120x30

Body Type	FE+PS	IP Rating	IP20
Beam Angle	110°	Input Power	AC:220-240V, 50/60Hz
CRI	>80	Lifespan	50,000 Hours
PF	>0.9	On/Off Cycles	>25000



SKU CCT	Model	Watts	Lumens	Size
241476 4000K DAY WHITE 241486 6500K WHITE	VT-61045	40W	4800	1195x295x33mm



LED Panel 120x30

Body Type	FE+PS	IP Rating	IP20
Beam Angle	110°	Input Power	AC:220-240V, 50/60Hz
CRI	>80	Lifespan	50,000 Hours
PF	>0.9	On/Off Cycles	>25000



SKU CCT	Model	Watts	Lumens	Size
21662516 4000K DAY WHITE	VT-6147	40W	4400	1195x295x30mm

LED Mini Panels | Recessed



Body Type	Plastic
Beam Angle	120°
CRI	>80
IP Rating	IP20
Input Power	AC:220-240V, 50/60Hz
Lifespan	30,000 Hours
On/Off Cycles	>15000



SKU CCT	Model	Watts	Lumens	Size
78586 - 3IN1 3000K-4000K-6500K	VT-61006CCT-RD	6W	630	120.5x28.4mm
78616 - 3IN1 3000K-4000K-6500K	VT-61012CCT-RD	12W	1320	170.8x28.4mm
78646 - 3IN1 3000K-4000K-6500K	VT-61018CCT-RD	18W	1980	220.8x28.9mm
78676 - 3IN1 3000K-4000K-6500K	VT-61024CCT-RD	24W	2500	296x29.1mm

LED Mini Panels | Recessed



Body Type	Plastic
Beam Angle	120°
CRI	>80
IP Rating	IP20
Input Power	AC:220-240V, 50/60Hz
Lifespan	30,000 Hours
On/Off Cycles	>15000



SKU CCT	Model	Watts	Lumens	Size
104806 - 3IN1 3000K-4000K-6500K	VT-61006CCT-SQ	6W	630	120.5x120.5x28.2mm
104836 - 3IN1 3000K-4000K-6500K	VT-61012CCT-SQ	12W	1200	170.8x199x28.4mm
104866 - 3IN1 3000K-4000K-6500K	VT-61018CCT-SQ	18W	1850	220.4x220.4x28.8mm
104896 - 3IN1 3000K-4000K-6500K	VT-61024CCT-SQ	24W	2500	295x295x28.6mm

LED Mini Panels | Surfaced



Body Type	Plastic
Beam Angle	120°
CRI	>80
IP Rating	IP20
Input Power	AC:220-240V, 50/60Hz
Lifespan	30,000 Hours
On/Off Cycles	>15000

SKU CCT	Model	Watts	Lumens	Size
78706 - 3IN1 3000K-4000K-6500K	VT-60006CCT-RD	6W	630	121.2x30.6mm
78736 - 3IN1 3000K-4000K-6500K	VT-60012CCT-RD	12W	1320	167.4x30.7mm
78766 - 3IN1 3000K-4000K-6500K	VT-60018CCT-RD	18W	1980	215.6x30.8mm
78796 - 3IN1 3000K-4000K-6500K	VT-60024CCT-RD	24W	2500	288.6x31.2mm

LED Mini Panels | Surfaced



Body Type	Plastic
Beam Angle	120°
CRI	>80
IP Rating	IP20
Input Power	AC:220-240V, 50/60Hz
Lifespan	30,000 Hours
On/Off Cycles	>15000

SKU CCT	Model	Watts	Lumens	Size
104926 - 3IN1 3000K-4000K-6500K	VT-60006CCT-SQ	6W	660	120.8x120.8x30.7mm
104956 - 3IN1 3000K-4000K-6500K	VT-60012CCT-SQ	12W	1320	167.3x167.3x30.7mm
104986 - 3IN1 3000K-4000K-6500K	VT-60018CCT-SQ	18W	1850	214x214x31mm
105146 - 3IN1 3000K-4000K-6500K	VT-60024CCT-SQ	24W	2640	287x287x30.7mm

LED BULKHEAD

V-TAC's LED Bulkhead range features IP65-rated 2D bulkheads made from high-quality polycarbonate resin, ensuring a durable water- and dust-proof surface-mounted luminaire. Equipped with emergency battery backup and a microwave sensor with a 120° detection angle, these fixtures combine elegant design with reliable outdoor performance, delivering enhanced efficiency, safety, and security.



LED Microwave Sensor Dome Light | 5-in-1

Body Type	PC	IP Rating	IP20
Beam Angle	120°	Input Power	AC:220-240V, 50/60Hz
Detection Range	360°	Ambient Light	<3-2000lux(adjustable)
Detection Distance	Wall 1-5m, Ceiling 2-8m	Time Delay	Min. 10sec±3sec, Max. 12min±1min



SKU CCT	Model	Watts	Lumens	Size
24360 - 5IN1 2700K-3000K-4000K-5000K-6500K	VT-8179	40W	4400	360x51mm



All in One LED Bulkhead | Emergency+Sensor

Body Type	Polycarbonate	IP Rating	IP54
Beam Angle	110°	Input Power	AC:200-240V, 50Hz
Detection Range	6Mx3M	Ambient Light	Day,2Lux,10Lux,50Lux optional
Detection Distance	3-6M	Battery Type	LiFePO4, 3.2V 2Ah Battery
Detection Motion Speed	0.5-3m/s	Emergency Operation Time	>3 Hours
		Battery Discharge Current	410mA
		Battery Charging Current	250mA



SKU CCT	Model	Watts	Lumens	Size
812-24-6 - 3IN1 3000K-4000K-6500K	VT-8633	8W/16W/20W	2700	320x100mm



LED Bulkhead

Body Type	Polycarbonate
Beam Angle	110°
CRI	>80
PF	>0.9
IP Rating	IP65
Input Power	AC:200-240V, 50Hz
Lifespan	30,000 Hours



SKU CCT	Model	Watts	Lumens	Base	Shape	Size
801-24-6 - 3IN1 3000K-4000K-6500K	VT-8603	8W/16W/20W	2700		Round	320x100mm

LED PIR Dome Light



Body Type	Plastic Clad Aluminium
Beam Angle	120°
Detection Range	360°
Detection Distance	Max. 6m(<24°C)
IP Rating	IP20
Input Power	AC:220-240V, 50/60Hz
Ambient Light	<3-2000lux(adjustable)
Time Delay	Min. 10sec±3sec, Max. 3min±30sec



SKU CCT	Model	Watts	Lumens	Size
218086 4000K DAY WHITE	VT-13	12W	1000	290x59.5mm

V-TAC
Meaningful Innovation.

CREE
LED
POWERED



LED HIGHBAY

LED High Bays are designed for facilities with high ceilings such as warehouses, distribution centers, factories, and gymnasiums, delivering powerful and uniform illumination from heights of 20 feet or more. Linear High Bay Lights are perfect for lower ceiling applications like retail stores, workshops, and production areas. Both solutions offer excellent energy efficiency, long lifespan, and superior performance.

LED Highbays | UFO Series 90°




Body Type	Aluminium+PC
Beam Angle	90°
CRI	>70
IP Rating	IP65
Input Power	AC:220-240V, 50Hz
Lifespan	50,000 Hours
On/Off Cycles	>25000



SKU CCT	Model	Watts	Lumens	Size
240756 4000K DAY WHITE 240746 6500K WHITE	VT-91102	100W	13500	Ø244x105mm
240776 4000K DAY WHITE 240766 6500K WHITE	VT-91152	150W	20200	Ø286x105mm
240796 4000K DAY WHITE 240786 6500K WHITE	VT-91202	200W	27000	Ø326x105mm

LED Linear Highbays-CCT-Sosen Driver



Body Type	Aluminium+PC
Beam Angle	90°
CRI	>80
PF	>0.9
IP Rating	IP65
Input Power	AC:220-240V, 50/60Hz
Lifespan	50,000 Hours



SKU CCT	Model	Watts	Lumens	Size
242816 - 3IN1 3000K-4000K-6500K	VT-9-57	150/200/240W	32000	1060x101x65mm



LED FLOODLIGHTS

V-TAC's LED floodlights are manufactured with industry-leading components to deliver exceptional performance, making them the perfect choice for efficient outdoor lighting. Each unit is designed and constructed of die-cast aluminum for maximum durability. With the IP65 rating, all the floodlights in this series are also water- and dust-proof.



LED Slimline Floodlights

Body Type	Aluminium
Beam Angle	115°
CRI	>70
IP Rating	IP65
Input Power	AC:220-240V, 50Hz
Lifespan	30,000 Hours
On/Off Cycles	>15000



SKU CCT	Model	Watts	Lumens	Size
231976 4000K DAY WHITE 231986 6500K WHITE	VT-44033-B	30W	4050	164x34x144mm
231996 3000K WARM WHITE 232166 4000K DAY WHITE 232176 6500K WHITE	VT-4455-B	50W	5740	185x35x162mm
232006 3000K WARM WHITE 232186 4000K DAY WHITE 232196 6500K WHITE	VT-44105	100W	11480	256x42x229mm
232016 4000K DAY WHITE 232026 6500K WHITE	VT-44153-B	150W	17220	331x47x278mm
232206 4000K DAY WHITE 232216 6500K WHITE	VT-44201-B	200W	22960	406x47x333mm
238256 4000K DAY WHITE 232036 6500K WHITE	VT-44003-B	300W	34440	498x48x411.6mm

LED Slimline Floodlights



Body Type	Aluminium
Beam Angle	115°
CRI	>70
IP Rating	IP65
Input Power	AC:220-240V, 50Hz
Lifespan	30,000 Hours
On/Off Cycles	>15000



SKU CCT	Model	Watts	Lumens	Size
242086 4000K DAY WHITE 242096 6500K WHITE	VT-4455-W	50W	5740	185x35x162mm
242106 4000K DAY WHITE 242116 6500K WHITE	VT-44101-W	100W	11480	256x42x229mm
242126 4000K DAY WHITE 242136 6500K WHITE	VT-44201-W	200W	22960	406x47x333mm
242146 4000K DAY WHITE 242156 6500K WHITE	VT-44003-W	300W	34440	498x48x411.6mm

LED High Lumen Series Floodlights



Body Type	Aluminium
Beam Angle	115°
CRI	>70
IP Rating	IP65
Input Power	AC:220-240V, 50Hz
Lifespan	30,000 Hours
On/Off Cycles	>15000



SKU CCT	Model	Watts	Lumens	Size
9892-6 4000K DAY WHITE 9893-6 6500K WHITE	VT-4456	50W	9250	185x35x162mm
9894-6 4000K DAY WHITE 9895-6 6500K WHITE	VT-44101-B	100W	18500	256x42x229mm
9896-6 4000K DAY WHITE 9897-6 6500K WHITE	VT-44205	200W	37000	406x47x333mm

Floodlight with Stand-EU Plug



Body Type	Aluminium
Beam Angle	115°
CRI	>70
IP Rating	IP65
Input Power	AC:220-240V, 50Hz
Lifespan	30,000 Hours



SKU CCT	Model	Watts	Lumens	Size
242186 4000K DAY WHITE 242196 6500K WHITE	VT-44049	50W	5000	236.2x57x300mm

LED Floodlights | 3IN1 CCT



Body Type	Aluminium
Beam Angle	90°
CRI	>80
IP Rating	IP65
Input Power	AC:220-240V, 50/60Hz
Lifespan	50,000 Hours
On/Off Cycles	>25000



SKU CCT	Model	Watts	Lumens	Size
240726 - 3IN1	VT-44014CCT	10W	850	122x147x33mm
240736 - 3IN1	VT-44058CCT	50W	4000	182x227x33mm
240716 - 3IN1	VT-44110CCT	100W	8150	242x297x33mm
240706 - 3IN1	VT-44209CCT	200W	16450	326x410x33mm

LED Floodlights | High Power Series



Body Type	Aluminium
Beam Angle	60°
CRI	>70
IP Rating	IP65
Input Power	AC:220-240V, 50Hz
Lifespan	30,000 Hours
On/Off Cycles	>15000



SKU CCT	Model	Watts	Lumens	Size
230896 4000K DAY WHITE 972126 6500K WHITE	VT-48500	500W	67500	530x65x523mm

LED STRIP & COB TRACK LIGHTS

Enhance any environment with V-TAC's advanced LED lighting solutions. The LED Strip Light Series delivers vibrant colors and flexible illumination with easy installation and minimal space requirements—ideal for restaurants, auditoriums, and meeting rooms.

Complementing this range, V-TAC's COB Track Lights powered by CREE technology provide superior brightness and >80 CRI for vivid color rendering, making them the perfect choice for retail environments where lighting enhances product visibility and customer experience.



LED Striplights | Double PCB

Beam Angle	120°
CRI	>90
Roll Qty	10 Meter

IP Rating	IP20
Input Power	DC:24V



SKU CCT	Model	Watts/m	Lumen/m	Lumen/LED	Size
240806 3000K WARM WHITE 240816 4000K DAY WHITE 240826 6500K WHITE	VT-2835 120 5MM	8W/m	3000K - 760lm/m 4000K - 800lm/m 6500K - 800lm/m	3000K - 20-22lm 4000K - 21-23lm 6500K - 21-23lm	5mm
2126226 3000K WARM WHITE 2126236 4000K DAY WHITE 2126246 6500K WHITE	VT-2835 120 8MM	10W/m	3000K - 950lm/m 4000K - 1000lm/m 6500K - 1000lm/m	3000K - 20-22lm 4000K - 21-23lm 6500K - 21-23lm	8mm
2125966 3000K WARM WHITE 2125976 4000K DAY WHITE 2125986 6500K WHITE	VT-2835 168 8MM	12W/m	3000K - 1380lm/m 4000K - 1440lm/m 6500K - 1440lm/m	3000K - 20-22lm 4000K - 21-23lm 6500K - 21-23lm	8mm
2125996 3000K WARM WHITE 2126006 4000K DAY WHITE 2126016 6500K WHITE	VT-2835 238 10MM	18W/m	3000K - 1950lm/m 4000K - 2150lm/m 6500K - 2150lm/m	3000K - 20-22lm 4000K - 21-23lm 6500K - 21-23lm	10mm



LED Striplights |3IN1 CCT | Double PCB

Beam Angle	120°
CRI	>90
Roll Qty	10 Meter

IP Rating	IP20
Input Power	DC:24V



SKU CCT	Model	Watts/m	Lumen/m	Lumen/LED	Size
240836 - 3IN1	VT-2835 192.8MM	15W/m	1425lm/m	NA	8mm

Controllers for Striplights



- Infrared Controller with 24 Key Remote
- Maximum Input current of 2A / Each Color
- Remote control range: up to 8 meters
- DC:12V-24V Input Voltage
- Compatible with V-TAC CREE CCT Striplights

SKU

24172

Smart Controllers for Striplights



- Smart Controller with wireless 19 Key Remote
- Supports Google Home, Amazon Alexa and also BanlanX App
- Maximum Input current of 12mA-40mA
- Maximum output current 2A(PWM Single Channel)
- DC:5V-24V Input Voltage
- 2.4Ghz Wireless Frequency
- Compatible with V-TAC CREE CCT Striplights

SKU

24173

COB Tracklights



Body Type	Aluminium	IP Rating	IP20
Beam Angle	20°	Input Power	AC:220-240V, 50Hz
CRI	>80	Lifespan	30,000 Hours



SKU CCT	Model	Watts	Lumens	Size
241546 3000K WARM WHITE 241556 4000K DAY WHITE 241566 6400K WHITE	VT-11122	20W	1620	205x95x75mm
241576 3000K WARM WHITE 241586 4000K DAY WHITE 241596 6400K WHITE	VT-11135	35W	3218	235x110x90mm

COB Tracklights



Body Type	Aluminium	IP Rating	IP22
Beam Angle	36°	Input Power	AC:220-240V, 50Hz
CRI	>80	Lifespan	30,000 Hours



SKU CCT	Model	Watts	Lumens	Size
241606 3000K WARM WHITE 241616 4000K DAY WHITE 241626 6400K WHITE	VT-11130	30W	2845	∅90x155-162mm
241636 3000K WARM WHITE 241646 4000K DAY WHITE 241656 6400K WHITE	VT-11136	36W	3302	162x162x98mm



LED WALL/ BEDSIDE LIGHTS

Introducing our modern LED Wall/Bedside lights range, the perfect replacement for traditional lights. A classy combination of energy efficiency and contemporary design to add style and elegance to your home or garden.



Bedside Light with USB/PD Charging

Body Type	Aluminium+PC
Beam Angle	162°
CRI	>80
IP Rating	IP20

Input Power	AC:220-240V, 50Hz
Lifespan	20,000 Hours
On/Off Cycles	>15000



SKU CCT	Unit Colour	Model	Watts	Lumens	Size
240006 3000K WARM WHITE	White	VT-88062-W	2W	60	250x115x140mm
240016 3000K WARM WHITE	Black	VT-88062-B	2W	60	250x115x140mm



Bedside Light with USB/PD Charging

Body Type	Aluminium+PC
Beam Angle	40°
CRI	>80
IP Rating	IP20

Input Power	AC:220-240V, 50Hz
Lifespan	20,000 Hours
On/Off Cycles	>15000



SKU CCT	Unit Colour	Model	Watts	Lumens	Size
240026 3000K WARM WHITE	White	VT-88068-W	8W	830	132x80x132mm
240036 3000K WARM WHITE	Black	VT-88068-B	8W	830	132x80x132mm



Bedside Light

Body Type	Aluminium+PC
Beam Angle	25°
CRI	>80
IP Rating	IP20

Input Power	AC:220-240V, 50Hz
Lifespan	20,000 Hours
On/Off Cycles	>15000



SKU CCT	Unit Colour	Model	Watts	Lumens	Size
239986 3000K WARM WHITE	White	VT-88061-W	2W	76	150x65x59mm
239996 3000K WARM WHITE	Black	VT-88061-B	2W	76	150x65x59mm



Bedside Light with USB/PD Charging

Body Type	Aluminium+PC
Beam Angle	30°
CRI	>80
IP Rating	IP20
Input Power	AC:220-240V, 50Hz
Lifespan	30,000 Hours
On/Off Cycles	>20000



SKU CCT	Model	Watts	Lumens	Size
241516 3000K WARM WHITE	VT-88064	3W	120	150x60x268mm



Bedside Light

Body Type	Aluminium+PC
Beam Angle	30°
CRI	>80
IP Rating	IP20
Input Power	AC:220-240V, 50Hz
Lifespan	30,000 Hours
On/Off Cycles	>20000



SKU CCT	Model	Watts	Lumens	Size
241506 3000K WARM WHITE	VT-88063	3W	120	330x70x25mm



LED Wall Lights

Body Type	Aluminium
Beam Angle	330° Adjustable
CRI	>90
IP Rating	IP65

Input Power	AC:220-240V, 50Hz
Lifespan	30,000 Hours
On/Off Cycles	>15000



SKU CCT	Unit Colour	Model	Watts	Lumens	Size
243426 3000K WARM WHITE	White	VT-120012-W	10W	1550	176x63x111mm
243436 3000K WARM WHITE	Black	VT-120012-B	10W	1550	176x63x111mm
243446 3000K WARM WHITE	Corten	VT-120012-C	10W	1550	176x63x111mm



LED Wall Lights

Body Type	Aluminium
Beam Angle	355° Adjustable
CRI	>80
IP Rating	IP20
Input Power	AC:220-240V, 50Hz
Lifespan	30,000 Hours
On/Off Cycles	>15000



SKU CCT	Model	Watts	Lumens	Size
243546 3000K WARM WHITE	VT-120009	6W	1000	180x73mm



LED Bollard Lamps

Body Type	Aluminium
Beam Angle	150°
CRI	>90
IP Rating	IP65
Input Power	AC:220-240V, 50Hz
Lifespan	30,000 Hours
On/Off Cycles	>15000



SKU CCT	Model	Watts	Lumens	Size
243526 3000K WARM WHITE	VT-120006	6W	625	80x800mm



LED Bollard Lamps

Body Type	Aluminium
Beam Angle	120°
CRI	>90
IP Rating	IP65
Input Power	AC:220-240V, 50Hz
Lifespan	30,000 Hours
On/Off Cycles	>15000



SKU CCT	Model	Watts	Lumens	Size
243536 3000K WARM WHITE	VT-120008	11W	1220	55x800mm



LED Bollard Lamps

Body Type	Aluminium
Beam Angle	330° Adjustable
CRI	>90
IP Rating	IP65
Input Power	AC:220-240V, 50Hz
Lifespan	30,000 Hours
On/Off Cycles	>15000



SKU CCT	Model	Watts	Lumens	Size
243516 3000K WARM WHITE	VT-120011	10W	1550	176x63x600mm



Discover V-TAC's reliable 40w suspended linear lights with a staggering lifespan of 30,000-hours. Designed with a toggle switch, 3IN1 color-changing light. Perfect replacement for traditional and inefficient linear lighting fixtures with the efficient LED provided by CREE.

3-IN-1 Linear Hanging Lights

Body Type	PS+Aluminium
Beam Angle	100°
CRI	>80
Wire Length	1.5 Meters

Input Power	AC:200-240V, 50Hz
IP Rating	IP20
Lifespan	30,000 Hours
On/Off Cycles	>20000



SKU CCT	Model	Watts	Lumens	Size
200606 - 3IN1	VT-7-44	40W	3700	1197x50x65mm

Emergency Bulkhead



Battery Type	3.7V, 2000mAh Li-ion Battery
Emergency Operation Time	Upto 4 Hours
Charging Time	12 Hours
Battery Discharge Current	360mA
Battery Charging Current	200mA
Viewing Distance	22 Meters
Legends	4 Ways



SKU CCT	Model	Watts	Lumens	Size
899-6 - 6000K	VT-511	3.8W	110	292x79x102mm

Exit Lights Surface



Battery Type	Ni-Cd 3.6V, 900mAh Battery
Emergency Operation Time	>3 Hours
Charging Time	12 Hours
Battery Discharge Current	200-280mA
Battery Charging Current	100-140mA
Viewing Distance	24 Meters from Both Sides
Legends	3 Ways



SKU CCT	Model	Watts	Lumens	Size
836-6 - 6000K	VT-519-C	2W	140	310x230x35mm



LED FLOODLIGHTS

V-TAC LED floodlights are engineered with premium components to deliver powerful, efficient outdoor illumination. Housed in a durable die-cast aluminium body with IP65 protection, they offer exceptional reliability in all weather conditions.



HIGH LUMEN SLIMLINE SERIES

- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V,50Hz
- Body Type: Aluminium
- 115° Beam Angle
- CRI >70
- PF >0.9
- 25,000 hr lifespan
- 0-100% in <1sec

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
8845 6500K WHITE	VT-4455	50W	5740	10 pcs		183.5x34x169mm
8847 6500K WHITE	VT-44101	100W	11480	4 pcs		253.5x40x242.5mm



**HIGH LUMEN SLIMLINE SERIES-
1M WIRE**

- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V,50Hz
- Body Type: Aluminium
- 115° Beam Angle
- CRI >70
- PF >0.9
- 25,000 hr lifespan
- 0-100% in <1sec

SKU	Model	Watts	Lumens	Diagram	Size
23196 3000K WARM WHITE 23197 4000K DAY WHITE 23198 6500K WHITE	VT-44033-1	30W	3450		164.5x34x153mm
23199 3000K WARM WHITE 23216 4000K DAY WHITE 23217 6500K WHITE	VT-4455-1	50W	5740		183.5x34x169mm
23200 3000K WARM WHITE 23218 4000K DAY WHITE 23219 6500K WHITE	VT-44101-1	100W	11480		242.5x40x253.5mm
23201 4000K DAY WHITE 23202 6500K WHITE	VT-44153-1	150W	17220		328.5x43x295mm
23220 4000K DAY WHITE 23221 6500K WHITE	VT-44201-1	200W	22960		402.5x44x349.5mm
23203 6500K WHITE	VT-44003-1	300W	34440		496x49x445mm



**LED FLOODLIGHTS BLACK
BODY GREY GLASS**

- IP65 Rating
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V,50Hz
- Body Type: Aluminium
- 115° Beam Angle
- CRI >70
- PF >0.9
- 25,000 hr lifespan
- 0-100% in <1sec

SKU	Model	Watts	Lumens	Diagram	Size
23599 3000K WARM WHITE	VT-44035-B	30W	2505		164.5x34x153mm
23600 6500K WHITE	VT-44055-B	50W	4270		183.5x34x169mm
23441 6500K WHITE	VT-44104-B	100W	8700		253.5x40x242.5mm
23444 6500K WHITE	VT-44204-B	200W	17540		402.5x44x349.5mm



**LED FLOODLIGHTS WHITE
BODY GREY GLASS**

- IP65 Rating
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V,50Hz
- Body Type: Aluminium
- 115° Beam Angle
- CRI >70
- PF >0.9
- 25,000 hr lifespan
- 0-100% in <1sec

SKU	Model	Watts	Lumens	Diagram	Size
23690 6500K WHITE	VT-44055-W	50W	4270		183.5x34x169mm
23442 4000K DAY WHITE 23443 6500K WHITE	VT-44104-W	100W	8700		253.5x40x242.5mm
23602 4000K DAY WHITE 23603 6500K WHITE	VT-44204-W	200W	17540		402.5x44x349.5mm



**LED FLOODLIGHTS BLACK
BODY GREY GLASS**

- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V,50Hz
- Body Type: Aluminium
- 115° Beam Angle
- CRI >70
- PF >0.9
- 25,000 hr lifespan
- 0-100% in <1sec

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
9898 3000K WARM WHITE 9899 4000K DAY WHITE 10010 6500K WHITE	VT-44010-B	10W	735	40 pcs		104x21x92mm
10014 3000K WARM WHITE 10015 4000K DAY WHITE 10016 6500K WHITE	VT-44020-B	20W	1620	20 pcs		126.5x28x114mm
10020 3000K WARM WHITE	VT-44030-B	30W	2505	20 pcs		164x29x139mm



**LED FLOODLIGHTS WHITE
BODY WHITE GLASS**

- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V,50Hz
- Body Type: Aluminium
- 115° Beam Angle
- CRI >70
- PF >0.9
- 25,000 hr lifespan
- 0-100% in <1sec

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
10011 3000K WARM WHITE 10012 4000K DAY WHITE 10013 6500K WHITE	VT-44010-W	10W	735	40 pcs		104x21x92mm
10017 3000K WARM WHITE 10018 4000K DAY WHITE 10019 6500K WHITE	VT-44020-W	20W	1620	20 pcs		126.5x28x114mm
10023 3000K WARM WHITE 10024 4000K DAY WHITE 10025 6500K WHITE	VT-44030-W	30W	2505	20 pcs		164x29x139mm



HIGH POWER LED FLOODLIGHTS



- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V,50Hz
- Body Type: Aluminium
- 115° Beam Angle
- CRI >70
- PF >0.9
- 25,000 hr lifespan
- 0-100% in <1sec

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
10028 6500K WHITE	VT-44200-B	200W	17540	4 pcs		405x36x326mm



HIGH POWER LED FLOODLIGHTS



- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V,50Hz
- Body Type: Aluminium
- 115° Beam Angle
- CRI >70
- PF >0.9
- 25,000 hr lifespan
- 0-100% in <1sec

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
10029 4000K DAY WHITE 10030 6500K WHITE	VT-44200-W	200W	17540	4 pcs		405x36x326mm

10033 4000K DAY WHITE 10034 6500K WHITE	VT-44300-W	300W	26390	2 pcs		496x49x445mm
--	------------	------	-------	-------	--	--------------



**HIGH LUMEN EVOLUTION
SERIES**

- IP65 Rating.
- SMD
- 5 Years Warranty
- AC:220-240V,50Hz
- Die cast Aluminium body
- 100° Beam Angle
- CRI >70
- PF>0.9
- 25,000 hr lifespan
- On/Off Cycle >15000

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
20450 6500K WHITE	VT-30185	30W	4720	10 pcs		165x204.5x46mm
20452 6500K WHITE	VT-50185	50W	7870	10 pcs		197.5x241.5x46mm



**HIGH LUMEN EVOLUTION
SERIES**

- IP65 Rating.
- SMD
- 5 Years Warranty
- AC:220-240V,50Hz
- Body Type: Aluminium
- CRI >70
- PF>0.9
- 25,000 hr lifespan
- 0-100% in <1sec

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
9255-5 4000K DAY WHITE 9891-5 6500K WHITE	VT-4435-5	30W	5550	10 pcs		164.5x34x153mm
9892-5 4000K DAY WHITE 9893-5 6500K WHITE	VT-4456-5	50W	9250	10 pcs		183.5x34x169mm
9894-5 4000K DAY WHITE 9895-5 6500K WHITE	VT-44105-5	100W	18500	4 pcs		253.5x40x242.5mm
9896-5 4000K DAY WHITE 9897-5 6500K WHITE	VT-44205-5	200W	37000	2 pcs		402.5x44x349.5mm



HIGH LUMEN EVOLUTION SERIES

- IP65 Rating.
- SMD
- 2 Years Warranty
- AC:220-240V,50Hz
- Body Type: Aluminium
- CRI >70
- PF>0.9
- 25,000 hr lifespan
- 0-100% in <1sec

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
9255 4000K DAY WHITE 9891 6500K WHITE	VT-4435	30W	5550	10 pcs		164.5x34x153mm
9892 4000K DAY WHITE 9893 6500K WHITE	VT-4456	50W	9250	10 pcs		183.5x34x169mm
9894 4000K DAY WHITE 9895 6500K WHITE	VT-44105	100W	18500	4 pcs		253.5x40x242.5mm
9896 4000K DAY WHITE 9897 6500K WHITE	VT-44205	200W	37000	2 pcs		402.5x44x349.5mm



HIGH LUMEN SLIMLINE PRO SERIES

- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V,50Hz
- Die cast Aluminium body
- 100° Beam Angle
- CRI >70
- PF>0.9
- 25,000 hr lifespan
- On/Off Cycle >15000

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
20402 4000K DAY WHITE	VT-32	30W	4100	10 pcs		165x204.5x46mm
20405 6500K WHITE	VT-52	50W	6850	10 pcs		197.5x241.5x46mm
20409 6500K WHITE	VT-162	150W	20500	2 pcs		318.5x390x55mm
20411 6500K WHITE	VT-302	200W	27350	2 pcs		371x57x458.5mm



**HIGH LUMEN EVOLUTION
SERIES-5 YEARS**

- IP65 Rating.
- SMD
- 5 Years Warranty
- AC:220-240V,50Hz
- Body Type: Aluminium
- CRI >70
- PF>0.9
- 25,000 hr lifespan
- 0-100% in <1sec

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
23692 4000K DAY WHITE 23693 6500K WHITE	VT-44031-5	30W	4800	10 pcs		164.5x34x153mm
23694 4000K DAY WHITE 23699 6500K WHITE	VT-44051-5	50W	8000	10 pcs		183.5x34x169mm
23700 4000K DAY WHITE 23701 6500K WHITE	VT-44106-5	100W	16000	4 pcs		253.5x40x242.5mm
23702 4000K DAY WHITE 23703 6500K WHITE	VT-44160-5	150W	24000	4 pcs		328.5x43x295mm
23696 4000K DAY WHITE 23704 6500K WHITE	VT-44206-5	200W	32000	2 pcs		402.5x44x349.5mm
23826 4000K DAY WHITE	VT-44303	300W	48000	2 pcs		496x49x445mm



**HIGH LUMEN EVOLUTION
SERIES**

- IP65 Rating.
- SMD
- 2 Years Warranty
- AC:220-240V,50Hz
- Body Type: Aluminium
- CRI >70
- PF>0.9
- 25,000 hr lifespan
- 0-100% in <1sec

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
10353 4000K DAY WHITE	VT-44031	30W	4800	10 pcs		164.5x34x153mm
10355 4000K DAY WHITE	VT-44106	100W	16000	4 pcs		253.5x40x242.5mm
10363 4000K DAY WHITE	VT-44206	200W	32000			402.5x44x349.5mm



- The floodlights work automatically, according to the level of surrounding light.
- The floodlight will automatically turn on at light levels below 140lux. At light levels above 140lux, the floodlight will turn off.
- There is no need to manually switch the light on or off.
- Floodlights with automatic light sensors do not react to motion.

LED FLOODLIGHTS WITH LIGHT SENSOR

- Die cast Aluminium body
- 100° beam angle
- 25,000 hrs lifespan
- >15000 On/Off Cycles
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
20169 3000K WARM WHITE 20170 4000K DAY WHITE 20171 6500K WHITE	VT-37	30W	3000	20 pcs		165x46x204.5mm
20173 4000K DAY WHITE 20174 6500K WHITE	VT-57	50W	5000	10 pcs		197.5x46x241.5mm
20182 4000K DAY WHITE	VT-272	200W	20000	2 pcs		371x57x458.5mm



**Built-in junction box
for direct connection**

- Instant start in 1 second
- Operation in outside temperatures (-20 to+40° C)
- Protection rating IP65
- Only connect with waterproof cable.

LED FLOODLIGHTS - DIRECT CONNECTION

- Die cast Aluminium body
- 100° beam angle
- 25,000 hrs lifespan
- >15000 On/Off Cycles
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
20308 4000K DAY WHITE 20309 6500K WHITE	VT-128	20W	1510	20 pcs		157x56x101mm
20312 6500K WHITE	VT-138	30W	2340	10 pcs		177x56x117mm
20314 4000K DAY WHITE	VT-158	50W	4000	10 pcs		195x57x152mm



**Built-in junction box
for direct connection**

- Instant start in 1second
- Operation in outside temperatures (-20 to +40° C)
- Manual override function
- When the lock sensor function, avoid long time lighting in extreme weather.

LED FLOODLIGHTS - DIRECT CONNECTION WITH PIR SENSOR

- Die cast Aluminium body
- 100° beam angle
- 25,000 hrs lifespan
- >15000 On/Off Cycles
- 140°±20° Detection Range
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating
- 3-10m Detection Distance

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
20256 3000K WARM WHITE 20258 6500K WHITE	VT-118S-B	10W	735	20 pcs		133x60x113mm
20259 3000K WARM WHITE	VT-128S-B	20W	1510	20 pcs		157x60x128mm
20262 3000K WARM WHITE	VT-138S-B	30W	2340	10 pcs		177x60x143mm



**Built-in junction box
for direct connection**

- Instant start in 1second
- Operation in outside temperatures (-20 to +40° C)
- Manual override function
- When the lock sensor function, avoid long time lighting in extreme weather.

LED FLOODLIGHTS - DIRECT CONNECTION WITH PIR SENSOR

- Die cast Aluminium body
- 100° beam angle
- 25,000 hrs lifespan
- >15000 On/Off Cycles
- 140°±20° Detection Range
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating
- 3-10m Detection Distance

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
20270 6500K WHITE	VT-118S-W	10W	735	20 pcs		133x60x113mm
20273 6500K WHITE	VT-128S-W	20W	1510	20 pcs		157x60x128mm



- Instant start in 1second
- Operation in outside temperatures (-20 to +40° C)
- Manual override function
- When the lock sensor function, avoid long time lighting in extreme weather.
- Extra-long 1 meter cable included for easy installation.

LED FLOODLIGHTS WITH PIR SENSOR

- Die cast Aluminium body
- 100° beam angle
- 25,000 hrs lifespan
- >15000 On/Off Cycles
- 140°±20° Detection Range
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating
- 3-10m Detection Distance

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
20281 4000K DAY WHITE	VT-118S-1-B	10W	735	20 pcs		133x60x113mm
20283 3000K WARM WHITE 20284 4000K DAY WHITE 20285 6500K WHITE	VT-128S-1-B	20W	1510	20 pcs		157x60x128mm
20286 3000K WARM WHITE 20288 6500K WHITE	VT-138S-1-B	30W	2340	10 pcs		177x60x143mm
20291 6500K WHITE	VT-158S-1-B	50W	4000	10 pcs		195x60x178mm



- Instant start in 1second
- Operation in outside temperatures (-20 to +40° C)
- Manual override function
- When the lock sensor function, avoid long time lighting in extreme weather.
- Extra-long 1 meter cable included for easy installation.

LED FLOODLIGHTS WITH PIR SENSOR

- Die cast Aluminium body
- 100° beam angle
- 25,000 hrs lifespan
- >15000 On/Off Cycles
- 140°±20° Detection Range
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating
- 3-10m Detection Distance

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
20292 3000K WARM WHITE 20293 4000K DAY WHITE 20294 6500K WHITE	VT-118S-1-W	10W	735	20 pcs		133x60x113mm
20299 4000K DAY WHITE	VT-138S-1-W	30W	2340	10 pcs		177x60x143mm
20302 4000K DAY WHITE	VT-158S-1-W	50W	4000	10 pcs		195x60x178mm



Incorporating security features, V-TAC offers a new range of LED floodlights equipped with PIR sensors and Samsung LEDs for even better high-end performance. Can be used as a regular floodlight through the Auto Cut-off function(manual override). Widely used for security lighting in residential, commercial, and industrial areas.

LED FLOODLIGHTS WITH PIR SENSOR

- 30,000 hr lifespan
- 100° Beam Angle
- AC:220-240V,50Hz
- CRI: >80
- PF>0.7 for 10,20w; 0.9 for 30,50w
- On/Off cycle: >15000
- Instant start in <1sec
- Die-cast Aluminium Body
- Detection Angle:120°
- Detection distance:2-8m
- Time delay: MIN12+-3sec MAX6+-2min
- Installation height: 1.8-2.5m

SKU	Model	Watts	Lumens	Wire	Box Qty	Diagram	Size
433 3000K WARM WHITE 434 4000K DAY WHITE 435 6400K WHITE	VT-10-S-W	10W	800	1 meter	20 pcs		114.5x54.86x153.78mm
448 3000K WARM WHITE 449 4000K DAY WHITE	VT-20-S-W	20W	1600	1 meter	20 pcs		153x55.46x177.75mm
457 3000K WARM WHITE 459 6400K WHITE	VT-30-S-W	30W	2400	1 meter	20 pcs		178x57.16x197.75mm
466 3000K WARM WHITE	VT-50-S-W	50W	4000	1 meter	8 pcs		223x57.06x234.3mm



Incorporating security features, V-TAC offers a new range of LED floodlights equipped with PIR sensors and Samsung LEDs for even better high-end performance. Can be used as a regular floodlight through the Auto Cut-off function(manual override). Widely used for security lighting in residential, commercial, and industrial areas.

LED FLOODLIGHTS WITH PIR SENSOR

- 30,000 hr lifespan
- 100° Beam Angle
- AC:220-240V,50Hz
- CRI: >80
- PF>0.7 for 10,20w; 0.9 for 30,50w
- On/Off cycle: >15000
- Instant start in <1sec
- Die-cast Aluminium Body
- Detection Angle:120°
- Detection distance:2-8m
- Time delay: MIN12+-3sec MAX6+-2min
- Installation height: 1.8-2.5m

SKU	Model	Watts	Lumens	Wire	Box Qty	Diagram	Size
436 3000K WARM WHITE 437 4000K DAY WHITE	VT-10-S-B	10W	800	1 meter	20 pcs		114.5x54.86x153.78mm

460 3000K WARM WHITE	VT-30-S-B	30W	2400	1 meter	20 pcs		178x57.16x197.75mm
------------------------	-----------	-----	------	---------	--------	--	--------------------



SLIMLINE GREY BODY



- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V,50Hz
- Die cast Aluminium body
- 100° Beam Angle
- CRI >80
- PF>0.9
- 30,000 hr lifespan
- On/Off Cycle >15000

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
454 3000K WARM WHITE 456 6400K WHITE	VT-30-G	30W	2400	10 pcs		178x152 x28mm



SLIMLINE WHITE BODY



- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V,50Hz
- Die cast Aluminium body
- 100° Beam Angle
- CRI >80
- PF>0.9
- 25,000 hr lifespan
- On/Off Cycle >15000

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
444 6400K WHITE	VT-20-W	20W	1600	20 pcs		153x132x27mm
21420 4000K DAY WHITE 21421 6500K WHITE	VT-200-W-N	200W	16500	2 pcs		439x346x48mm



SLIMLINE BLACK BODY

- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V,50Hz
- Die cast Aluminium body
- 100° Beam Angle
- CRI >80
- PF>0.9
- 25,000 hr lifespan
- On/Off Cycle >15000

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
21476 4000K DAY WHITE 21477 6500K WHITE	VT-150-B-N	150W	12000	2 pcs		327x265x33mm
21418 4000K DAY WHITE 21419 6500K WHITE	VT-200-B-N	200W	16500	2 pcs		439x346x48mm



A strong, reliable, and portable lamp — V-TAC’s new compact and rechargeable LED floodlights can easily be recharged through the micro socket & USB port, making them perfect for home projects, garages, warehouses, car repair shops, parking lots, camping and more.

RECHARGEABLE FLOODLIGHTS

- LED provided by Samsung
- Saves 80% energy
- Function: 100%-50%-SOS
- 3.7V Li-Ion 3600mAh battery
- Rechargeable
- Contains no lead or mercury
- 30,000 hr lifespan

SKU	Model	Watts	Lumens	Wire	Box Qty	Diagram	Size
20038 4000K DAY WHITE 503 6400K WHITE	VT-10-R	10W	700	micro usb cable without SOS Flash	20 pcs		175x125mm
20037 4000K DAY WHITE 502 6400K WHITE	VT-11-R	10W	700	micro usb cable	20 pcs		175x125mm
20039 4000K DAY WHITE 504 6400K WHITE	VT-20-R	20W	1400	micro usb cable	20 pcs		175x125mm




05 YEAR WARRANTY

135 LUMEN/W EFFICIENCY

IP65 RATING

SUPER PRO SERIES-500W

- Sphere 360° Beam Angle
- CRI: >70
- PF: > 0.9
- AC: 220-240V,50Hz
- Material: Die-cast Aluminium
- 25,000 hr lifespan

SKU	Model	Watts	Lumens	Wire	Box Qty	Diagram	Size
23616 4000K DAY WHITE 23617 6500K WHITE	VT-48501	500W	67500	1 meter	1 pcs		530x65x523mm

V-TAC
Meaningful Innovation.

SAMSUNG
LED
Illuminated

LED HIGHBAY LIGHTS

Our world-class LED Highbay range, powered by MEAN WELL and Samsung drivers, delivers exceptional energy savings and performance. With efficiency up to 140+ lm/W and driver lifespans of up to 50,000 hours, V-TAC Highbays set a new benchmark in strength and efficiency. Available from 100W to 500W.



05
YEAR
WARRANTY

IP65
RATING




140
LUMEN/W
EFFICIENCY


1-10V
DIMMABLE

Lifud
Driver

LED Highbay with LIFUD DRIVER

- 140 lm/w
- 25,000 hr lifespan
- AC:175-265V,50/60Hz
- Black Body
- 5 Years Warranty
- PF: >0.9
- CRI:>70
- Aluminium
- IP65
- SMD-Samsung Chip
- LIFUD Driver


SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
20480 4000K DAY WHITE	VT-9-111	100W	14000	1 pcs		233x156mm
20482 4000K DAY WHITE 20483 6500K WHITE	VT-9-161	150W	21000	1 pcs		278x156mm
20484 4000K DAY WHITE	VT-9-211	200W	28000	1 pcs		305x156mm



LED HIGHBAYS

- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:175-265V, 50Hz
- Die cast Aluminium body
- 90° Beam Angle
- CRI >70
- PF>0.9
- 30,000 hr lifespan
- On/Off Cycle >15000

SKU	Model	Watts	Lumens	Box Qty	Size
2120319 4000K DAY WHITE	VT-9-116S-1	100W	16000	1 pcs	250x94mm
2120323 4000K DAY WHITE	VT-9-206S-1	200W	32000	1 pcs	320x94mm
21203231 4000K DAY WHITE	VT-9-206S-1-N	200W	32000	2 pcs	320x70.1mm



LED HIGHBAYS

- 120° Beam Angle
- 50,000 hr lifespan
- On/Off cycle: >25000
- Instant start: 0-100% in <1s
- AC:100-277V, 50/60Hz
- Die cast Aluminium
- PF: >0.9
- CRI:>80

SKU	Model	Watts	Lumens	Box Qty	Size
509 4000K DAY WHITE	VT-9-500	500W	60000	1 pcs	ø360x306mm



SKU	Description
571	Aluminium Reflector-120°



SKU	Description
586	PC Dustproof Cover


LED PANELS

Crafted with a durable aluminium + PMMA + PP exterior, these panels deliver enhanced reliability and energy efficiency, powered by upgraded driver boxes and Samsung LEDs. Both frameless and large panels feature a quick connector for fast installation, flicker-free stable drivers for superior light quality, and up to 80% lower power consumption compared to conventional downlights. Available in standard big-panel sizes and a wide choice of square and round frameless mini panels.

BACKLIT 2IN1 PANELS



- IP20 Rating
- SMD-Samsung Chip
- 3 Years Warranty
- AC:220-240V, 50/60Hz
- Body Type: Aluminium
- 110° Beam Angle
- CRI >80
- PF>0.9
- 20,000/25,000 hr lifespan
- On/Off Cycle >15000




SKU	Model	Watts	Lumens	Box Qty	Size
216380 4000K DAY WHITE 216381 6500K WHITE	VT-6139S	36W	3960	6 pcs	595x595x30mm

BACKLIT 2IN1 PANELS



- IP20 Rating
- SMD-Samsung Chip
- 3 Years Warranty
- AC:220-240V, 50/60Hz
- Body Type: Aluminium
- 110° Beam Angle
- CRI >80
- PF>0.9
- 20,000 hr lifespan
- On/Off Cycle >15000



SKU	Model	Watts	Lumens	Box Qty	Size
2166261 6500K WHITE	VT-6147	40W	4400	6 pcs	1195x295x30mm



BACKLIT SURFACED MINI PANELS

- AC:220-240V,50/60Hz
- Sphere 360° Beam Angle
- 20,000 hr lifespan
- >15000 On/Off Cycles
- IP20 Rating
- Plastic Body
- CRI >80
- PF >0.5



SKU	Model	Watts	Lumens	Shape	Size
78701 3000K WARM WHITE 78711 4000K DAY WHITE 78721 6500K WHITE	VT-60006RD-S	6W	660	Round	ø121.2x30.6mm
78731 3000K WARM WHITE 78741 4000K DAY WHITE 78751 6500K WHITE	VT-60012RD-S	12W	1200	Round	ø167.4x30.7mm
78761 3000K WARM WHITE 78771 4000K DAY WHITE 78781 6500K WHITE	VT-60018RD-S	18W	1850	Round	ø215.6x30.8mm
78791 3000K WARM WHITE	VT-60024RD-S	24W	2500	Round	ø288.6x31.2mm
104921 3000K WARM WHITE 104931 4000K DAY WHITE 104941 6500K WHITE	VT-60006SQ-S	6W	660	Square	120.8x120.8x30.7mm
104951 3000K WARM WHITE 104961 4000K DAY WHITE 104971 6500K WHITE	VT-60012SQ-S	12W	1200	Square	167.3x167.3x30.7mm
104981 3000K WARM WHITE 104991 4000K DAY WHITE	VT-60018SQ-S	18W	1980	Square	214x214x31mm



BACKLIT RECESSED MINI PANELS

- AC:220-240V,50/60Hz
- Sphere 360° Beam Angle
- 20,000 hr lifespan
- >15000 On/Off Cycles
- IP20 Rating
- Plastic Body
- CRI >80
- PF >0.5
- Long springs



SKU	Model	Watts	Lumens	Shape	Cutting Size	Size
78551 3000K WARM WHITE 78561 4000K DAY WHITE	VT-61003RD-S	3W	330	Round	ø80mm	ø90.5x28mm
78611 3000K WARM WHITE 78621 4000K DAY WHITE 78631 6500K WHITE	VT-61012RD-S	12W	1200	Round	ø155mm	ø170.8x28.4mm
78641 3000K WARM WHITE 78651 4000K DAY WHITE 78661 6500K WHITE	VT-61018RD-S	18W	1980	Round	ø205mm	ø220.8x28.9mm
78671 3000K WARM WHITE 78681 4000K DAY WHITE 78691 6500K WHITE	VT-61024RD-S	24W	2500	Round	ø280mm	ø294x29.1mm
104771 3000K WARM WHITE 104781 4000K DAY WHITE	VT-61003SQ-S	3W	330	Square	80x80mm	90.2x90.2x28.2mm
104861 3000K WARM WHITE	VT-61018SQ-S	18W	1980	Square	205x205mm	220.4x220.4x28.8mm

LED STREETLIGHTS

Light the way forward with V-TAC LED Street Lights, powered by premium Samsung LEDs and high-performance drivers from DALI, Inventronics, and MEAN WELL. Delivering uniform, reliable illumination for highways, streets, tunnels, plazas, industrial areas, and car parks. Available with Class I & Class II Type III-M lenses.



LED STREETLIGHTS WITH LIGHT SENSOR

- IP65 Rating
- SMD-Samsung Chip
- 5 Years Warranty
- AC:120-240V,50/60Hz
- Body Type: Aluminium
- 100° Beam Angle
- CRI >70
- PF>0.9
- 25,000 hr lifespan
- Adjustable Angle 180°

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
20433 6500K WHITE	VT-59ST-S	50W	5000	1 pcs		470x149x99mm
2120434 4000K DAY WHITE	VT-139ST-S-N	100W	13500	2 pcs		567x179x99mm
2120436 4000K DAY WHITE	VT-169ST-S-N	150W	20250	2 pcs		628x203x99mm



**LED STREETLIGHTS
ADJUSTABLE**

- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:120-240V, 50/60Hz
- Body Type: Aluminium
- 100°(115°) Beam Angle
- CRI >70
- PF>0.9
- 25,000 hr lifespan
- Adjustable Angle 180°

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
20423 6500K WHITE	VT-39ST	30W	3000	4 pcs		416x138x99mm
2120422 4000K DAY WHITE 2120423 6500K WHITE	VT-39ST-N	30W	4050	1 pcs		416x138x99mm
20425 6500K WHITE	VT-59ST	50W	5000	1 pcs		470x149x99mm
2120424 4000K DAY WHITE 2120425 6500K WHITE	VT-59ST-N	50W	5000	1 pcs		470x149x99mm



**LED STREETLIGHTS
ADJUSTABLE**

- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:120-240V, 50/60Hz
- Body Type: Aluminium
- 115° Beam Angle
- CRI >70
- PF>0.9
- 25,000 hr lifespan
- Adjustable Angle 180°

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
2120438 4000K DAY WHITE 2120439 6500K WHITE	VT-79ST-N	70W	8040	1 pcs		470x149x99mm
20427 6500K WHITE	VT-139ST	100W	11000	1 pcs		567x179x99mm
2120426 4000K DAY WHITE 2120427 6500K WHITE	VT-139ST-N	100W	11480	1 pcs		567x179x99mm
2120428 4000K DAY WHITE 2120429 6500K WHITE	VT-169ST-N	150W	17220	1 pcs		633x203x99mm



**LED STREETLIGHTS
ADJUSTABLE**

- IP65 Rating
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V, 50/60Hz
- Body Type: Aluminium+PC
- 100° Beam Angle
- CRI >80
- PF>0.9
- 30,000 hr lifespan
- Adjustable Angle 180°
- Replaceable Light Engine

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
23618 4000K DAY WHITE 23619 6500K WHITE	VT-55ST	50W	4700	1 pcs		412x139x92mm
23620 4000K DAY WHITE 23621 6500K WHITE	VT-105ST	100W	9400	1 pcs		488x183x92mm



05 YEAR WARRANTY

IP65 RATING

IK08 RATING

10 KV SURGE PROTECTION


inventronics DRIVER

130 LUMEN/W EFFICIENCY

The LED suspended Light offers high lumen lighting for outdoor applications. Equipped with high-quality LEDs from Samsung and drivers from Inventronics, these efficient, energy-saving garden lights are great alternatives to traditional lighting options.

CLASS I, TYPE III-M LENS GARDEN LIGHTS SUSPENDED

- AC:176-265V,50HZ
- Die-cast Aluminium/ADC12
- 30,000 hr lifespan
- Beam Angle:160x100°
- Instant start: 0-100% in <1sec
- On/off cycle: >20,000 times
- CRI: >70
- PF: > 0.9
- IK08 rating

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
545 4000K DAY WHITE	VT-115ST	100W	13000	1 pcs		520x348.8mm



The new Class II Type III-M lens from V-TAC offers a wide beam angle of 150x80° — Primarily designed for lighting highways, general parking areas, and other spaces where a widely-lit area is required. Available from 120W to 200W, select models available with DALI drivers.

LED STREETLIGHTS (TYPE III-M LENS)

- AC:175-265V,50HZ
- 30,000 hr lifespan
- 150 x 80° Beam Angle
- CRI: >70
- PF: > 0.9
- Die-cast Aluminium

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
542 4000K DAY WHITE	VT-120ST	120W	15600	1 pcs		286x144x705mm
543 4000K DAY WHITE	VT-160ST	160W	20800	1 pcs		399x144x831mm



05
YEAR
WARRANTY

IP65
RATING

IK08
RATING

140
LUMEN/W
EFFICIENCY

inventronics
DRIVER

With options ranging from 100W up to 200W, V-TAC's innovative selection of streetlights introduces the new dimmable series with Samsung LEDs and world-renowned Inventronics drivers. These Streetlights can be easily tailored for many night lighting needs of different areas and regions.

**LED STREETLIGHTS
(INVENTRONICS-DIMMABLE)**

- AC:200-240V
- Die-cast Aluminium
- 30,000 hr lifespan
- CRI: >70
- PF: > 0.9
- 153x70° Beam Angle

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
884 5700K WHITE	VT-102ST	100W	14000	2 pcs		658x270x85mm
885 4000K DAY WHITE 886 5700K WHITE	VT-122ST	120W	16800	2 pcs		658x270x85mm
887 4000K DAY WHITE 888 5700K WHITE	VT-152ST	150W	21000	1 pcs		746.4x300x85mm
890 5700K WHITE	VT-202ST	200W	28000	1 pcs		748x300x85mm



The Class I Type LED streetlight offers a high lumen output and superbly efficient performance, further improved with the industry-leading Inventronics driver. Primarily designed for lighting highways, general parking areas, and other spaces where a wide area lighting is required. Ranges 50W to 150W.

**LED STREETLIGHTS
(INVENTRONICS-DIMMABLE)**

- AC: 90-305V,50Hz
- 30,000 hr lifespan
- 153x70° Beam Angle
- CRI: >70
- PF: > 0.9
- Die-cast Aluminium

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
954 5700K WHITE	VT-103ST	100W	14000	2 pcs		270x83.6x656.4mm
955 5700K WHITE	VT-153ST	150W	21000	1 pcs		300x83.6x746.4mm



The Slim Streetlight series from V-TAC offers a sleeker, leaner design without compromising the high lumen output that V-TAC streetlights are known for. Primarily designed for road lighting on highways, general parking areas, and other spaces where a wide-area lighting is required. Available in 30W to 150W.

LED SLIM STREETLIGHTS

- Input AC:120-240V,50/60Hz
- CRI >70
- PF >0.9
- 30,000 hr lifespan
- 110° Beam Angle
- Material: Aluminium

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
21956 4000K DAY WHITE 21957 6500K WHITE	VT-34ST-N	30W	4050	4 pcs		374.8x134.9x62.9mm
21958 4000K DAY WHITE 21959 6500K WHITE	VT-54ST-N	50W	6850	4 pcs		434.8x169.9x63mm
21960 4000K DAY WHITE 21961 6500K WHITE	VT-104ST-N	100W	13500	2 pcs		535x260x64mm
21962 4000K DAY WHITE 21963 6500K WHITE	VT-154ST-N	150W	20300	2 pcs		535x260x64mm



Retaining the classic design of the V-TAC streetlight, the grey streetlight series boasts high-quality LEDs from Samsung with superb energy efficiency. Available in 30W to 150W, and impressive lumen output of up to 18000lm.

LED STREETLIGHTS - GREY BODY

- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V, 50Hz
- Die cast Aluminium body
- 110° Beam Angle
- CRI >80
- PF>0.9
- 25,000 hr lifespan
- On/Off Cycle >15000

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
215251 4000K DAY WHITE 215261 6500K WHITE	VT-30ST-N-N	30W	3000	4 pcs		417.6x198.6x60mm
215271 4000K DAY WHITE 215281 6500K WHITE	VT-50ST-N-N	50W	5000	4 pcs		467.6x214.6x60mm
215291 4000K DAY WHITE 215301 6500K WHITE	VT-100ST-N-N	100W	10000	2 pcs		547.6x294.6x62.1mm
215311 4000K DAY WHITE 215321 6500K WHITE	VT-150ST-N-N	150W	15000	2 pcs		594.1x299.6x67.5mm



Retaining the classic design of the V-TAC streetlight, the iron grey streetlight series boasts high-quality LEDs from Samsung with superb energy efficiency. Available in 30W to 120W, and impressive lumen output of up to 12000lm

LED STREETLIGHTS

- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V, 50/60Hz
- Body Type: Aluminium+PC
- 110° Beam Angle
- CRI >80
- PF>0.9
- 25,000 hr lifespan
- On/Off Cycle >15000

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
21538 6400K WHITE	VT-31ST-N	30W	2350	4 pcs		301.54x130x57.99
21535 4000K DAY WHITE	VT-101ST-N	100W	8400	2 pcs		459.47x220x79.5



SKU	Model	Size	Description
3624	VT-795	Ø=55-60; Ø=75-85;330mm	Compatible with 100W,120W and 150W models, this adapter allows adjusting of the streetlight's mounting angle to perfectly suit your client's requirements.



SKU	Model	Size	Description
3668	VT-795-1	309xØ62xØ48mm	Compatible with 30W and 50W models, this adapter allows adjusting of the streetlight's mounting angle to perfectly suit your client's requirements.

LED TUBES & FIXTURES

V-TAC's extensive range of LED tubes and fixtures features premium Samsung LEDs, a long lifespan of up to 30,000 hours, and a robust, unbreakable construction designed for demanding environments. Available in multiple lengths and sizes, the range includes advanced options such as TP(a) rated fixtures compatible with emergency packs and microwave sensors, CCT-changing batten fittings, linkable T5 batters, and waterproof solutions—delivering durable, flexible, and energy-efficient lighting for a wide variety of applications.

EVOLUTION TUBES SERIES



- Nano Plastic
- 25,000 hr lifespan
- CRI - >80
- Flicker Free
- PF - 0.5
- On/Off Cycle >15000
- Input Voltage - AC:220-240V,50Hz
- Beam angle:160 °



Together with its impressive energy rating, our LED tubes offer a staggering 160 lumen per watt output and five years warranty — making it one of the most superior in the competitive led market.

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
216475 4000K DAY WHITE 216476 6500K WHITE	VT-1607-N	7W	1120	25 pcs		28x600mm
216478 4000K DAY WHITE 216479 6500K WHITE	VT-1612-N	12W	1920	25 pcs		28x1200mm
216481 4000K DAY WHITE 216482 6500K WHITE	VT-1615-N	15W	2400	25 pcs		28x1500mm

G13-T8 - HIGH LUMEN NANO PLASTIC TUBES



- Nano Plastic Body
- 30,000 hr lifespan
- 160° Beam Angle
- On/Off Cycle >15000
- AC:220-240V,50Hz
- CRI - >80
- >0.5 PF
- <0.5 s Instant start



This modern range of high lumen LED tubes with Samsung LEDs are the perfect retrofit for fluorescent fixtures. This range offers strong and ample light with promising 120 lm/w options and impressive energy-saving features compared to its traditional counterparts.

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
21798 3000K WARM WHITE 21686 4000K DAY WHITE 21687 6500K WHITE	VT-062-N	7.5W	850	25 pcs		600x28mm
21688 3000K WARM WHITE 21672 4000K DAY WHITE	VT-122-N	16.5W	1850	25 pcs		1200x28mm
21799 3000K WARM WHITE	VT-152-N	24W	3000	25 pcs		1500x28mm




T8 PRO TUBES



- Nano Plastic Body
- 30,000 hr lifespan
- 160° Beam Angle
- On/Off Cycle >15000
- AC:220-240V,50Hz
- CRI - >80
- >0.5 PF
- <0.5 s Instant start



This modern range of LED tubes with Samsung LEDs are the perfect retrofit for fluorescent fixtures. These sets of tubes are available in standard lengths for general purpose lighting in residences, commercial establishments, supermarkets, and offices.

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
21651 4000K DAY WHITE 21652 6500K WHITE	VT-061-N	9W	850	25 pcs		600x28mm
21654 4000K DAY WHITE 21655 6500K WHITE	VT-121-N	18W	1850	25 pcs		1200x28mm
21657 4000K DAY WHITE 21658 6500K WHITE	VT-151-N	20W	2100	25 pcs		1500x28mm



The tried-and-true 10W to 60W range of efficient and powerful LED prismatic fittings from V-TAC. Some have a high lumen rating of 120 lm/w and are equipped with quick connectors to shorten set-up time during installation. Available in 3000K, 4000K, and 6400K color temperatures, these durable fittings are ideal for any indoor lighting use.

SLIM FITTINGS

- IP20 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V,50Hz
- Body Type: Plastic
- 120° Beam Angle
- CRI >80
- PF>0.5 to 0.9
- 25,000 hr lifespan
- On/Off Cycle >15000

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
20346 6500K WHITE	VT-8-10-N	10W	1000	30 pcs		300x75x24mm
20349 6500K WHITE	VT-8-20-N	20W	2400	30 pcs		566x76x24mm
20351 4000K DAY WHITE 20352 6500K WHITE	VT-8-40-N	40W	4800	30 pcs		1166x76x24mm
20354 4000K DAY WHITE 20355 6500K WHITE	VT-8-50-N	50W	6000	30 pcs		1466x76x24mm
20356 3000K WARM WHITE 21670 4000K DAY WHITE 21671 6500K WHITE	VT-8-60-N	60W	7200	30 pcs		1800x24x75mm



LED BATTEN FITTINGS

- 3 power levels selectable using DIP switch
- CCT change (3000K/4000K/6500K) via DIP switch



Standard Fittings

- SMD Samsung LED Chip
- 50,000-hour lifespan
- 120° Beam Angle
- AC:220-240V, 50Hz
- 135LM/W
- IK08
- PC+Iron
- PF>0.9
- CRI>80

Microwave Sensor


- Microwave Sensor
- Detection Area: 50%/100%
- Stand-by Dimming level: 0%/20%
- Stand-by Period: 15 mins/+∞
- Hold Time: 5s/1 min/3 min/10 min
- Daylight Threshold: 30 Lux/Disable
- Detection Range: 12M (Max)
- Detection Angle: Side Wall <150°/Ceiling Mount 360°

Emergency Backup

- Battery Type: 6.4V, LiFePO4, 18730 2000mAh
- Battery Charge Voltage: DC:9V
- Battery Current: 30~400 mA
- Battery Discharge Voltage: DC 6.0~8.2V
- Battery Discharge Current: 350~700 mA
- Charging Time: > 12Hours
- Working Time: > 3Hours
- Test Function: Manual


Optional(Not included)
SKU:7814
REMOTE CONTROLLER
Compatible with
VT-4004S / VT-4004SE
VT-4005S / VT-4005SE
VT-4006S / VT-4006SE

LED BATTEN FITTINGS - 4 FEET




SKU	Model	Watts	Lumens	Box Qty
7011 3IN1	VT-4004	20W 30W 40W	3000K - 2500 lm 4000K - 2800 lm 6500K - 2700 lm 3000K - 3600 lm 4000K - 4200 lm 6500K - 3750 lm 3000K - 4600 lm 4000K - 5400 lm 6500K - 4800 lm	6 pcs
7012 3IN1	VT-4004S (Sensor)	20W 30W 40W	3000K - 2500 lm 4000K - 2800 lm 6500K - 2700 lm 3000K - 3600 lm 4000K - 4200 lm 6500K - 3750 lm 3000K - 4600 lm 4000K - 5400 lm 6500K - 4800 lm	6 pcs
7013 3IN1	VT-4004E (Emergency Battery)	20W 30W 40W	3000K - 2500 lm 4000K - 2800 lm 6500K - 2700 lm 3000K - 3600 lm 4000K - 4200 lm 6500K - 3750 lm 3000K - 4600 lm 4000K - 5400 lm 6500K - 4800 lm	6 pcs
7014 3IN1	VT-4004SE (Sensor+Emergency Battery)	20W 30W 40W	3000K - 2500 lm 4000K - 2800 lm 6500K - 2700 lm 3000K - 3600 lm 4000K - 4200 lm 6500K - 3750 lm 3000K - 4600 lm 4000K - 5400 lm 6500K - 4800 lm	6 pcs

LED BATTEN FITTINGS - 5 FEET




SKU	Model	Watts	Lumens	Box Qty
7015 3IN1	VT-4005	30W 40W 50W	3000K - 3750 lm 4000K - 4200 lm 6500K - 4050 lm 3000K - 4800 lm 4000K - 5600 lm 6500K - 5000 lm 3000K - 5750 lm 4000K - 6750 lm 6500K - 6000 lm	6 pcs
7016 3IN1	VT-4005S (Sensor)	30W 40W 50W	3000K - 3750 lm 4000K - 4200 lm 6500K - 4050 lm 3000K - 4800 lm 4000K - 5600 lm 6500K - 5000 lm 3000K - 5750 lm 4000K - 6750 lm 6500K - 6000 lm	6 pcs
7017 3IN1	VT-4005E (Emergency Battery)	30W 40W 50W	3000K - 3750 lm 4000K - 4200 lm 6500K - 4050 lm 3000K - 4800 lm 4000K - 5600 lm 6500K - 5000 lm 3000K - 5750 lm 4000K - 6750 lm 6500K - 6000 lm	6 pcs
7018 3IN1	VT-4005SE (Sensor+Emergency Battery)	30W 40W 50W	3000K - 3750 lm 4000K - 4200 lm 6500K - 4050 lm 3000K - 4800 lm 4000K - 5600 lm 6500K - 5000 lm 3000K - 5750 lm 4000K - 6750 lm 6500K - 6000 lm	6 pcs

LED BATTEN FITTINGS - 6 FEET



SKU	Model	Watts	Lumens	Box Qty
7019 3IN1	VT-4006	40W 50W 60W	3000K - 5000 lm 4000K - 5800 lm 6500K - 5400 lm 3000K - 6000 lm 4000K - 7000 lm 6500K - 6250 lm 3000K - 6900 lm 4000K - 8100 lm 6500K - 7200 lm	6 pcs
7020 3IN1	VT-4006S (Sensor)	40W 50W 60W	3000K - 5000 lm 4000K - 5800 lm 6500K - 5400 lm 3000K - 6000 lm 4000K - 7000 lm 6500K - 6250 lm 3000K - 6900 lm 4000K - 8100 lm 6500K - 7200 lm	6 pcs
7021 3IN1	VT-4006E (Emergency Battery)	40W 50W 60W	3000K - 5000 lm 4000K - 5800 lm 6500K - 5400 lm 3000K - 6000 lm 4000K - 7000 lm 6500K - 6250 lm 3000K - 6900 lm 4000K - 8100 lm 6500K - 7200 lm	6 pcs
7022 3IN1	VT-4006SE (Sensor+Emergency Battery)	40W 50W 60W	3000K - 5000 lm 4000K - 5800 lm 6500K - 5400 lm 3000K - 6000 lm 4000K - 7000 lm 6500K - 6250 lm 3000K - 6900 lm 4000K - 8100 lm 6500K - 7200 lm	6 pcs

NEW



LED BATTEN FITTINGS

- 3 power levels selectable using DIP switch
- CCT change (3000K/4000K/6500K) via DIP switch

Standard Batten Fittings

- SMD Samsung LED Chip
- 50,000-hour lifespan
- 120° Beam Angle
- AC:220-240V, 50Hz
- 135LM/W
- IK08
- PC
- PF>0.9
- CRI>80



Microwave Sensor

- Microwave Sensor
- Detection Area: 50%/100%
- Stand-by Dimming level: 0%/10%/20%/30%
- Stand-by Period: 5min/15 mins/30min+∞
- Hold Time: 30s/1 min/3 min/10 min
- Daylight Threshold: 10 Lux/30 Lux/50 Lux Disable
- Detection Range: 24M (Max)
- Detection Angle: Side Wall <150°/Ceiling Mount 360°

SKU	Model	Watts	Lumens	Box Qty
23904 3IN1	VT-4008S	10W 15W 20W	4000K - 1300 lm 5000K - 1400 lm 6500K - 1250 lm 4000K - 1800 lm 5000K - 2025 lm 6500K - 1725 lm 4000K - 2400 lm 5000K - 2700 lm 6500K - 2300 lm	6 pcs

INTEGRATED T5



- IP20 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V,50Hz
- Body Type: Plastic
- 160° Beam Angle
- CRI >80
- PF>0.5
- 25,000 hr lifespan
- On/Off Cycle >15000



The new T5 Batten Fittings retain the premium qualities of V-TAC's LED fixtures. Multiple batten fittings can be linked, making them an efficient alternative lighting fixture for indoor spaces of any size.

SKU	Model	Watts	Lumens	Box Qty	Size
21689 3000K WARM WHITE 21690 4000K DAY WHITE 21691 6500K WHITE	VT-035-N	4W	400	25 pcs	290x27x30mm
21692 3000K WARM WHITE 21693 4000K DAY WHITE 21694 6500K WHITE	VT-065-N	7W	700	25 pcs	551x27x30mm
21695 3000K WARM WHITE 21696 4000K DAY WHITE 21697 6500K WHITE	VT-125-N	16W	1600	25 pcs	1151x27x30mm

WATERPROOF FITTINGS-QUICK CONNECT-GT SERIES



- IP65 Rating.
- SMD-Samsung Chip
- 3 Years Warranty
- AC:200-240V,50/60Hz
- Body Type: PC
- 120° Beam Angle
- CRI >80
- PF>0.7 to 0.9
- 25,000 hr lifespan
- On/Off Cycle >15000



SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
23391 4000K DAY WHITE 23392 6500K WHITE	VT-12017	18W	2160	12 pcs		600x68x59mm
23387 4000K DAY WHITE 23388 6500K WHITE	VT-12035	36W	4320	12 pcs		1200x68x59mm
23389 4000K DAY WHITE 23390 6500K WHITE	VT-12049	48W	5760	12 pcs		1500x68x59mm

WATERPROOF FITTINGS




- SMD LED Type
- 30,000 hr lifespan
- 120° Beam Angle
- AC:200-240V,50/60Hz
- CRI: >70
- PF: >0.9



With its IP65 rating and tough exterior, the Waterproof Fittings are the optimal choice for a strong and durable fitting for indoor and outdoor lighting. Available in 4ft, 5ft, and 6ft, these Waterproof Fittings are ideal for illuminating open spaces that are frequently exposed to dust and moisture.



SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
216483 4000K DAY WHITE	VT-1532-N	32W	5120	12 pcs		1500x65x58mm




WATERPROOF FITTINGS-180CM

- SMD LED Type
- 30,000 hr lifespan
- 120° Beam Angle
- AC:200-240V,50/60Hz
- CRI: >80
- PF: >0.9

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
680 4000K DAY WHITE	VT-180	60W	5400	9 pcs		1800x65x58mm

MILKY COVER -M SERIES



- SMD LED Chip
- 25,000 hr lifespan
- 120° Beam Angle
- AC:200-240V,50/60Hz
- On/Off Cycles >15000
- CRI >80
- PF >0.9
- IP65
- Body Type: ABS+PC



This new addition to V-TAC's fixtures range promotes efficiency with its high lumen to watt ratio (120 lm/W) .The milky cover provides a softer, better-diffused light that is milder on the eyes.

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
2120210 6500K WHITE	VT-60018-M-N	18W	2160	12 pcs		600x72x78mm

2120203 4000K DAY WHITE	VT-150048-M-N	48W	5760	12 pcs		1500x72x78mm
---------------------------	---------------	-----	------	--------	--	--------------



- 25,000 hr lifespan
- 120° Beam Angle
- AC:200-240V,50/60Hz
- Battery Type:9.6V 2200mAh Ni-Cd battery
- Charging Time:24Hours
- Working Time:3Hours
- Emergency Power: 6-7W
- SMD LED Chip
- Body Type: PC
- On/Off Cycles >15000
- CRI >80
- PF >0.9
- IP65
- SS Clips



EMERGENCY WATERPROOF FITTINGS

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
2120223 4000K DAY WHITE 2120222 6500K WHITE	VT-120136E-N	36W	4320	12 pcs		1200x72x78mm


2120221 4000K DAY WHITE	VT-150148E-N	48W	5760	12 pcs		1500x72x78mm
---------------------------	--------------	-----	------	--------	--	--------------



- Waterproof Fitting designed with Lumen efficiency 120LM/W
- High power Samsung SMD-Chip technology makes the fitting reliable and durable
- Strong and sturdy PC body with Stainless Steel Clips
- Built in microwave sensor with 4 modes for optimal performance
- Protection from water, dust and corrosion - IP65 Rated
- Designed for maximum efficiency & minimal glare
- Suitable for parking lots, warehouses, garages, storage docks, workshops etc.

WATERPROOF FITTINGS WITH SENSOR

- SMD LED Chip
- 20,000 hr lifespan
- 120° Beam Angle
- AC:200-240V,50/60Hz
- On/Off Cycles >15000
- 50%/100% Detection Distance
- 5s,1min,3min,10min Hold Time
- Body Type: PC
- CRI >80
- PF >0.9
- IP65
- SS Clips

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
20468 4000K DAY WHITE	VT-120136S	36W	4320	12 pcs		1200x78x72mm

20470 4000K DAY WHITE	VT-150148S	48W	5760	12 pcs		1500x78x72mm
-------------------------	------------	-----	------	--------	--	--------------



MILKY COVER - M SERIES SS CLIPS

- SMD LED Chip
- 25,000 hr lifespan
- 120° Beam Angle
- AC:200-240V,50/60Hz
- On/Off Cycles >15000
- Body Type: PC
- CRI >80
- PF >0.9
- IP65
- SS Clips


SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
2120216 6500K WHITE	VT-120136-M-N	36W	4320	12 pcs		1200x72x78mm
2120214 6500K WHITE	VT-150148-M-N	48W	5760	12 pcs		1500x72x78mm

EMERGENCY PACK



SKU
8343

- Input Voltage: AC:220-240V,50/60Hz
- Charging Time: 24 Hours
- Emergency Power: 6-7W
- Emergency Operation time: 3 Hours
- Battery Type: Ni-Cd 9.6V 2200mAh
- Size: 212x40x30mm
- Compatible with V-TAC's LED Waterproof Fitting - M Series SS Clips Milky Cover





LED LINEAR LIGHTS

V-TAC LED Linear Lights are an energy-efficient, low-maintenance alternative to traditional linear fluorescent fixtures in industrial, commercial, and light assembly applications. It is the optimal solution for conventional lighting systems and excellent for new installations due to its low installation cost.

LINEAR HANGING LIGHTS ADJUSTABLE HEIGHT

Linear hanging lights with adjustable height are a stylish and functional lighting solution for various spaces, including dining rooms, kitchen islands, conference rooms, and more. These lights typically feature a linear arrangement of multiple light fixtures suspended from a single canopy, creating a sleek and modern aesthetic. The adjustable height feature allows you to customize the lighting arrangement according to your needs and the specific requirements of your space.

- 50cm to 2m height adjustment
- CCT 3IN1
- PS+Aluminium Body
- 100° Beam Angle
- 30,000 hr Lifespan
- IP20




SKU	Unit Color	Model	Watts	Lumens	Size
10468 3IN1	Black	VT-7-44-B	40W	3400	1200x50x65mm
10469 3IN1	White	VT-7-44-W	40W	3400	1200x50x65mm

LINEAR HANGING LIGHTS-LENS TYPE 3IN1





- AC:200-240V, 50Hz
- CCT 3IN1
- PC+Aluminium Body
- 60° Beam Angle
- 30,000 hr Lifespan
- IP20




SKU	Unit Color	Model	Watts	Lumens	Box Qty	Size
23341 3IN1	Black	VT-7-36-B	36W	2880	6	1227x50x60mm
23342 3IN1	White	VT-7-36-W	36W	2880	6	1227x50x60mm
23343 3IN1	Matt Grey	VT-7-36-MG	36W	2880	6	1227x50x60mm
23344 3IN1	Gold	VT-7-36-G	36W	2880	6	1227x50x60mm


LINEAR HANGING LIGHTS-DIFFUSER PLATE TYPE 3IN1




- AC:200-240V, 50Hz
- CCT 3IN1
- PS+Aluminium Body
- 100° Beam Angle
- 30,000 hr Lifespan
- IP20



SKU	Unit Color	Model	Watts	Lumens	Box Qty	Size
23345 3IN1	Black	VT-7-35-B	36W	2880	6	1227x50x60mm
23346 3IN1	White	VT-7-35-W	36W	2880	6	1227x50x60mm
23347 3IN1	Matt Grey	VT-7-35-MG	36W	2880	6	1227x50x60mm
23348 3IN1	Gold	VT-7-35-G	36W	2880	6	1227x50x60mm



UP & DOWN LINEAR LIGHTS (NON-LINKABLE)




- 30,000 hr Lifespan
- AC:100-240V,50Hz
- Aluminium Body
- 1-10V Dimmable
- 1.5 Meter Wire Length
- Beam angle: Up-110°, Down-50°

SKU	Unit Color	Model	Watts	Lumens	Box Qty	Size
607 4000K DAY WHITE	Silver	VT-7-61-S	UP 30W DOWN 30W	UP-3300 DOWN-3300	8	1179x64x35mm
606 4000K DAY WHITE	White	VT-7-61-W	UP 30W DOWN 30W	UP-3300 DOWN-3300	8	1179x64x35mm




LINEAR SURFACED LIGHTS




- 30,000 hr Lifespan
- UGR<19
- Linkable with connectors
- 120° Beam Angle

SKU	Unit Color	Model	Watts	Lumens	Box Qty	Size
20462 3000K WARM WHITE 20464 6400K WHITE	Black	VT-7-46	40W	3000K-3275lm 6400K-3300lm	10	1197x50x65mm




LINEAR 3IN1 LIGHTS




- 30,000 hr Lifespan
- AC:200-240V,50/60Hz
- Toggle switch - 3IN1 CCT
- Aluminium Body
- 1.5 Meter Wire Length

SKU	Unit Color	Model	Watts	Lumens	Box Qty	Size
20060 3IN1	Black	VT-7-44	40W	2500	10	1197x50x65mm



LINEAR HANGING LIGHTS (NON-DIMMABLE)



- 30,000 hr Lifespan
- AC:200-240V,50/60Hz
- 1.5 Meter Wire Length
- Aluminium Body
- 120° Beam Angle

SKU	Unit Color	Model	Watts	Lumens	Box Qty	Size
21374 4000K DAY WHITE 21600 6400K WHITE	Black	VT-7-40-B-N	40W	3270	12	1194x35x67mm
21375 4000K DAY WHITE 21601 6400K WHITE	Silver	VT-7-40-S-N	40W	3300	12	1194x35x67mm
21376 4000K DAY WHITE 21602 6400K WHITE	White	VT-7-40-W-N	40W	3270	12	1194x35x67mm



SLIM LINEAR HANGING LIGHTS



LINKABLE
UP TO 12 METERS



- 30,000 hr Lifespan
- UGR<19
- Linkable with connectors
- 120° Beam Angle
- Aluminium Body
- 0-10V Dimmable
- 1.5 Meter Wire Length


SKU	Unit Color	Model	Watts	Lumens	Box Qty	Size
21384 4000K DAY WHITE	Silver	VT-7-43-S-N	40W	3590	10	1197x50x75mm



SLIM UP & DOWN LINEAR LIGHTS



LINKABLE
UP TO 12 METERS



- 30,000 hr Lifespan
- AC:200-240V,50/60Hz
- Aluminium Body
- Linkable with connectors
- 0-10V Dimmable
- 1.5 Meter Wire Length


SKU	Unit Color	Model	Watts	Lumens	Box Qty	Size
378 4000K DAY WHITE	Silver	VT-7-60-S	UP 20W DOWN 40W	UP-2000 DOWN-4000	9	1200x75x105mm



SLIM RECESSED LINEAR LIGHTS

05
YEAR
WARRANTY

LINKABLE
UP TO 12 METERS









- 30,000 hr Lifespan
- AC:200-240V,50/60Hz
- Linkable with connectors

SKU	Unit Color	Model	Watts	Lumens	Box Qty	Size
603 6400K WHITE	Silver	VT-7-41-S	40W	3200	12	1211x70x35mm


SLIM LINEAR CONNECTOR LIGHTS

• Smart connectors designed for V-TACs range of recessed linear lights • Robust Aluminium body • Allows easy linking with linear lights

SKU	Unit Color	Model	Watts	Lumens	Box Qty	Size
 <p>386 4000K DAY WHITE</p>	White:	VT-7-41-L	8W	800	8	
 <p>394 4000K DAY WHITE 393 4000K DAY WHITE</p>	White:	VT-7-41-X	16W	1600	4	
 <p>399 4000K DAY WHITE</p>	White:	VT-7-42-X	16W	1600	4	


MASTER TRUNKING

V-TAC's new Linear Trunking Light is a set of highly efficient, continuous linear light fixtures with a staggering 160 lm/w rating & a plug-and-play system. It provides an efficient, linkable modular system which means that each unit can be easily connected to the Linear Master Trunking through L, T, and X node connectors. 90°, 120°, and double asymmetric lenses are available for maximum adaptability in any space. Perfect suspended lighting for supermarkets, warehouses, service centers, and gymnasiums. No warm-up time, instant start-up. The sustained color temperature throughout long periods of usage.



SKU	Beam Angle	Model	Watts	Lumens	Box Qty	Size
1361 4000K DAY WHITE	FLAT 120°	VT-4551D-120	50W	8000	2	1500x60x77mm

FOLLOW TRUNKING



SKU	Beam Angle	Model	Watts	Lumens	Box Qty	Size
1363 4000K DAY WHITE	WIDE 90°	VT-4550D	50W	8000	2	1700x60x74mm
1365 4000K DAY WHITE	DOUBLE ASYMMETRIC	VT-4550D-DL	50W	8000	2	1700x60x74mm



Linear Track Module

SKU	Box Qty
1382	5



L Node Connector

SKU	Box Qty
1383	8



End Cap

SKU	Box Qty
1366	200



S Line-Follow Trunking Rail

SKU	Box Qty
1451	10


SURFACED LINEAR LIGHTS

Surface-mounted linear lights are a type of lighting fixture that is installed directly onto the surface of a ceiling or wall, providing a sleek and modern lighting solution.

- 20,000 hr Lifespan
- IK08
- Linkable upto 1000W
- PC+Aluminium Body
- 120° Beam Angle
- IP20









**LINKABLE
UPTO 1000W**



SKU	Unit Color	Model	Watts	Lumens	Box Qty	Size
23000 4000K DAY WHITE 10137 6500K WHITE	Black	VT-4140-B	40W	4300	36	1200x50x55mm
10138 4000K DAY WHITE 23001 6500K WHITE	White	VT-4140-W	40W	4300	36	1200x50x55mm

CONNECTORS SURFACED LINEAR LIGHTS

SKU	Unit Color	Watts	Lumens	Box Qty
 10140 4000K DAY WHITE 10141 6500K WHITE	Black	12W	1200	24
 10142 4000K DAY WHITE 10143 6500K WHITE	White	12W	1200	24
 23002 4000K DAY WHITE 10170 6500K WHITE	Black	10W	1000	50
 10171 4000K DAY WHITE 10172 6500K WHITE	White	10W	1000	50
 10173 4000K DAY WHITE 10174 6500K WHITE	Black	8W	800	50
 10175 4000K DAY WHITE 10176 6500K WHITE	White	8W	800	50



Power Cable 0.3m, 3*0.75mm²

SKU	Unit Color
10177	Black
10179	White



Power Cable 1.5m, 3*0.75mm²

SKU	Unit Color
10178	Black
10180	White



Power Cable with 2 plugs 2m, 3*0.75mm²

SKU	Unit Color
10181	Black
10182	White



Suspended Kit

SKU
10183



Recessed Kit

SKU
10184



Surface Mounted Kit

SKU
10185

LED TRACKLIGHTS


Color has a massive influence on purchasing decisions and setting the mood in any room. Our innovative LED track lights are the premier choice for retail lighting with Samsung's state-of-the-art COB technology.

The >90 CRI rating of these track lights provides vivid colors, highly enhancing any product's appeal to customers.

4 LINE TRACKLIGHTS



- COB LED Type
- 30,000 hr Lifespan
- 36° Beam Angle
- AC:220-240V,50Hz
- PF: >0.9
- High CRI of > 90
- Aluminium Body




SKU	Unit Color	Model	Watts	Lumens	Box Qty	Size
350 3000K WARM WHITE 352 5000K WHITE	White	VT-407-W	7W	490	20	180x40.5x50mm
21351 4000K DAY WHITE	White	VT-407-W-N	7W	700	20	180x40.5x50mm
21353 3000K WARM WHITE 21354 4000K DAY WHITE 21355 5000K WHITE	Black	VT-407-B-N	7W	700	20	180x40.5x50mm
358 5000K WHITE	White	VT-415-W	15W	1200	20	200x50x50mm
21356 3000K WARM WHITE 21357 4000K DAY WHITE	White	VT-415-W-N	15W	1500	20	Ø50x200x90mm
21359 3000K WARM WHITE 21360 4000K DAY WHITE 21361 5000K WHITE	Black	VT-415-B-N	15W	1500	20	Ø50x200x90mm
364 5000K WHITE	White	VT-420-W	20W	1600	20	220x60x50mm
20486 4000K DAY WHITE	Black	VT-11035-B	35W	3000	20	164x80x190mm

4 LINE SHUTTER TRACKLIGHTS



- COB LED Type
- 30,000 hr Lifespan
- 24°-60° Adjustable
- AC:220-240V,50Hz
- PF: >0.9
- High CRI of > 90
- Aluminium Body



SKU	Unit Color	Model	Watts	Lumens	Box Qty	Size
21371 3000K WARM WHITE 21372 4000K DAY WHITE	Black	VT-433-B-N	33W	3000	10	Ø170x230x240mm
368 3000K WARM WHITE 370 5000K WHITE	White	VT-433-W	33W	3000	10	Ø170x230x240mm

LED DOME & DOWN LIGHTS

V-TAC's LED Bulkhead range features IP65-rated 2D luminaires crafted from advanced polycarbonate for superior water and dust protection. Designed for outdoor reliability, select models combine emergency battery backup and a 120° microwave sensor for enhanced safety and efficiency, all delivered in sleek, modern designs ideal for secure and effective exterior lighting.

NEW LED BULKHEAD



CCT Bulkhead

- SMD Samsung LED Chip
- 30,000 hr lifespan
- 110° Beam Angle
- AC:200-240V, 50/60Hz
- 5 Years Warranty
- PC
- IK08
- IP65



CCT Bulkhead With Emergency Backup

- Emergency Operation Time: >3 Hours
- Battery Standby Watts: >1.5 Watts
- Battery Charging Current: 60mA
- Battery Discharging Current: 200mA
- Battery Type: Ni-CD, 9.6V 1.0Ah Battery



SKU	Model	Watts	Lumens	Name	Box Qty	Size
21815 4000K DAY WHITE	VT-08	8W	750	LED Bulkhead	10 pcs	Ø270x90mm
21816 4000K DAY WHITE	VT-11	10W	720	LED Bulkhead With Emergency Backup	10 pcs	Ø270x90mm

NEW LED BULKHEAD



CCT Bulkhead

- SMD Samsung LED Chip
- 30,000 hr lifespan
- 110° Beam Angle
- AC:200-240V, 50/60Hz
- 5 Years Warranty
- PC
- IK08
- IP65




CCT Bulkhead With Emergency Backup

- Emergency Operation Time: >3 Hours
- Battery Standby Watts: >1.5 Watts
- Battery Charging Current: 60mA
- Battery Discharging Current: 200mA
- Battery Type: 7.4V, 2.2Ah Battery



SKU	Model	Watts	Lumens	Name	Box Qty	Size
21820 4000K DAY WHITE	VT-12S	12W	1480	LED Bulkhead	10 pcs	Ø270x65mm
21822 4000K DAY WHITE	VT-12SE	14W	1440	LED Bulkhead With Emergency Backup	10 pcs	Ø270x65mm



LED BULKHEAD

8W
3000K - 1330 Lumens
4000K - 1460 Lumens
6500K - 1430 Lumens

16W
3000K - 2610 Lumens
4000K - 2900 Lumens
6500K - 2730 Lumens

20W
3000K - 3266 Lumens
4000K - 3483 Lumens
6500K - 3441 Lumens



CCT Bulkhead

- SMD Samsung LED Chip
- 30,000 hr lifespan
- 110° Beam Angle
- AC:220-240V, 50Hz
- 5 Years Warranty
- PC
- IK08
- IP65

CCT Bulkhead-Sensor

- Hinged LED Gear Tray for Easy Installation
- Microwave Sensor
- Detection Distance: 3-6M, 6-10M Optional
- Dimmable function: Yes, 0, 10%, 20%, 30% Optional
- Stand-by Period: 0s, 10s, 10min Optional
- Hold Time: 5s, 90s, 5min, 10min Customised
- Daylight Sensor: Day, 2lux, 10lux, 50lux Optional
- Detection Range: 10Mx6M (Max)
- Detection Angle: Wall Mount 120°/Ceiling Mount 360°
- Detection Motion Speed: 0.5-3m/s
- Manual Override: Available by dial switch

CCT Bulkhead With Emergency Backup

- Emergency Operation Time: >3 Hours
- Battery Standby Watts: >1.5 Watts
- Battery Charging Current: 60mA
- Battery Discharging Current: 200mA
- Battery Type: LiFePO4, 3.2V 1.0Ah Battery

SKU	Model	Name	Size
801-24 3IN1	VT-8603-24	LED Bulkhead	Ø320x100mm
804-24 3IN1	VT-8613-24	LED Bulkhead With Sensor	Ø320x100mm
806-24 3IN1	VT-8623-24	LED Bulkhead With Emergency Backup	Ø320x100mm
812-24 3IN1	VT-8633-24	LED Bulkhead With Emergency Backup+Sensor	Ø320x100mm



DOME LIGHT - SENSOR

- Input: AC:220-240V, 50/60Hz
- 120° Beam Angle
- 20,000 hr lifespan
- SMD LED Chip
- CRI >80
- 5 year warranty
- Detection Distance - 6m Max
- Detection Angle - 360°
- Time Delay - Min-10sec±3sec, Max-3min±30sec
- Detection motion Speed - 0.6-1.5m/s
- Ambient Light - <3-2000lux(adjustable)
- Instant start
- IP20 Rating



SKU	Model	Watts	Lumens	Shape	Box Qty	Size
23418 3IN1	VT-13CCT	12W	900	Round	10 pcs	ø290x60mm
23419 3IN1	VT-81003	12W	1100	Square	10 pcs	250x250x60mm



DOME LIGHT - SENSOR

- Input: AC:220-240V, 50/60Hz
- 120° Beam Angle
- 25,000 hr lifespan
- SMD Samsung LED Chip
- CRI >80
- 3 year warranty
- Detection Distance - 6m Max
- Detection Angle - 360°
- Time Delay - Min-10sec±3sec, Max-3min±30sec
- Detection motion Speed - 0.6-1.5m/s
- Ambient Light - <3-2000lux(adjustable)
- Instant start
- IP20 Rating



SKU	Model	Watts	Lumens	Shape	Box Qty	Size
21807 3000K WARM WHITE 21808 4000K DAY WHITE 21809 6400K WHITE	VT-13-N	12W	1000	Round	10 pcs	Ø290x60mm

CEILING LIGHTS



- AC:220-240V,50/60Hz
- IP Rating:IP44
- CRI:>80
- Warranty:3 Years
- 110° Beam Angle
- Body Type: PC



SKU	Model	Watts	Lumens	Shape	Box Qty	Size
2113889 3000K WARM WHITE	VT-8033RD-N	15W	1850	Round	20 pcs	Ø200x47.5mm

13959 | 3000K WARM WHITE VT-8066SQ 25W 2500 Square 10 pcs 300x300x50mm

REFLECTOR DOWNLIGHT



- Adjustable Angle
- AC:85-265V,50/60Hz
- Material: aluminium
- 120° Beam Angle
- COB LED chip provided by Samsung
- CRI >80



SKU	Model	Watts	Lumens	Box Qty	Size
21839 3000K WARM WHITE 21840 4000K DAY WHITE 21841 6400K WHITE	VT-2-10-N	10W	1075	20 pcs	ø96x34mm
21842 3000K WARM WHITE 21843 4000K DAY WHITE 21844 6400K WHITE	VT-2-20-N	20W	1865	20 pcs	ø170x38mm
21845 3000K WARM WHITE 21846 4000K DAY WHITE 21832 6400K WHITE	VT-2-30-N	30W	3040	20 pcs	ø225x38mm

PRO REFLECTOR DOWNLIGHT BLACK HOUSING



- IP20 Rating.
- COB-Samsung Chip
- 5 Years Warranty
- AC:85-265V, 50/60Hz
- Material: aluminium
- 120° Beam Angle
- CRI >80
- PF>0.9
- 30,000 hr lifespan



SKU	Model	Watts	Lumens	Shape	Box Qty	Size
2120054 3000K WARM WHITE 2120056 6400K WHITE	VT-2-23-N	20W	1780	Round	20 pcs	ø160x70mm
20059 6400K WHITE	VT-2-33	30W	2400	Round	10 pcs	ø220x70mm



LED WALL LIGHTS WITH SENSOR

- Detection Range: 120°
- Detection Distance: Wall:Max.9M (<24°C)
- Time Delay: Min.10sec±3sec, Max.5min±1min
- Ambient Light: <3-2000lux(adjustable)
- Detection motion Speed: 0.6-1.5m/s
- 120° Beam Angle
- AC:220-240V, 50/60Hz
- LED provided by samsung
- 5 Years Warranty
- PIR Sensor
- IP54 rating



SKU	Model	Watts	Lumens	Box Qty
23421 4000K DAY WHITE	VT-81005	10W	900	20 pcs



LED WALL LIGHTS WITH SENSOR

- Detection Range: 160°/360°
- Detection Distance: Wall:Max.9M & Ceiling Max.6M (<24°C)
- Time Delay: Min.10sec±3sec, Max.5min±1min
- Ambient Light: <3-2000lux(adjustable)
- Detection motion Speed: 0.6-1.5m/s
- 120° Beam Angle
- AC:220-240V, 50/60Hz
- LED provided by samsung
- 5 Years Warranty
- PIR Sensor
- IP44 rating



SKU	Model	Watts	Lumens	Box Qty
23420 3IN1	VT-81004	15W	1300	10 pcs



LED HOUSE NO. LIGHT WITH SENSOR

- AC:220-240V, 50/60Hz
- Working Temperature:-20°C to +40°C
- P_{sb}: <0.5W
- Ambient Light: <3-50lux(adjustable)
- CRI>80
- LED provided by samsung
- 5 Years Warranty
- Day/Night Light Sensor
- IP65 rating



SKU	Model	Watts	Lumens	Box Qty
23422 4000K DAY WHITE	VT-81006	12W	1100	10 pcs

SLIM DOME LIGHT



- AC:220-240V,50/60Hz
- 20,000 hr lifespan
- IP44 Rating
- PC Body
- CRI >80
- PF >0.5



SKU	Model	Watts	Lumens	Size
76151-24 3000K WARM WHITE 76161-24 4000K DAY WHITE 76171-24 6500K WHITE	VT-8618RD-S-W	18W	1830	ø250x63mm
76181-24 3000K WARM WHITE 76191-24 4000K DAY WHITE 76201-24 6500K WHITE	VT-8624RD-S-W	24W	2500	ø250x63mm
76211-24 3000K WARM WHITE 76221-24 4000K DAY WHITE 76231-24 6500K WHITE	VT-8630RD-S-W	36W	3820	ø350x61mm



SLIM DOME LIGHT

- AC:220-240V,50/60Hz
- 20,000 hr lifespan
- IP44 Rating
- PC Body
- CRI >80
- PF >0.5



SKU	Model	Watts	Lumens	Size
76241-24 3000K WARM WHITE 76251-24 4000K DAY WHITE 76261-24 6500K WHITE	VT-8618SQ-S-W	18W	1830	250x250x65mm
76271-24 3000K WARM WHITE 76281-24 4000K DAY WHITE 76291-24 6500K WHITE	VT-8624SQ-S-W	24W	2500	295x295x65mm
76301-24 3000K WARM WHITE 76311-24 4000K DAY WHITE 76321-24 6500K WHITE	VT-8630SQ-S-W	48W	5160	420x420x65mm

SLIM DOME LIGHT



- AC:220-240V,50/60Hz
- 20,000 hr lifespan
- IP44 Rating
- PC Body
- CRI >80
- PF >0.5



SKU	Model	Watts	Lumens	Size
76331-24 3000K WARM WHITE 76341-24 4000K DAY WHITE 76351-24 6500K WHITE	VT-8618RD-S-B	18W	1830	ø250x63mm
76361-24 3000K WARM WHITE 76371-24 4000K DAY WHITE 76381-24 6500K WHITE	VT-8624RD-S-B	24W	2500	ø295x60mm
76391-24 3000K WARM WHITE 76401-24 4000K DAY WHITE 76411-24 6500K WHITE	VT-8630RD-S-B	36W	3820	ø350x61mm

SLIM DOME LIGHT



- AC:220-240V,50/60Hz
- 20,000 hr lifespan
- IP44 Rating
- PC Body
- CRI >80
- PF >0.5



SKU	Model	Watts	Lumens	Size
76421-24 3000K WARM WHITE 76431-24 4000K DAY WHITE 76441-24 6500K WHITE	VT-8618SQ-S-B	18W	1830	250x250x65mm
76451-24 3000K WARM WHITE 76461-24 4000K DAY WHITE 76471-24 6500K WHITE	VT-8624SQ-S-B	24W	2500	295x295x65mm
76481-24 3000K WARM WHITE 76491-24 4000K DAY WHITE 76501-24 6500K WHITE	VT-8630SQ-S-B	48W	5160	420x420x65mm

SLIM DOME LIGHT WITH SENSOR



- Microwave Sensor
- Hold Time - 10s,30s, 5min,10min,20min,30min
- Light Sensor - 5lux,30lux,100lux,200lux(adjustable)
- Detection Distance - 1-2m, 2-3m,4-5m(radius adjustable)
- Remote Control for Sensor Function
- 3m Installation height
- AC:220-240V,50/60Hz
- 20,000 hr lifespan
- CRI >80
- IP44
- >15000 On/Off Cycle



SKU	Model	Watts	Lumens	Size
76591-24 3000K WARM WHITE 76601-24 4000K DAY WHITE 76611-24 6500K WHITE	VT-8618SRD-S-W	18W	1830	ø295x60mm
76621-24 3000K WARM WHITE 76631-24 4000K DAY WHITE 76641-24 6500K WHITE	VT-8624SRD-S-W	24W	2500	ø350x61mm
76651-24 4000K DAY WHITE	VT-8630SRD-S-W	36W	3820	ø420x65mm

SLIM DOME LIGHT WITH SENSOR



- Microwave Sensor
- Hold Time - 10s,30s, 5min,10min,20min,30min
- Light Sensor - 5lux,30lux,100lux,200lux(adjustable)
- Detection Distance - 1-2m, 2-3m,4-5m(radius adjustable)
- Remote Control for Sensor Function
- 3m Installation height
- AC:220-240V,50/60Hz
- 20,000 hr lifespan
- CRI >80
- IP44
- >15000 On/Off Cycle



SKU	Model	Watts	Lumens	Size
76661-24 4000K DAY WHITE	VT-8618SSQ-S-W	18W	1830	295x295x65mm
76681-24 4000K DAY WHITE	VT-8630SSQ-S-W	36W	3820	420x420x65mm

SLIM DOME LIGHT WITH SENSOR



- Microwave Sensor
- Hold Time - 10s,30s, 5min,10min,20min,30min
- Light Sensor - 5lux,30lux,100lux,200lux(adjustable)
- Detection Distance - 1-2m, 2-3m,4-5m(radius adjustable)
- Remote Control for Sensor Function
- 3m Installation height
- AC:220-240V,50/60Hz
- 20,000 hr lifespan
- CRI >80
- IP44
- >15000 On/Off Cycle



SKU	Model	Watts	Lumens	Size
76691-24 4000K DAY WHITE	VT-8618SRD-S-B	18W	1830	ø295x60mm
76701-24 4000K DAY WHITE	VT-8624SRD-S-B	24W	2500	ø350x61mm
76711-24 4000K DAY WHITE	VT-8630SRD-S-B	36W	3820	ø420x65mm

SLIM DOME LIGHT WITH SENSOR



- Microwave Sensor
- Hold Time - 10s,30s, 5min,10min,20min,30min
- Light Sensor - 5lux,30lux,100lux,200lux(adjustable)
- Detection Distance - 1-2m, 2-3m,4-5m(radius adjustable)
- Remote Control for Sensor Function
- 3m Installation height
- AC:220-240V,50/60Hz
- 20,000 hr lifespan
- CRI >80
- IP44
- >15000 On/Off Cycle



SKU	Model	Watts	Lumens	Size
76721-24 4000K DAY WHITE	VT-8618SSQ-S-B	18W	1830	295x295x65mm
76741-24 4000K DAY WHITE	VT-8630SSQ-S-B	36W	3820	420x420x65mm



Introducing V-TAC's LED reflector downlights — available in 12° & 38° beam angles & CRI rating of >90, to achieve any residential, retail lighting need.

LED REFLECTOR DOWNLIGHTS

- 30,000 hr lifespan
- Input Voltage - AC:220-240V,50Hz
- Material: aluminium
- Includes quick connector for easy installation

SKU	Model	Watts	Lumens	Beam Angle	Box Qty	Diagram	Size
973 5700K WHITE	VT-2-12	12W	960	12°	50 pcs		

SKU	Model	Watts	Lumens	Beam Angle	Box Qty	Diagram	Size
977 4000K DAY WHITE 976 5700K WHITE	VT-2-16	16W	1280	12°	50 pcs		

SKU	Model	Watts	Lumens	Beam Angle	Box Qty	Diagram	Size
981 2700K WARM WHITE 979 5700K WHITE	VT-2-21	20W	1600	12°	20 pcs		

SKU	Model	Watts	Lumens	Beam Angle	Box Qty	Diagram	Size
984 2700K WARM WHITE 982 5700K WHITE	VT-2-36	36W	2880	12°	20 pcs		

999 2700K WARM WHITE	VT-2-36-1	36W	2880	38°	20 pcs		
------------------------	-----------	-----	------	-----	--------	--	--

LED SPOT DOWNLIGHT



- Recessed Downlight
- AC:220-240V,50Hz
- 60° Beam Angle
- IP20
- 20,000 hr lifespan
- PC Body
- CRI>80
- 20,000 hr lifespan
- 65mm Cutout size

SKU	Model	Watts	Lumens	Diagram	Size
23184 6400K WHITE	VT-7007	7W	660		86x20mm

LED NIGHT LIGHT

Eye-friendly LED night light, produce comforting gentle warm light to let you see better in the dark. This white LED nightlight can illuminate any dark space in your home or office.

- Voltage/Frequency: 220-240V, 50Hz
- Power: 0.45W
- RA: >80
- Body material: ABS+PC
- USB Output: Max 2A
- Box Qty: 50pcs



SKU	Model	Watts	Box Qty
505 3000K WARM WHITE	VT-84RD	0.4W	100

SKU	Model	Watts	Box Qty
507 3000K WARM WHITE	VT-84SQ	0.45W	100



EMERGENCY EXIT LIGHTS


V-TAC's LED emergency light, powered by Samsung LEDs, is designed to meet today's higher safety and compliance standards. Featuring clear exit signage and a high-performance battery, it offers longer lifespan, lower maintenance, and extended operation during power outages—making it a reliable choice for residential and commercial buildings, offices, hotels, hospitals, and schools.



LED EXIT LIGHT-RECESSED

SKU	Model	Watts	Lumens	Box Qty
835 - 6000K WHITE	VT-522-S-12	2W	140	10

- IP20
- PC body
- 3 Stickers
- 16 SMD LEDs
- AC:220-240V,50/60Hz
- Recessed/Ceiling Installation
- Ni-Cd 3,6V,900mAh Battery
- 12 hr Charging Time
- Green Light Indicator Test Button
- 3 Way Legend Available
- Mode Of Operation Maintained
- >3 hr Emergency Operation Time
- 24 Meters Viewing Distance From Both Sides



LED STRIP LIGHTS

V-TAC's efficient LED strip lights range provide an effective solution for illuminating tight spaces. Applicable for both accent lighting or task lighting, these lights can be used to simply decorate your kitchen, bedroom, patio, and more. Strip lights are easy to install, compatible with a range of controllers, and are available in standard colour temperatures.

LED STRIP LIGHTS-IP20



SKU	Model	Watts	Lumens	Voltage	Roll	CRI	Box Qty
325 6400K WHITE	VT-5-120	12W/M	1200	DC:12V	5 Meter Roll	>80	400 Meter
21324 4000K DAY WHITE	VT-5-120-N	12W/M	1320	DC:12V	5 Meter Roll	>80	400 Meter
321 4000K DAY WHITE 322 6400K WHITE	VT-10-240	15W/M	1600	DC:24V	10 Meter Roll	>80	800 Meter
21321 4000K DAY WHITE	VT-10-240-N	15W/M	1650	DC:24V	10 Meter Roll	>80	800 Meter
333 6400K WHITE	VT-10-240-1	18W/M	1800	DC:24V	10 Meter Roll	>95	800 Meter


LED SPOTLIGHTS

Our new range of LED spotlights with Samsung LEDs is your best choice for efficient directional lighting solutions. This new range is perfectly compatible with existing GU10 holders. They can deliver the same warm light as halogen spots while exhibiting the energy-saving benefits of LEDs. Ideal for retail and residential lighting.



LED CAPSULE LIGHTS

Voltage/Frequency	DC:12V
Life Span	20,000 hr
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size	Box Qty
21131 3000K WARM WHITE 21132 4000K DAY WHITE 21133 6500K WHITE	VT-234-N	3.2W	385	30w	G4	300°	Ø16x44mm	400



LED CAPSULE LIGHTS

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size	Box Qty
20487 6500K WHITE	VT-11033	2.2W	200	20w	G9	300°	Ø18x56mm	400



LED SPOTLIGHTS

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size	Box Qty
21165 3000K WARM WHITE 21166 4000K DAY WHITE 21167 6500K WHITE	VT-277-N	6W	445	60w	GU10	38°	Ø50x55mm	200



LED SPOTLIGHTS

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size	Box Qty
20028 6400K WHITE	VT-249	6W	500	50w	GU10	10°	Ø50x55mm	200
2120026 3000K WARM WHITE 2120027 4000K DAY WHITE	VT-249-N	6W	445	60w	GU10	10°	Ø50x55mm	200




LED BULBS

Discover the perfect lighting solution with V-TAC's newly enhanced range of LED bulbs, powered by Samsung LEDs across the LED PRO Series. From elegant filament designs to high-performance 360° omnidirectional thermoplastic bulbs, the range covers all sizes, wattages, and lumen outputs—ideal replacements for 60W to 150W traditional lamps. Designed for durability, efficient thermal management, and up to 80% energy savings, V-TAC LED bulbs deliver reliable performance with a 30,000-hour lifespan for homes, offices, and commercial spaces.



LED THERMOPLASTIC BULBS-T37-E27

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
21145 4000K DAY WHITE	VT-237-N	7.5W	660	50w	E27	T37	Ø37x100mm	10



LED THERMOPLASTIC BULBS-T37-E14

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
21267 3000K WARM WHITE 21268 4000K DAY WHITE	VT-248-N	7.5W	660	50w	E14	T37	Ø37x100mm	200



LED THERMOPLASTIC BULBS-G45-E27

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
8046 4000K DAY WHITE	VT-1812	3.7W	320	30w	E27	G45	Ø45x80mm	200



LED THERMOPLASTIC BULBS-P45-E14

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
8044 6500K WHITE	VT-1804	3.7W	320	30w	E14	P45	Ø45x80mm	200



LED THERMOPLASTIC BULBS-A60-E14

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
21114 3000K WARM WHITE	VT-269-N	8.5W	806	60w	E14	A60	Ø60x108mm	100



LED THERMOPLASTIC BULBS-A60-E27

Voltage/Frequency	AC:220-240V,50Hz
Life Span	30,000 hr
PF	>0.7
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
20185 6400K WHITE	VT-262D	12W Dimmable	1055	75w	E27	A60	Ø60x120mm	100



LED THERMOPLASTIC BULBS-A65-E27

Voltage/Frequency	AC:220-240V,50Hz
Life Span	30,000 hr
PF	>0.7
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
159 3000K WARM WHITE	VT-215	15W	1250	85w	E27	A65	Ø65x135mm	100
20190 6400K WHITE	VT-217D	17W Dimmable	1521	100w	E27	A65	Ø65x135mm	100



LED REFLECTOR BULB

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
21211 4000K DAY WHITE 21212 6500K WHITE	VT-239-N	2.9W	250	25w	E14	R39	Ø39x67mm	200



LED PAR BULB

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
21148 4000K DAY WHITE 21149 6500K WHITE	VT-220-N	5.8W	425	55w	E27	PAR20	Ø64x84mm	100



LED BIG BULB-G120

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.7
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
21125 6500K WHITE	VT-288-N	18W	2000	125w	E27	G120	Ø120x160mm	20



LED EMERGENCY BULBS

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
7010 4000K DAY WHITE	VT-509	9W	720	50w	E27	A70	Ø70x135mm	100
7794 4000K DAY WHITE	VT-51012	12W	960	65w	E27	A80	Ø77x147mm	100
7795 4000K DAY WHITE	VT-51015	15W	1200	80W	E27	A90	Ø88x165mm	100



LED OLIVE LAMP

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.9
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
21187 4000K DAY WHITE	VT-260-N	60W	6500	NA	E40	NA	Ø102x320mm	20



LED ACRYLIC BULBS

Voltage/Frequency	AC: 200-240V,50/60Hz
Life Span	30,000 hr
PF	>0.7
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
2781 3000K WARM WHITE 2782 4000K DAY WHITE 2783 6400K WHITE	VT-2311	11W	900	70w	E27	NA	Ø190x120mm	18
2784 3000K WARM WHITE 2785 4000K DAY WHITE	VT-2318	18W	1200	90w	E27	NA	Ø220x125mm	18

V-TAC
Meaningful Innovation.




LED BULBS

Redefining sustainability, V-TAC's LED thermoplastic and filament bulbs combine classic incandescent design with maximum efficiency, making them ideal for all lighting needs



RF REMOTE CONTROL BULBS-CANDLE




Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	180°
PF	>0.4
CRI	>80

- RF Control 6-8M Range
- On/off switching
- 16-step dimming
- 16 color selection
- Auto Color change Mode

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
2926 -RGB+3000K 2929 -RGB+4000K	VT-2214-N-1	4.8W	470	30W	E14	Candle	Ø36.5x110	200



RF REMOTE CONTROL BULBS-P45



Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	180°
PF	>0.4
CRI	>80

- RF Control 6-8M Range
- On/off switching
- 16-step dimming
- 16 color selection
- Auto Color change Mode

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
3029 - RGB+3000K	VT-2234-SQ	4.8W Square Remote	470	40W	E14	P45	Ø47.5x88	200



RF REMOTE CONTROL BULBS-A60




Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	200°
PF	>0.5
CRI	>80

- RF Control 6-8M Range
- On/off switching
- 16-step dimming
- 16 color selection
- Auto Color change Mode

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
2928 -RGB+4000K	VT-2229-N-1	8.5W	806	60W	E27	A60	Ø60x120	100



3 STEP DIMMING LED FILAMENT BULBS-G45




Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	300°
CRI	>80

Smart Dimming Technology Without A Dimmer!
At the click of button, change the lighting Power from 100% to 50% and if need to Reduce more click again to go to 15%.

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
6847 - 3000K WARM WHITE	VT-2704	4W	400	35W	E27	GP45	Ø45x72	100



3 STEP DIMMING LED FILAMENT BULBS-CANDLE



Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	300°
CRI	>80

Smart Dimming Technology Without A Dimmer!
At the click of a switch, change the brightness from 100% to 50% and if necessary, click again to achieve 15% power.

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
6848 - 3000K WARM WHITE	VT-2804	4W	400	35W	E14	Candle	Ø35x98	100



3 STEP DIMMING BULBS-A60




Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.5
CRI	>80

Smart Dimming Technology Without A Dimmer!
At the click of a switch, change the brightness from 100% to 50% and if necessary, click again to achieve 15% power.

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
4449 - 6400K WHITE	VT-2011	9W	806	60W	E27	A60	Ø60x112	100



3 STEP DIMMING BULBS 2PCS BLISTER PACK




Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.5
CRI	>80

Smart Dimming Technology Without A Dimmer!
At the click of button, change the lighting Power from 100% to 50% and if need to Reduce more click again to go to 15%.

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7289 - 4000K DAY WHITE 7290 - 6400K WHITE	VT-2129	9W	806	60W	E27	A60	Ø60x112	25



COLOR CHANGING BULBS 2PCS BLISTER PACK



Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.5
CRI	>80


1. Switch the light on for cool white.
2. Turn the Switch off and on again for warm white.
3. Turn the Switch off and on again for day white.
4. Switch between these to select your ideal colour.

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7309 - 3 IN 1	VT-2149	9W	806	60W	E27	A60	Ø60x112	25



LED CANDLE BULBS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
4156 - 4000K DAY WHITE	VT-1818TP	4W	320	30W	E14	Candle with Twist	Ø37x124	200
214164 - 3000K WARM WHITE	VT-1818TP-N	3.7W	320	30W	E14	Candle	Ø36.5x124	200



LED CANDLE BULBS-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	180°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
2984 - 3000K WARM WHITE 2985 - 4000K DAY WHITE 2986 - 6500K WHITE	VT-2323	2.9W	250	25W	E14	Candle	Ø36.5x100	200
214216 - 3000K WARM WHITE 214166 - 4000K DAY WHITE 214122 - 6500K WHITE	VT-1818-N	3.7W	320	25W	E14	Candle	Ø37x100	200
2142151 - 3000K WARM WHITE 2142581 - 4000K DAY WHITE 2142411 - 6500K WHITE	VT-1855-N	4.5W	470	40W	E14	Candle	Ø36.5x100	200
211111 - 3000K WARM WHITE 211121 - 4000K DAY WHITE 211131 - 6500K WHITE	VT-268	6.5W	600	45W	E14	Candle	Ø36.5x100	10



LED CANDLE BULBS-2PCS BLISTER-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7293 - 6400K WHITE	VT-2106	5.5W	470	40W	E14	Candle	Ø37x100	50



LED CANDLE BULBS-6PCS BLISTER-E14

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	180°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
212738 - 6500K WHITE	VT-2246-N	4.5W	470	40W	E14	Candle	Ø36.5x100	180



LED CANDLE BULBS-E27

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	180°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
2143421 - 3000K WARM WHITE 2143431 - 4000K DAY WHITE 2143441 - 6500K WHITE	VT-1821N-N	4.5W	470	40W	E27	Candle	Ø36.5x100	200



LED G45 BULBS-E27

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	180°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
214160 - 3000K WARM WHITE 214162 - 4000K DAY WHITE 214207 - 6500K WHITE	VT-1830-N	3.7W	320	25W	E27	G45	Ø45x80	200
217407 - 3000K WARM WHITE 217408 - 4000K DAY WHITE 217409 - 6500K WHITE	VT-1879N-N	4.5W	470	40W	E27	G45	Ø46x82	200
23878 - 3000K WARM WHITE 23879 - 4000K DAY WHITE 23880 - 6500K WHITE	VT-290	6.5W	600	45W	E27	G45	45x80	200



LED G45 3PCS PACK-E27

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	180°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217364 - 6500K WHITE	VT-2176-N	4.5W	470	40W	E27	G45	Ø45x80	180



LED P45 BULBS-E14

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	180°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
214123 - 3000K WARM WHITE 214174 - 4000K DAY WHITE 214124 - 6500K WHITE	VT-1819-N	3.7W	320	25W	E14	P45	Ø45x80	200
2142501 - 3000K WARM WHITE 2142511 - 4000K DAY WHITE 2142521 - 6500K WHITE	VT-1880N-N	4.5W	470	40W	E14	P45	Ø36.5x100	200
24018 - 3000K WARM WHITE 24019 - 4000K DAY WHITE 24020 - 6500K WHITE	VT-270	6.5W	600	45W	E14	P45	Ø45x80	200



LED P45 3PCS PACK-E14

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	180°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217358 - 4000K DAY WHITE	VT-2156-N	4.5W	470	40W	E14	P45	Ø45x80	180



LED P45 6PCS PACK-E14

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	180°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
212733 - 3000K WARM WHITE 212734 - 4000K DAY WHITE	VT-2266-N	4.5W	470	40W	E14	P45	Ø45x80	180

LED THERMOPLASTIC BULBS


Our extensive range of classic, thermoplastic GLS bulbs are efficient replacements for traditional incandescent light fittings in both indoor and outdoor locations.

- Includes standard base variations (E27 and B22)
- Various power and size options (A60, A65, and A80) available
- Available in blister packs and 3/6pc multipacks



LED A60 BULBS-E27

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	200°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217260 - 3000K WARM WHITE 217261 - 4000K DAY WHITE 217262 - 6500K WHITE	VT-2099-N	8.5W	806	60W	E27	A60	Ø60x108	200


217350 - 3000K WARM WHITE
217349 - 4000K DAY WHITE
217351 - 6500K WHITE

VT-2112-N	10.5W	1055	75W	E27	A60	Ø60x110	100
-----------	-------	------	-----	-----	-----	---------	-----



LED A60 BULBS 3PCS PACK-E27

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	200°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217240 - 3000K WARM WHITE 217241 - 4000K DAY WHITE 217242 - 6500K WHITE	VT-1900-N	8.5W	806	60W	E27	A60	Ø60x108	120
217352 - 3000K WARM WHITE 217353 - 4000K DAY WHITE 217354 - 6500K WHITE	VT-2113-N	10.5W	1055	75W	E27	A60	Ø60x110	120
212819 - 3000K WARM WHITE 212820 - 4000K DAY WHITE 212818 - 6500K WHITE	VT-2015-3PC-N	15W	1521	100W	E27	A65	Ø65x134	40



LED A65 BULBS-B22

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	200°
PF	>0.7
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217229 - 3000K WARM WHITE 24038 - 6500K WHITE	VT-2015-B22-N	15W	1521	100W	B22	A65	Ø65x134	100



LED A65 BULBS-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.7
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
214453 - 3000K WARM WHITE 214454 - 4000K DAY WHITE 214455 - 6500K WHITE	VT-2015-E27-N	15W	1521	100W	E27	A65	Ø65x134	100
214456 - 3000K WARM WHITE 214457 - 4000K DAY WHITE 214458 - 6500K WHITE	VT-2017-N	17W	1710	110W	E27	A65	Ø65x134	100



LED A65-2PCS BLISTER PACK-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.7
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7302 - 6400K WHITE	VT-2117	15W	1350	90W	E27	A65	Ø66.5x134	25



LED A80-E27 BULBS

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	200°
PF	>0.7
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
2707 - 3000K WARM WHITE	VT-2218	18W	2000	125W	E27	A80	Ø66.5x134	50
23747 - 3000K WARM WHITE 23748 - 4000K DAY WHITE 23749 - 6500K WHITE	VT-22022	20W	2452	150W	E27	A80	Ø80x155	50



LED BULBS ST26-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
212341 - 3000K WARM WHITE 24022 - 4000K DAY WHITE 24023 - 6500K WHITE	VT-202	2W	180	18W	E14	ST26	26x59	400



LED BULBS T37

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	230°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
24030 - 3000K WARM WHITE 24031 - 4000K DAY WHITE 24032 - 6500K WHITE	VT-248	7.5W	660	50W	E14	T37	37x100	200
7173 - 2700K WARM WHITE	VT-2029	9W	750	50W	E14	T37	Ø37x115	200



LED BULBS T37

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	230°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
24033 - 3000K WARM WHITE 24034 - 4000K DAY WHITE 24035 - 6500K WHITE	VT-237	7.5W	660	50W	E27	T37	37x100	200



LED BULBS-R7S

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
212713 - 3000K WARM WHITE 212714 - 4000K DAY WHITE 212715 - 6500K WHITE	VT-2237-N	7W	700	50W	R7S	R7S	Ø28x78	200



LED BULBS-R7S

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.7
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
212834 - 3000K WARM WHITE 212835 - 4000K DAY WHITE 212836 - 6500K WHITE	VT-2118-N	16W	2000	126W	R7S	R7S	Ø30x118	100



LED GLOBE BULBS-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
4278 - 6400K WHITE	VT-1893	10W	810	60W	E27	G95	Ø95x140	12



LED GLOBE BULBS-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.7
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
23883 - 3000K WARM WHITE 23884 - 4000K DAY WHITE 23885 - 6500K WHITE	VT-242	22W	2600	155W	E27	G120	120x160	20



LED BIG BULBS

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	120°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
23901 - 3000K WARM WHITE 23902 - 4000K DAY WHITE 23903 - 6500K WHITE	VT-207	6.4W	560	45W	GX53	GX53	79x29	200

NEW



LED REFLECTOR BULB

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	120°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
23893 - 3000K WARM WHITE	VT-239	2.9W	250	25W	E14	R39	39x67	200
23894 - 3000K WARM WHITE 23895 - 4000K DAY WHITE 23896 - 6500K WHITE	VT-250	4.8W	470	40W	E14	R50	50x85	200
23897 - 3000K WARM WHITE 23898 - 4000K DAY WHITE 23899 - 6500K WHITE	VT-263	8.5W	806	60W	E27	R63	63x100	100
23900 - 4000K DAY WHITE	VT-280	11W	1055	75W	E27	R80	80x112	100

NEW



LED PAR BULBS-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	40°
PF	>0.7
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
23889 - 3000K WARM WHITE 24037 - 4000K DAY WHITE	VT-230	11W	800	90W	E27	PAR30	95x120	30
23890 - 3000K WARM WHITE 23891 - 4000K DAY WHITE 23892 - 6500K WHITE	VT-238	12.8W	930	105W	E27	PAR38	121x130	30



LED BIG BULBS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	160°
PF	>0.7
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
23568 - 4000K DAY WHITE 23569 - 6500K WHITE	VT-21020	20W	2060	NA	E27	T80	80x133	50
23570 - 4000K DAY WHITE 23571 - 6500K WHITE	VT-21031	30W	3210	NA	E27	T100	100x157	20
23572 - 4000K DAY WHITE 23573 - 6500K WHITE	VT-21040	40W	4320	NA	E27	T120	118x191	10
23574 - 4000K DAY WHITE 23575 - 6500K WHITE	VT-21050	50W	5400	NA	E27	T140	138x220	10
23576 - 4000K DAY WHITE 23577 - 6500K WHITE	VT-21065	60W	6600	NA	E27	T160	160x255	6

LED FILAMENT & DECORATIVE BULBS


LED filament decorative bulbs are a captivating fusion of vintage aesthetics and modern lighting technology. These bulbs cleverly mimic the appearance of traditional incandescent filament bulbs while harnessing the energy-efficient prowess of LEDs. The result is a lighting solution that not only evokes nostalgia but also embraces sustainability and efficiency.

Available in various shapes, sizes, and designs, LED filament decorative bulbs cater to a wide array of interior styles. Whether suspended in pendant lights, nestled in chandeliers, or showcased in table lamps, these bulbs are as much an element of interior design as they are a source of illumination.



LED FILAMENT VASE SHAPE BULBS E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
8056	VT-2264	4W	NA	NA	E27	Vase	Ø140x200	8



LED FILAMENT COBBLE SHAPE BULBS E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
8057	VT-2265	4W	NA	NA	E27	Cobble	Ø220x225	6



LED FILAMENT APPLE SHAPE BULBS E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
8064	VT-2263	4W	NA	NA	E27	Apple	Ø190x275	6



**LED AMBER SPIRAL FILAMENT
A160 BULBS E27**



Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
23166 - 2700K WARM WHITE	VT-2267	4W	250	NA	E27	A160	Ø160X275	6



**LED SMOKY SPIRAL FILAMENT
A160 BULBS E27**



Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
23167 - 2700K WARM WHITE	VT-2268	4W	120	NA	E27	A160	Ø160X275	6



**LED AMBER SPIRAL FILAMENT
A165 BULBS E27**



Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
23168 - 2700K WARM WHITE	VT-2269	4W	250	NA	E27	A165	Ø165x275	6



**LED AMBER SPIRAL FILAMENT
G200 BULBS E27**



Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
23169 - 2700K WARM WHITE	VT-2270	4W	250	NA	E27	G200	Ø200x280	6



**LED SMOKY SPIRAL FILAMENT
G200 BULBS E27**

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
23170 - 2700K WARM WHITE	VT-2271	4W	120	NA	E27	G200	Ø200x280	6



**LED AMBER SPIRAL FILAMENT
B125 BULBS E27**

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
23171 - 2700K WARM WHITE	VT-2272	4W	250	NA	E27	B125	Ø125x340	6



**LED AMBER SPIRAL FILAMENT
ST120 BULBS E27**

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
23172 - 2700K WARM WHITE	VT-2273	4W	250	NA	E27	ST120	Ø120x260	6



LED 3D FILAMENT BULBS A60

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	300°
PF	>0.45
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
212704 - 3000K WARM WHITE	VT-2203-N	3W	20	NA	E27	A60	Ø60x105	100



LED 3D FILAMENT BULBS ST64



Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.45
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
212705 - 3000K WARM WHITE	VT-2223-N	3W	25	NA	E27	ST64	Ø64x135	100



LED 3D FILAMENT BULBS G125



Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.45
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
212706 - 3000K WARM WHITE	VT-2233-N	3W	40	NA	E27	G125	Ø125x165	20



FILAMENT-T180-E27



Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
212790 -1800K WARM WHITE	VT-2308-N	8W	620	55W	E27	T180	ØD:175x150	12



SMOKY FILAMENT-S200-E27



Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	340°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217465 - 1800K WARM WHITE	VT-2188D-N	8W	500	30W	E27	S200	Ø180x390	12



FILAMENT-R125-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	110°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7468 - 6500K WHITE	VT-2198D	8W	600	50W	E27	R125	Ø125x182	24



AMBER COVER -LED FILAMENT BULBS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217335 - 1800K WARM WHITE	VT-2154-N	4W	220	40W	E27	A60	Ø60x105	100



CLEAR FILAMENT-A60-E28

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217336 - 3000K WARM WHITE	VT-2164-N	4W	300	40W	E27	A60	Ø60x105	100



AMBER COVER - FILAMENT-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217157 - 2200K WARM WHITE	VT-2028-N	10W	950	65W	E27	A60	Ø60x105	100
217457 - 2200K WARM WHITE	VT-2123-N	12W	1350	85W	E27	A60	Ø60x105	100



AMBER COVER - FILAMENT-ST64-E27

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
214361 - 2200K WARM WHITE	VT-1964-N	4W	350	40W	E27	ST64	Ø64x143	100
214362 - 2200K WARM WHITE	VT-1966-N	6W	550	45W	E27	ST64	Ø64x143	100
214421 - 2200K WARM WHITE	VT-1968-N	8W	720	60W	E27	ST64	Ø64x143	100
217218 - 1800K WARM WHITE	VT-2065-N	4.8W	300	30W	E27	ST64	Ø64x143	100
217416 - 1800K WARM WHITE	VT-2065D-N	4.8W Dimmable	250	30W	E27	ST64	Ø64x143	100



FILAMENT-ST64-E27

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217474 - 1800K WARM WHITE	VT-2185-N	4W	200	20W	E27	ST64	Ø64x142	100



AMBER COVER -FILAMENT-ST64-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217220 - 1800K WARM WHITE	VT-2066-N	4.8W	300	30W	E27	ST64	Ø64x143	100



AMBER COVER -FILAMENT-GLOBE-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217146 - 2200K WARM WHITE	VT-2024-N	4W	350	35W	E27	G95	Ø95x138	20



AMBER COVER -FILAMENT-GLOBE-E27

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	300°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217217 - 1800K WARM WHITE	VT-2075-N	4.8W	300	30W	E27	G95	Ø95x138	20
217216 - 1800K WARM WHITE	VT-2085-N	4.8W	300	30W	E27	G125	Ø125x173	20
214473 - 2200K WARM WHITE	VT-1956-N	6W	550	55W	E27	G125	Ø125x173	20
217155 - 2200K WARM WHITE	VT-2018D-N	8W Dimmable	700	60W	E27	G125	Ø125x173	20



AMBER COVER - FILAMENT-GLOBE-E27

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217145 - 2200K WARM WHITE	VT-2019-N	8W	700	65W	E27	G95	Ø95x138	20



FILAMENT-GLOBE-E27

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	300°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217475 - 1800K WARM WHITE	VT-2195-N	4W	200	20W	E27	G125	Ø125x164	20



AMBER COVER - FILAMENT-GLOBE-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>70



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217328 - 1800K WARM WHITE	VT-2126-N	6W	400	55W	E27	G125	Ø125x173	20



FILAMENT-G125-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.7
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217456 - 2200K WARM WHITE	VT-2153-N	12W	1350	85W	E27	G125	Ø125x173	20



AMBER COVER -FILAMENT-T30-E27

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217473 - 1800K WARM WHITE	VT-2162-N	2W	65	9W	E27	T30	Ø30x185	100



AMBER COVER -FILAMENTS-T30-E27

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217142 - 2200K WARM WHITE	VT-2005-N	5W	500	45W	E27	T30	Ø30x300	100



AMBER COVER -FILAMENTS-T30-E27

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217143 - 2200K WARM WHITE	VT-2006-N	6W	600	50W	E27	T30	Ø30x185	100



AMBER COVER -FILAMENTS-T30-E27

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	300°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217144 - 2200K WARM WHITE	VT-2008-N	7W	700	60W	E27	T30	Ø30x300	100



FILAMENT-CANDLE-E14

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217472 - 1800K WARM WHITE	VT-2152-N	2W	65	9W	E14	Candle	Ø35x103	100



AMBER COVER - FILAMENT-CANDLE-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217113 - 2200K WARM WHITE	VT-1955-N	4W	350	40W	E14	Candle	Ø35x98	100



AMBER COVER - FILAMENT-CANDLE-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217114 - 2200K WARM WHITE	VT-1949-N	4W	350	35W	E14	Candle	Ø35x118	100



AMBER COVER - FILAMENT-CANDLE-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217115 - 2200K WARM WHITE	VT-1948-N	4W	350	35W	E14	Candle	Ø35x100	100



AMBER COVER -FILAMENT-CANDLE-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217116 - 2200K WARM WHITE	VT-1947-N	4W	350	35W	E14	Candle	Ø35x118	100



AMBER COVER -FILAMENT-G45-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217100 - 2200K WARM WHITE	VT-1957-N	4W	350	30W	E27	G45	Ø45x78	100



AMBER COVER -FILAMENT-P45-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
214499 - 2200K WARM WHITE	VT-1953-N	4W	350	30W	E14	P45	Ø45x78	100



FROST COVER-CROSS FILAMENT-A60-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
44801 - 2700K WARM WHITE	VT-1935C	6W	660	55W	E27	A60	Ø60x107	50
71811 - 2700K WARM WHITE	VT-2047C	7W	840	60W	E27	A60	Ø60x107	50



FROST COVER -FILAMENT-E27

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7178 - 2700K WARM WHITE 7180 - 6400K WHITE	VT-2045	5W	600	50W	E27	A60	Ø60x107	50
4483 - 2700K WARM WHITE 4485 - 6400K WHITE	VT-1938	8W	800	60W	E27	A67	Ø67x123	50
7154 - 6400K WHITE	VT-2023	10W	1055	75W	E27	A67	Ø67x123	50



FROST COVER -FILAMENT-GLOBE-E27

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7188 - 6400K WHITE	VT-2057	7W	840	60W	E27	G95	Ø95x135	12



CLEAR GLASS-FILAMENT-A60-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217120 - 6500K WHITE	VT-1885-N	4W	400	35W	E27	A60	Ø60x105	100
214272 - 3000K WARM WHITE 214303 - 4000K DAY WHITE	VT-1887-N	6W	600	30W	E27	A60	Ø60x105	100
217458 - 3000K WARM WHITE 217459 - 4000K DAY WHITE 217460 - 6500K WHITE	VT-2133-N	12W	1521	100W	E27	A60	Ø60x105	100

NEW



CLEAR GLASS-FILAMENT-A60-E27-3PCS PACK

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
2144101 - 3000K WARM WHITE	VT-1981	10W	1055	75W	E27	A60	60x105	180
2174581 - 3000K WARM WHITE 2174591 - 4000K DAY WHITE 2174601 - 6500K WHITE	VT-2133	12W	1521	100W	E27	A60	60x105	180



CLEAR GLASS-FILAMENT-A67-E27

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
212815 - 3000K WARM WHITE	VT-2288D-N	8W Dimmable	720	50W	E27	A60	Ø60x105	100
214410 - 3000K WARM WHITE 214411 - 4000K DAY WHITE 214412 - 6500K WHITE	VT-1981-N	10W	1055	75W	E27	A60	Ø60x105	20



CLEAR GLASS-FILAMENT-A67-E27

Voltage/Frequency	AC:220-240V
Beam Angle	330°
PF	>0.7
CRI	80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
212802 - 3000K WARM WHITE	VT-2328-N	18W	2520	150W	E27	A70	Ø70x125	100



FILAMENT-T30-E27

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217251 - 3000K WARM WHITE	VT-2042-N	2W	200	20W	E27	T30	Ø30x136	100



FILAMENT-T20-E14

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	300°
PF	>0.45
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
212701 - 3000K WARM WHITE 212702 - 4000K DAY WHITE 212703 - 6500K WHITE	VT-2204-N	4W	400	NA	E14	T20	Ø20x135	100



CLEAR GLASS-FILAMENT-ST26-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
214444 - 3000K WARM WHITE 214445 - 4000K DAY WHITE 214446 - 6500K WHITE	VT-1952-N	2W	200	20W	E14	ST26	Ø26x64	200



CLEAR GLASS-FILAMENT-CANDLE-E14

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
214301 - 3000K WARM WHITE 214413 - 4000K DAY WHITE 214414 - 6500K WHITE	VT-1986-N	4W	400	35W	E14	Candle	Ø35x98	100
2870 - 3000K WARM WHITE	VT-2304D	4W Dimmable	400	35W	E14	Candle	Ø35x98	200
7807 - 4000K DAY WHITE	VT-21125	5.5W	600	45W	E14	Candle	Ø35x98	100
217423 - 3000K WARM WHITE 217424- 4000K DAY WHITE 217425 - 6500K WHITE	VT-2127-N	6W	600	45W	E14	Candle	Ø35x98	100



HIGH LUMEN CLEAR GLASS-FILAMENT-CANDLE-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
212848 - 3000K WARM WHITE 212850 - 6500K WHITE	VT-2327-N	6W	800	60W	E14	Candle	Ø35x98	100



CLEAR GLASS-FILAMENT-CANDLE-E16

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
214367 - 3000K WARM WHITE	VT-1985D-N	4W Dimmable	400	30W	E14	Candle	Ø35x98	100



CLEAR GLASS-FILAMENT-CANDLE-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
214308 - 3000K WARM WHITE 214431 - 4000K DAY WHITE	VT-1995-N	4W	400	40W	E14	Candle	Ø35x118	100



CLEAR GLASS-FILAMENT-CANDLE-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
214302 - 3000K WARM WHITE 214429 - 4000K DAY WHITE 214430 - 6500K WHITE	VT-1997-N	4W	400	40W	E14	Candle	Ø35x118	100



CLEAR GLASS-FILAMENT-P45-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
214300 - 3000K WARM WHITE 214425 - 4000K DAY WHITE	VT-1996-N	4W	400	40W	E14	P45	Ø45x77	100
2845 - 2700K WARM WHITE	VT-2466	6W	600	45W	E14	P45	Ø45x78	100
212847 - 6500K WHITE 212845 - 3000K WARM WHITE 212846 - 4000K DAY WHITE	VT-2466-N	6W	600	45W	E14	P45	Ø45x78	100



HIGH LUMENS CLEAR GLASS-FILAMENT-P45-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
2854 - 2700K WARM WHITE	VT-2486	6W	800	60W	E14	P45	Ø45x78	100



CLEAR GLASS-FILAMENT-G45-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
214306 - 3000K WARM WHITE 214428 - 6500K WHITE	VT-1980-N	4W	400	40W	E27	G45	Ø45x78	100
212844 - 6500K WHITE 212842 - 3000K WARM WHITE 212843 - 4000K DAY WHITE	VT-2366-N	6W	600	45W	E27	G45	Ø45x72	100



HIGH LUMENS CLEAR GLASS-FILAMENT-G45-E27



Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
2853 - 6400K WHITE 2851 - 2700K WARM WHITE	VT-2386	6W	800	60W	E27	G45	Ø45x72	100



PINK COLOR BULBS-G45-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217410 - PINK	VT-2132-P-N	2W	60	10W	E27	G45	Ø45x72	100



GREEN COLOR BULBS-G45-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217411 - GREEN	VT-2132-G-N	2W	60	10W	E27	G45	Ø45x72	100



BLUE COLOR BULBS-G45-E28

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217412 - BLUE	VT-2132-B-N	2W	60	10W	E27	G45	Ø125x173	100



RED COLOR BULBS-G45-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217413 - RED	VT-2132-R-N	2W	60	10W	E27	G45	Ø45x72	100



CLEAR GLASS-FILAMENT-GLOBE-G95-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
214305 - 3000K WARM WHITE	VT-1993-N	6W	600	60W	E27	G95	Ø95x138	20



CLEAR GLASS-FILAMENT-GLOBE-G125-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
214304 - 3000K WARM WHITE	VT-1983-N	6W	600	30W	E27	G125	Ø45x72	20
7427 - 6400K WHITE	VT-2147	6W	806	60W	E27	G125	Ø125x177	20
214422 - 3000K WARM WHITE 214423 - 4000K DAY WHITE 214424 - 6500K WHITE	VT-1979-N	10W	1055	60W	E27	G125	Ø125x173	20
217453 - 3000K WARM WHITE 217454 - 4000K DAY WHITE 217455 - 6500K WHITE	VT-2143-N	12W	1521	100W	E27	G125	Ø125x173	20



LED STRING LIGHT-13M-RGB

- 13 Meter Long String
- 0.5 watts per Bulb
- 15 G50 Bulbs included
- IP rating IP44
- 270° Beam Angle
- PVC wire, plastic bulb
- EU Plug

SKU	Model	Watts	Size	Box Qty
23159 - RGB	VT-713S	7.5W	13M	10

LED STRING LIGHT-5M



- 5 Meter Long String
- 0.4 watts per Bulb
- 10 Bulbs included
- IP rating IP44

SKU	Model	Watts	Size	Box Qty
212728 - 3000K WARM WHITE	VT-71510-N	4W	5M+3M cord	10

LED STRING LIGHT-5M



- 5 Meter Long String
- 0.5 watts per Bulb
- 10 Bulbs with 0.5 Meter Distance
- IP rating IP44

SKU	Model	Watts	Size	Box Qty
7435 - RGB+YELLOW	VT-70510	5W	5M	10
217436 - 3000K WARM WHITE	VT-70510-N	5W	5M	10

LED STRING LIGHT-10M



- 10 Meter Long String
- 0.5 watts per Bulb
- 20 Bulbs with 0.5 Meter Distance
- IP rating IP44

SKU	Model	Watts	Size	Box Qty
7438 - RGB+YELLOW	VT-71020	10W	10M	10
217439 - 3000K WARM WHITE	VT-71020-N	10W	10M	5
217440 - 6000K WHITE				



**STRING LIGHT WP SOCKET-E27-EU
PLUG-15M**

- 15 Meter Long String
- 15 E27 Holders with Rubber Cable
- IP65
- Max 40 Watts Each Holder
- Designed with EU Plug
- Bulbs are not included



SKU	Model	Size(Meter)	Box Qty
7699	VT-713-EU	15M	4



STRING LIGHT SOCKET-E27-5M

- 5 Meter Long String
- 10 Holders with 0.5 Meter Distance
- IP54
- Linkable upto 500W max
- Bulbs are not included



SKU	Model	Size(Meter)	Box Qty
3698	VT-7135	5M	4



STRING LIGHT SOCKET-E27-15M

- 15 Meter Long String
- 15 Holders with 1 Meter Distance
- IP54
- Linkable upto 500W max
- Bulbs are not included



SKU	Model	Size(Meter)	Box Qty
3673	VT-713	15M	4

LED SPOTLIGHTS


Introducing a sustainable and energy-efficient replacement for power-hungry halogen spotlights. An extensive range of LED Spotlights (1.2W-8W).

NEW



G4-LED CAPSULE LIGHT

Voltage/Frequency	DC:12V, 50Hz
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
24027 - 3000K WARM WHITE 24028 - 4000K DAY WHITE 24029 - 6500K WHITE	VT-201	1.1W	100	NA	G4	300°	10x37	400

NEW



G9-LED CAPSULE LIGHT

Voltage/Frequency	AC:220-240V,50Hz
PF	>0.4
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
24024 - 3000K WARM WHITE 24025 - 4000K DAY WHITE 24026 - 6500K WHITE	VT-11033	2.2W	200	20W	G9	300°	18x56	400

NEW



G9-LED CAPSULE LIGHT-DIMMABLE

Voltage/Frequency	AC:220-240V,50Hz
PF	>0.4
CRI	>80


SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
217429 - 3000K WARM WHITE 217430 - 4000K DAY WHITE 217431 - 6500K WHITE	VT-2175D	4.5W	450	40W	G9	300°	23x67	20

NEW



GU10 SPOTLIGHTS LENS-10°

Voltage/Frequency	AC:220-240V, 50Hz
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
24021 - 3000K WARM WHITE 21200271 - 4000K DAY WHITE	VT-249	6W	445	60W	GU10	10°	50x55	10

NEW



GU10 SPOTLIGHTS LENS-38°

Voltage/Frequency	AC:220-240V, 50Hz
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
211891 - 3000K WARM WHITE 211901 - 4000K DAY WHITE 211911 - 6500K WHITE	VT-227	6W	445	60W	GU10	38°	50x55	10
211971 - 6500K WHITE	VT-227D	6W Dimmable	445	60W	GU10	38°	50x55	10
218751 - 3000K WARM WHITE 23881 - 4000K DAY WHITE 218771 - 6500K WHITE	VT-291	7.5W	610	70W	GU10	38°	50x55	10

NEW



MR16 SPOTLIGHTS LENS-38°

Voltage/Frequency	AC:220-240V, 50Hz
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
212071 - 3000K WARM WHITE 212081 - 4000K DAY WHITE 23888 - 6500K WHITE	VT-267	6W	455	60W	GU5.3	38°	50x52	10

NEW



GU10 SPOTLIGHTS LENS-110°

Voltage/Frequency	AC:220-240V, 50Hz
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
211921 - 3000K WARM WHITE 211931 - 4000K DAY WHITE 211941 - 6500K WHITE	VT-247	6W	445	60W	GU10	110°	50x55	10
211981 - 3000K WARM WHITE 211991 - 4000K DAY WHITE	VT-247D	6W Dimmable	445	60W	GU10	110°	50x55	10
218721 - 3000K WARM WHITE 218731 - 4000K DAY WHITE 23882 - 6500K WHITE	VT-292	7.5W	610	70W	GU10	110°	50x55	10

NEW



GU10 SPOTLIGHTS LENS-110°-RETAIL PACK

Voltage/Frequency	AC:220-240V, 50Hz
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
2119211 - 3000K WARM WHITE 2119311 - 4000K DAY WHITE 2119411 - 6500K WHITE	VT-247-3Pc	6W	445	60W	GU10	110°	50x55	180

NEW



MR16 SPOTLIGHTS LENS-110°

Voltage/Frequency	AC:220-240V, 50Hz
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
23886 - 3000K WARM WHITE 212051 - 4000K DAY WHITE 23887 - 6500K WHITE	VT-257	6W	455	60W	GU5.3	110°	50x52	200

NEW



GU10 SPOTLIGHT MILKY COVER-100°

Voltage/Frequency	AC:220-240V,50Hz
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
2987 - 3000K WARM WHITE 2989 - 6500K WHITE	VT-2333	2.9W	250	25W	GU10	100°	50x56.5	200
212988 - 4000K DAY WHITE	VT-2333-N	2.9W	250	25W	GU10	100°	50x56.5	200
218781 - 3000K WARM WHITE 218791 - 4000K DAY WHITE 218801 - 6500K WHITE	VT-271	10W	1000	70W	GU10	100°	50x56.5	10

NEW



**GU10 SPOTLIGHT MILKY COVER-100°-
RETAIL PACK**

Voltage/Frequency	AC:220-240V,50Hz
PF	>0.5
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
2187811 - 3000K WARM WHITE 2187911 - 4000K DAY WHITE 2188011 - 6500K WHITE	VT-271-3Pc	10W	1000	70W	GU10	100°	50x56.5	180



GU10 SPOTLIGHT MILKY COVER-110°

Voltage/Frequency	AC:220-240V,50Hz
PF	>0.4
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
211685 - 3000K WARM WHITE 211686 - 4000K DAY WHITE 211687 - 6500K WHITE	VT-1975-N	4.5W	400	35W	GU10	100°	50x56.5	200


ALUMINIUM MODULE SPOTLIGHT



**ONE
LED MODULE**

**COMPATIBLE WITH
SPOTLIGHTING
FITTINGS**

Voltage/Frequency	AC:220-240V,50Hz
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
10301 - 3000K WARM WHITE 10302 - 4000K DAY WHITE 10303 - 6400K WHITE	VT-1018	18W	1900	NA	NA	34°	78x63x50	50

AR111 DOWNLIGHT



Voltage/Frequency	AC:220-240V,50Hz
PF	>0.9
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
212792 - 3000K WARM WHITE 212793 - 4000K DAY WHITE 212794 - 6400K WHITE	VT-1121-N	20W	1700	130W		40°/20°	Ø111x53	50

AR111 PAR LIGHT-RECESSED-G53



Voltage/Frequency	AC/DC:12V,50Hz
PF	>0.9
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
214084 - 3000K WARM WHITE	VT-1110-20-N	12W	1049	75W	G53	20°	Ø111x86x63	60
214257 - 3000K WARM WHITE 214256 - 4000K DAY WHITE 214255 - 6000K WHITE	VT-1110-40-N	12W	3000K-1086 4000K-1159 6000K-1200	25W	G53	40°	Ø111x86x63	60

AR111 LED SPOTLIGHT- GU10



Voltage/Frequency	AC:200-240V,50Hz
PF	>0.9
CRI	>80




SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
4223 - 4000K DAY WHITE	VT-1112	12W	900	60W	GU10	40°	Ø111x86	60
214224 - 3000K WARM WHITE 214225 - 6400K WHITE	VT-1112-N	12W	1021	60W	GU10	40°	Ø111x79	
217234 - 3000K WARM WHITE 217235 - 4000K DAY WHITE 217236 - 6400K WHITE	VT-1112D-N	12W Dimmable	3000K-1035 4000K-1096 6400K-1297	60W	GU10	40°	Ø111x79	




1XAR111 FITITNG

SKU	Model	Unit Color	Body Type	Base	Cutting Size (mm)	Size(mm)	Box Qty
3575	VT-7221-W	White	Aluminium	1XAR111	163x163	174x174	24
3581	VT-7221-B	Black	Aluminium	1XAR111	163x163	174x174	24



2XAR111 FITITNG

SKU	Model	Unit Color	Body Type	Base	Cutting Size (mm)	Size(mm)	Box Qty
3576	VT-7222-W	White	Aluminium	2XAR111	167x305	325x174	12
3582	VT-7222-B	Black	Aluminium	2XAR111	167x305	325x174	12



3XAR111 FITITNG

SKU	Model	Unit Color	Body Type	Base	Cutting Size (mm)	Size(mm)	Box Qty
35771	VT-7223-W	White	Aluminium	3XAR111	168x455	475x174	12
35831	VT-7223-B	Black	Aluminium	3XAR111	168x455	475x174	12

GU10-HOLDER-PVC CABLE



Model No: **PVC Cable-5pc**
SKU: **34235**
Base: **GU10**
Material: **Ceramic**
Color: **White**
Size(mm): **150**
Cutting Size: **NA**
Box Qty: **100**

GU10-HOLDER-PVC CABLE



Model No: **PVC Cable**
SKU: **3423**
Base: **GU10**
Material: **Ceramic**
Color: **White**
Size(mm): **150**
Cutting Size: **NA**
Box Qty: **500**



E14-HOLDER

SKU	Box Qty
8840	20



E14-HOLDER

SKU	Box Qty
8751	400



E14-HOLDER

SKU	Box Qty
8753	400

SURFACED WALL FITTING G9



Model No: **VT-10113-B**
SKU: **23407**
Base: **G9**
Material: **Steel+Glass**
Color: **Black**
Size(mm): **95x120x250**
Cutting Size: **NA**
Box Qty: **10**



SURFACED WALL FITTING G9




Model No: **VT-10113-W**
SKU: **23408**
Base: **G9**
Material: **Steel+Glass**
Color: **White**
Size(mm): **95x120x250**
Cutting Size: **NA**
Box Qty: **10**



NEW RECESSED FITTING GU10-HONEY COMB-ROUND




Model No: **VT-9001RD-W**
SKU: **23761**
Base: **GU10**
Material: **Aluminium**
Color: **White**
Size(mm): **90x60**
Cutting Size: **80mm**
Box Qty: **50**



NEW RECESSED FITTING GU10-HONEY COMB-ROUND




Model No: **VT-9001RD-B**
SKU: **23762**
Base: **GU10**
Material: **Aluminium**
Color: **Black**
Size(mm): **90x60**
Cutting Size: **80mm**
Box Qty: **50**



RECESSED FITTING GU10




Model No: **VT-439**
SKU: **10298**
Base: **2xGU10**
Material: **Iron+PC**
Color: **White+White**
Size(mm): **175x88x30**
Cutting Size: **160x75**
Box Qty: **50**



NEW RECESSED FITTING GU10-HONEY COMB-SQUARE




Model No: **VT-9001SQ-W**
SKU: **23763**
Base: **GU10**
Material: **Aluminium**
Color: **White**
Size(mm): **90x90x60**
Cutting Size: **80x80mm**
Box Qty: **50**



RECESSED FITTING GU10




Model No: **VT-441**
SKU: **10299**
Base: **3xGU10**
Material: **Iron+PC**
Color: **White+White**
Size(mm): **261x88x30**
Cutting Size: **245x75**
Box Qty: **50**



NEW RECESSED FITTING GU10-HONEY COMB-SQUARE




Model No: **VT-9001SQ-B**
SKU: **23764**
Base: **GU10**
Material: **Aluminium**
Color: **Black**
Size(mm): **90x90x60**
Cutting Size: **80x80mm**
Box Qty: **50**



RECESSED FITTING GU10




Model No: **VT-442**
SKU: **23003**
Base: **4xGU10**
Material: **Iron+PC**
Color: **White+White**
Size(mm): **175x175x30**
Cutting Size: **165x160**
Box Qty: **20**



RECESSED FITTING GU10




Model No: **VT-11001**
SKU: **6761**
Base: **GU10**
Material: **Plaster**
Color: **White**
Size(mm): **80x80x50**
Cutting Size: **85x85**
Box Qty: **30**



RECESSED FITTING GU10



Model No: **VT-11011**
SKU: **6775**
Base: **GU10**
Material: **Plaster**
Color: **White**
Size(mm): **150x80x50**
Cutting Size: **155x85**
Box Qty: **12**



RECESSED FITTING GU10




Model No: **VT-11013**
SKU: **6765**
Base: **GU10**
Material: **Plaster**
Color: **White**
Size(mm): **280x100x40**
Cutting Size: **285x105**
Box Qty: **6**



RECESSED FITTING GU10



Model No: **VT-11014**
SKU: **6776**
Base: **GU10**
Material: **Plaster**
Color: **White**
Size(mm): **220x80x50**
Cutting Size: **225x85**
Box Qty: **6**



RECESSED FITTING GU10



Model No: **VT-11023**
SKU: **6766**
Base: **GU10**
Material: **Plaster**
Color: **White**
Size(mm): **280x100x40**
Cutting Size: **285x105**
Box Qty: **6**



RECESSED FITTING GU10



Model No: **VT-11002**
SKU: **6762**
Base: **GU10**
Material: **Plaster**
Color: **White**
Size(mm): **190x100x40**
Cutting Size: **195x105**
Box Qty: **12**



RECESSED WALL FITTING E14



Model No: **VT-11004**
SKU: **6767**
Base: **E14**
Material: **Plaster**
Color: **White**
Size(mm): **255x180x315**
Cutting Size: **260x320**
Box Qty: **6**



RECESSED FITTING GU10




Model No: **VT-11012**
SKU: **6763**
Base: **GU10**
Material: **Plaster**
Color: **White**
Size(mm): **190x100x40**
Cutting Size: **195x105**
Box Qty: **12**



RECESSED WALL FITTING G9



Model No: **VT-11005**
SKU: **6768**
Base: **G9**
Material: **Plaster**
Color: **White**
Size(mm): **400x400x65**
Cutting Size: **405x405**
Box Qty: **1**



RECESSED FITTING GU10




Model No: **VT-11003**
SKU: **6764**
Base: **GU10**
Material: **Plaster**
Color: **White**
Size(mm): **280x100x40**
Cutting Size: **285x105**
Box Qty: **6**




RECESSED WALL FITTING G9



Model No: **VT-11006**
SKU: **6769**
Base: **G9**
Material: **Plaster**
Color: **White**
Size(mm): **310x260x170**
Cutting Size: **315x265**
Box Qty: **6**




RECESSED FITTING GU10




Model No: **VT-11007**
SKU: **6770**
Base: **GU10**
Material: **Plaster**
Color: **White**
Size(mm): **180x120x70**
Cutting Size: **185x125**
Box Qty: **12**

PENDANT WHITE-GU10-30CM




Model No: **VT-976-300-W**
SKU: **6779**
Base: **GU10**
Material: **Aluminium**
Color: **White**
Size(mm): **60x300x1700**
Cutting Size: **NA**
Box Qty: **20**

RECESSED FITTING GU10



Model No: **VT-11008**
SKU: **6771**
Base: **GU10**
Material: **Plaster**
Color: **White**
Size(mm): **250x210x80**
Cutting Size: **255x215**
Box Qty: **6**

PENDANT WHITE-GU10-50CM




Model No: **VT-976-500-W**
SKU: **6780**
Base: **GU10**
Material: **Aluminium**
Color: **White**
Size(mm): **60x500x1700**
Cutting Size: **NA**
Box Qty: **20**

RECESSED FITTING GU10




Model No: **VT-11009R**
SKU: **6772**
Base: **GU10**
Material: **Plaster**
Color: **White**
Size(mm): **120x120x60**
Cutting Size: **125x125**
Box Qty: **24**

PENDANT BLACK-GU10-20CM




Model No: **VT-975-20CM**
SKU: **6684**
Base: **GU10**
Material: **Aluminum**
Color: **Black**
Size(mm): **55x60x1400**
Cutting Size: **NA**
Box Qty: **20**

RECESSED FITTING GU10



Model No: **VT-11009S**
SKU: **6773**
Base: **GU10**
Material: **Plaster**
Color: **White**
Size(mm): **120x120x60**
Cutting Size: **125x125**
Box Qty: **24**

PENDANT BLACK-GU10-30CM



Model No: **VT-975-30CM**
SKU: **6685**
Base: **GU10**
Material: **Aluminum**
Color: **Black**
Size(mm): **55x60x1500**
Cutting Size: **NA**
Box Qty: **20**

RECESSED FITTING GU10




Model No: **VT-11010**
SKU: **6774**
Base: **GU10**
Material: **Plaster**
Color: **White**
Size(mm): **350x100x75**
Cutting Size: **355x105**
Box Qty: **6**

PENDANT BLACK-GU10-30CM




Model No: **VT-976-30CM**
SKU: **6686**
Base: **GU10**
Material: **Aluminum**
Color: **Black**
Size(mm): **55x60x1500**
Cutting Size: **NA**
Box Qty: **20**

PENDANT BLACK-GU10-50CM



Model No: **VT-976-50CM**
SKU: **6687**
Base: **GU10**
Material: **Aluminum**
Color: **Black**
Size(mm): **55x60x1700**
Cutting Size: **NA**
Box Qty: **20**

CEILING FITTING-GU10



Model No: **VT-7900-W**
SKU: **7574**
Base: **GU10**
Material: **Aluminium**
Color: **White**
Size(mm): **60x80x1170**
Cutting Size: **NA**
Box Qty: **20**

PENDANT BLACK-GU10-30CM



Model No: **VT-977-30CM**
SKU: **6688**
Base: **GU10**
Material: **Aluminum**
Color: **Black+Gold**
Size(mm): **60x60x1500**
Cutting Size: **NA**
Box Qty: **20**

CEILING FITTING-GU10



Model No: **VT-788**
SKU: **3617**
Base: **1XGU10**
Material: **Aluminium**
Color: **White**
Size(mm): **140x75x138**
Cutting Size: **NA**
Box Qty: **20**

PENDANT BLACK-GU10-50CM




Model No: **VT-977-50CM**
SKU: **6689**
Base: **GU10**
Material: **Aluminum**
Color: **Black+Gold**
Size(mm): **60x60x1700**
Cutting Size: **NA**
Box Qty: **20**

CEILING FITTING-GU10



Model No: **VT-789**
SKU: **3618**
Base: **2XGU10**
Material: **Aluminium**
Color: **White**
Size(mm): **230x75x138**
Cutting Size: **NA**
Box Qty: **20**

PENDANT METAL-GUN BLACK BOTTOM



Model No: **VT-864-GB**
SKU: **3112**
Base: **GU10**
Material: **Gypsum with metal**
Color: **White+Gun Black**
Size(mm): **ø80x250**
Cutting Size: **N/A**
Box Qty: **9**

CEILING FITTING-GU10



Model No: **VT-790**
SKU: **3619**
Base: **3XGU10**
Material: **Aluminium**
Color: **White**
Size(mm): **390x75x138**
Cutting Size: **NA**
Box Qty: **10**

CEILING FITTING-GU10



Model No: **VT-7900-B**
SKU: **7573**
Base: **GU10**
Material: **Aluminium**
Color: **Black**
Size(mm): **60x80x1170**
Cutting Size: **NA**
Box Qty: **20**

CEILING/WALL FITTING-GU10




Model No: **VT-897**
SKU: **7981**
Base: **2XGU10**
Material: **PC**
Color: **White**
Size(mm): **120x144.8**
Cutting Size: **NA**
Box Qty: **50**

CEILING/WALL FITTING-GU10



Model No: **VT-899**
SKU: **7982**
Base: **3XGU10**
Material: **PC**
Color: **White**
Size(mm): **145x144.8**
Cutting Size: **NA**
Box Qty: **20**



SURFACE METAL-CHROME BOTTOM




Model No: **VT-865CHC**
SKU: **3138**
Base: **GU10**
Material: **Gypsum with metal**
Color: **Grey+Chrome**
Size(mm): **ø80x200**
Cutting Size: **N/A**
Box Qty: **9**




WALL FITTING-GU10



Model No: **VT-429-B**
SKU: **10294**
Base: **GU10**
Material: **Aluminium**
Color: **Black**
Size(mm): **55x150x160**
Cutting Size: **NA**
Box Qty: **50**



SURFACE METAL-GUN BLACK BOTTOM




Model No: **VT-865-GBC**
SKU: **3139**
Base: **GU10**
Material: **Gypsum with metal**
Color: **Grey+Gun Black**
Size(mm): **ø80x200**
Cutting Size: **N/A**
Box Qty: **9**



WALL FITTING-GU10




Model No: **VT-429-W**
SKU: **10295**
Base: **GU10**
Material: **Aluminium**
Color: **White**
Size(mm): **55x150x160**
Cutting Size: **NA**
Box Qty: **50**



SURFACE METAL-CHROME BOTTOM




Model No: **VT-865CHM**
SKU: **3114**
Base: **GU10**
Material: **Gypsum with metal**
Color: **White+Chrome**
Size(mm): **ø80x200**
Cutting Size: **N/A**
Box Qty: **9**



SURFACE METAL-GUN BLACK BOTTOM



Model No: **VT-865-GBM**
SKU: **3136**
Base: **GU10**
Material: **Gypsum with metal**
Color: **White+Gun Black**
Size(mm): **ø80x200**
Cutting Size: **N/A**
Box Qty: **9**




SURFACE FITTINGS GU10




Model No: **VT-978-W**
SKU: **6690**
Base: **GU10**
Material: **Iron**
Color: **White**
Size(mm): **ø98x118**
Cutting Size: **N/A**
Box Qty: **20**



SURFACE METAL-MATT ROSE GOLD BOTTOM



Model No: **VT-865-MRC**
SKU: **3137**
Base: **GU10**
Material: **Gypsum with metal**
Color: **Grey+Matt Rose Gold**
Size(mm): **ø80x200**
Cutting Size: **N/A**
Box Qty: **9**



SURFACE FITTINGS GU10




Model No: **VT-978-B**
SKU: **6691**
Base: **GU10**
Material: **Iron**
Color: **Black**
Size(mm): **ø98x118**
Cutting Size: **N/A**
Box Qty: **20**



SURFACE FITTINGS GU10



Model No: **VT-979-W**
SKU: **6692**
Base: **GU10**
Material: **Iron**
Color: **White**
Size(mm): **100x100x120**
Cutting Size: **N/A**
Box Qty: **20**



SURFACE FITTINGS GU10



Model No: **VT-979-B**
SKU: **6693**
Base: **GU10**
Material: **Iron**
Color: **Black**
Size(mm): **100x100x120**
Cutting Size: **N/A**
Box Qty: **20**



RECESSED FITTING GU10



Model No: **VT-920-W**
SKU: **6632**
Base: **GU10**
Material: **PC**
Color: **White**
Size(mm): **88x40**
Cutting Size: **80**
Box Qty: **50**



RECESSED FITTING GU10



Model No: **VT-920-B**
SKU: **6633**
Base: **GU10**
Material: **PC**
Color: **Black**
Size(mm): **88x40**
Cutting Size: **80**
Box Qty: **50**



RECESSED FITTING GU10



Model No: **VT-925-W**
SKU: **6636**
Base: **GU10**
Material: **PC**
Color: **White**
Size(mm): **93x55**
Cutting Size: **83**
Box Qty: **50**



RECESSED FITTING GU10




Model No: **VT-925-B**
SKU: **6637**
Base: **GU10**
Material: **PC**
Color: **Black**
Size(mm): **93x55**
Cutting Size: **83**
Box Qty: **50**



NEW RECESSED FITTING GU10




Model No: **VT-4202**
SKU: **24222**
Base: **GU10**
Material: **Aluminium**
Color: **White**
Size(mm): **99x34**
Cutting Size: **90**
Box Qty: **50**



NEW RECESSED FITTING GU10




Model No: **VT-4203RD**
SKU: **24223**
Base: **GU10**
Material: **Aluminium**
Color: **White**
Size(mm): **80x49**
Cutting Size: **75**
Box Qty: **50**



NEW RECESSED FITTING GU10




Model No: **VT-4203SQ**
SKU: **24224**
Base: **GU10**
Material: **Aluminium**
Color: **White**
Size(mm): **82x82x49**
Cutting Size: **75**
Box Qty: **50**



NEW RECESSED FITTING GU10



Model No: **VT-4204RD**
SKU: **24225**
Base: **GU10**
Material: **Aluminium**
Color: **White**
Size(mm): **92x26**
Cutting Size: **80**
Box Qty: **50**




NEW

RECESSED FITTING GU10




Model No: **VT-4204SQ**
SKU: **24226**
Base: **GU10**
Material: **Aluminium**
Color: **White**
Size(mm): **92x92x27**
Cutting Size: **80**
Box Qty: **50**



RECESSED FITTING GU10



Model No: **VT-927-W**
SKU: **6638**
Base: **GU10**
Material: **PC**
Color: **White**
Size(mm): **93x93x55**
Cutting Size: **83x83**
Box Qty: **50**



RECESSED FITTING GU10




Model No: **VT-929-W**
SKU: **6640**
Base: **GU10**
Material: **PC**
Color: **White**
Size(mm): **81x40**
Cutting Size: **63**
Box Qty: **50**



RECESSED FITTING GU10



Model No: **VT-927-B**
SKU: **6639**
Base: **GU10**
Material: **PC**
Color: **Black**
Size(mm): **93x93x55**
Cutting Size: **83x83**
Box Qty: **50**



RECESSED FITTING GU10




Model No: **VT-929-B**
SKU: **6641**
Base: **GU10**
Material: **PC**
Color: **Black**
Size(mm): **81x40**
Cutting Size: **63**
Box Qty: **50**



RECESSED FITTING GU10




Model No: **VT-930-W**
SKU: **6642**
Base: **GU10**
Material: **PC**
Color: **White**
Size(mm): **81x81x40**
Cutting Size: **63**
Box Qty: **50**



RECESSED FITTING GU10




Model No: **VT-921-W**
SKU: **6634**
Base: **GU10**
Material: **PC**
Color: **White**
Size(mm): **88x88x40**
Cutting Size: **80**
Box Qty: **50**



RECESSED FITTING GU10




Model No: **VT-930-B**
SKU: **6643**
Base: **GU10**
Material: **PC**
Color: **Black**
Size(mm): **81x81x40**
Cutting Size: **63**
Box Qty: **50**



RECESSED FITTING GU10



Model No: **VT-921-B**
SKU: **6635**
Base: **GU10**
Material: **PC**
Color: **Black**
Size(mm): **88x88x40**
Cutting Size: **80**
Box Qty: **50**



RECESSED FITTING GU10




Model No: **VT-931-W**
SKU: **6644**
Base: **GU10**
Material: **PC**
Color: **White+White**
Size(mm): **85x40**
Cutting Size: **72**
Box Qty: **50**



RECESSED FITTING GU10




Model No: **VT-931-WB**
SKU: **6645**
Base: **GU10**
Material: **PC**
Color: **White+Black**
Size(mm): **85x40**
Cutting Size: **72**
Box Qty: **50**



RECESSED FITTING GU10




Model No: **VT-932-W**
SKU: **6650**
Base: **GU10**
Material: **PC**
Color: **White+White**
Size(mm): **85x85x40**
Cutting Size: **72**
Box Qty: **50**



RECESSED FITTING GU10




Model No: **VT-931-B**
SKU: **6646**
Base: **GU10**
Material: **PC**
Color: **Black+Black**
Size(mm): **85x40**
Cutting Size: **72**
Box Qty: **50**



RECESSED FITTING GU10




Model No: **VT-932-WB**
SKU: **6651**
Base: **GU10**
Material: **PC**
Color: **White+Black**
Size(mm): **85x85x40**
Cutting Size: **72**
Box Qty: **50**



RECESSED FITTING GU10




Model No: **VT-931-WC**
SKU: **6647**
Base: **GU10**
Material: **PC**
Color: **White+Chrome**
Size(mm): **85x40**
Cutting Size: **72**
Box Qty: **50**



RECESSED FITTING GU10




Model No: **VT-932-B**
SKU: **6652**
Base: **GU10**
Material: **PC**
Color: **Black+Black**
Size(mm): **85x85x40**
Cutting Size: **72**
Box Qty: **50**



RECESSED FITTING GU10




Model No: **VT-931-WG**
SKU: **6648**
Base: **GU10**
Material: **PC**
Color: **White+Gold**
Size(mm): **85x40**
Cutting Size: **72**
Box Qty: **50**



RECESSED FITTING GU10




Model No: **VT-932-WC**
SKU: **6653**
Base: **GU10**
Material: **PC**
Color: **White+Chrome**
Size(mm): **85x85x40**
Cutting Size: **72**
Box Qty: **50**



RECESSED FITTING GU10




Model No: **VT-931-WRG**
SKU: **6649**
Base: **GU10**
Material: **PC**
Color: **White+Rose Gold**
Size(mm): **85x40**
Cutting Size: **72**
Box Qty: **50**



RECESSED FITTING GU10




Model No: **VT-932-WG**
SKU: **6654**
Base: **GU10**
Material: **PC**
Color: **White+Gold**
Size(mm): **85x85x40**
Cutting Size: **72**
Box Qty: **50**



RECESSED FITTING GU10




Model No: **VT-932-WRG**
SKU: **6655**
Base: **GU10**
Material: **PC**
Color: **White+Rose Gold**
Size(mm): **85x85x40**
Cutting Size: **72**
Box Qty: **50**



RECESSED FITTING GU10




Model No: **VT-974-W**
SKU: **6682**
Base: **GU10**
Material: **Aluminum**
Color: **White**
Size(mm): **68x72**
Cutting Size: **61**
Box Qty: **50**



RECESSED FITTING GU10




Model No: **VT-933-W**
SKU: **6656**
Base: **GU10**
Material: **PC**
Color: **White**
Size(mm): **102x102x42**
Cutting Size: **95x95**
Box Qty: **50**



RECESSED FITTING GU10




Model No: **VT-974-B**
SKU: **6683**
Base: **GU10**
Material: **Aluminum**
Color: **Black**
Size(mm): **68x72**
Cutting Size: **61**
Box Qty: **50**



RECESSED FITTING GU10




Model No: **VT-933-B**
SKU: **6657**
Base: **GU10**
Material: **PC**
Color: **Black**
Size(mm): **102x102x42**
Cutting Size: **95x95**
Box Qty: **50**



RECESSED FITTING GU10



Model No: **VT-980-WB**
SKU: **6694**
Base: **GU10**
Material: **Aluminum**
Color: **White+black**
Size(mm): **92x53**
Cutting Size: **60**
Box Qty: **50**



RECESSED FITTING GU10




Model No: **VT-934-W**
SKU: **6658**
Base: **GU10**
Material: **PC**
Color: **White**
Size(mm): **102x42**
Cutting Size: **85**
Box Qty: **50**



RECESSED FITTING GU10



Model No: **VT-980-BW**
SKU: **6695**
Base: **GU10**
Material: **Aluminum**
Color: **Black+white**
Size(mm): **92x53**
Cutting Size: **60**
Box Qty: **50**



RECESSED FITTING GU10




Model No: **VT-934-B**
SKU: **6659**
Base: **GU10**
Material: **PC**
Color: **Black**
Size(mm): **102x42**
Cutting Size: **85**
Box Qty: **50**



RECESSED FITTING GU10




Model No: **VT-980-B**
SKU: **6696**
Base: **GU10**
Material: **Aluminum**
Color: **Black+black**
Size(mm): **92x53**
Cutting Size: **60**
Box Qty: **50**



RECESSED FITTING GU10




Model No: **VT-980-GB**
SKU: **6697**
Base: **GU10**
Material: **Aluminum**
Color: **Golden+Black**
Size(mm): **92x53**
Cutting Size: **60**
Box Qty: **50**



CONCRETE WALL FITTING




Model No: **VT-894D**
SKU: **8696**
Base: **GU10**
Material: **Concrete**
Color: **Dark Grey**
Size(mm): **120x140x235**
Cutting Size: **N/A**
Box Qty: **6**



CONCRETE WALL FITTING




Model No: **VT-892D**
SKU: **8692**
Base: **G9**
Material: **Concrete**
Color: **Dark Grey**
Size(mm): **120x100x120**
Cutting Size: **N/A**
Box Qty: **12**



SURFACE FITTING GU10




Model No: **VT-1131-W**
SKU: **10379**
Base: **GU10**
Material: **Aluminium**
Color: **White**
Size(mm): **65x100**
Cutting Size: **N/A**
Box Qty: **50**



CONCRETE WALL FITTING




Model No: **VT-892L**
SKU: **8693**
Base: **G9**
Material: **Concrete**
Color: **Light Grey**
Size(mm): **120x100x120**
Cutting Size: **N/A**
Box Qty: **12**



SURFACE FITTING GU10




Model No: **VT-1131-B**
SKU: **10380**
Base: **GU10**
Material: **Aluminium**
Color: **Black**
Size(mm): **65x100**
Cutting Size: **N/A**
Box Qty: **50**



CONCRETE WALL FITTING




Model No: **VT-893D**
SKU: **8694**
Base: **G9**
Material: **Concrete**
Color: **Dark Grey**
Size(mm): **120x100x240**
Cutting Size: **N/A**
Box Qty: **6**



SURFACE FITTING GU10




Model No: **VT-802-W**
SKU: **8944**
Base: **GU10**
Material: **Aluminium**
Color: **White**
Size(mm): **ø70x107**
Cutting Size: **N/A**
Box Qty: **50**



CONCRETE WALL FITTING




Model No: **VT-893L**
SKU: **8695**
Base: **G9**
Material: **Concrete**
Color: **Light Grey**
Size(mm): **120x100x240**
Cutting Size: **N/A**
Box Qty: **6**




SURFACE FITTING GU10



Model No: **VT-802-B**
SKU: **8945**
Base: **GU10**
Material: **Aluminium**
Color: **Black**
Size(mm): **ø70x107**
Cutting Size: **N/A**
Box Qty: **50**




SURFACE FITTING GU10




Model No: **VT-804-W**
SKU: **8946**
Base: **GU10**
Material: **Aluminium**
Color: **White**
Size(mm): **Ø59.5×197**
Cutting Size: **N/A**
Box Qty: **20**

RECESSED FITTING SQUARE-GU10




Model No: **VT-883-B**
SKU: **8598**
Base: **GU10**
Material: **Aluminium + PC**
Color: **Black**
Size(mm): **83x40.7**
Cutting Size: **75x75**
Box Qty: **50**

SURFACE FITTING GU10




Model No: **VT-804-B**
SKU: **8947**
Base: **GU10**
Material: **Aluminium**
Color: **Black**
Size(mm): **Ø59.5×197**
Cutting Size: **N/A**
Box Qty: **20**

RECESSED FITTING ROUND-GU10




Model No: **VT-884-WB**
SKU: **8599**
Base: **GU10**
Material: **Aluminium + PC**
Color: **White+Black Reflector**
Size(mm): **83x40.7**
Cutting Size: **Ø75**
Box Qty: **50**

SURFACE FITTING GU10




Model No: **VT-807-W**
SKU: **8948**
Base: **GU10**
Material: **Aluminium**
Color: **White**
Size(mm): **60x100**
Cutting Size: **N/A**
Box Qty: **50**

RECESSED FITTING ROUND-GU10




Model No: **VT-884-B**
SKU: **8608**
Base: **GU10**
Material: **Aluminium + PC**
Color: **Black+ Black Reflector**
Size(mm): **83x40.7**
Cutting Size: **Ø75**
Box Qty: **50**

SURFACE FITTING GU10




Model No: **VT-807-B**
SKU: **8949**
Base: **GU10**
Material: **Aluminium**
Color: **Black**
Size(mm): **60x100**
Cutting Size: **N/A**
Box Qty: **50**

RECESSED FITTING SQUARE-GU10



Model No: **VT-886**
SKU: **8877**
Base: **2xGU10**
Material: **Aluminium**
Color: **White+Black**
Size(mm): **185x100x45**
Cutting Size: **175x85**
Box Qty: **20**

RECESSED FITTING SQUARE-GU10



Model No: **VT-883-WB**
SKU: **8597**
Base: **GU10**
Material: **Aluminium + PC**
Color: **White+Black Reflector**
Size(mm): **83x40.7**
Cutting Size: **75x75**
Box Qty: **50**

RECESSED FITTING SQUARE-GU10




Model No: **VT-887**
SKU: **8878**
Base: **3xGU10**
Material: **Aluminium**
Color: **White+Black**
Size(mm): **270x100x45**
Cutting Size: **256x85**
Box Qty: **20**

**RECESSED CHROME REFLECTOR FITTING
ROUND-GU10**




Model No: **VT-889**
SKU: **8879**
Base: **GU10**
Material: **Aluminium**
Color: **White+Chrome Reflector**
Size(mm): **ø140x50**
Cutting Size: **ø85/90**
Box Qty: **50**



RECESSED FITTING ROUND-GU10-IP44




Model No: **VT-981-B**
SKU: **6699**
Base: **GU10**
Material: **PC**
Color: **Black**
Size(mm): **92.5x33**
Cutting Size: **70**
Box Qty: **50**



**RECESSED CHROME REFLECTOR FITTING
SQUARE-GU10**




Model No: **VT-890**
SKU: **8880**
Base: **GU10**
Material: **Aluminium**
Color: **White+Chrome Reflector**
Size(mm): **128x75x55**
Cutting Size: **79/85x75**
Box Qty: **50**



RECESSED FITTING ROUND-GU10-IP44




Model No: **VT-981-SN**
SKU: **6700**
Base: **GU10**
Material: **PC**
Color: **Satin Nickel**
Size(mm): **92.5x33**
Cutting Size: **70**
Box Qty: **50**



NEW RECESSED FITTING ROUND-GU10-IP44




Model No: **VT-4201**
SKU: **24221**
Base: **GU10**
Material: **Aluminium**
Color: **White**
Size(mm): **85x33**
Cutting Size: **75**
Box Qty: **50**



RECESSED FITTING ROUND-GU10




Model No: **VT-872-WB**
SKU: **3153**
Base: **GU10**
Material: **Aluminium+PC**
Color: **White+Black**
Size(mm): **79x32**
Cutting Size: **72**
Box Qty: **50**



RECESSED FITTING ROUND-GU10




Model No: **VT-438-W**
SKU: **10296**
Base: **GU10**
Material: **Iron+PC**
Color: **White+White**
Size(mm): **87.50x31**
Cutting Size: **75**
Box Qty: **100**



RECESSED FITTING ROUND-GU10




Model No: **VT-872-WG**
SKU: **3154**
Base: **GU10**
Material: **Aluminium+PC**
Color: **White+Gold**
Size(mm): **79x32**
Cutting Size: **72**
Box Qty: **50**



RECESSED FITTING ROUND-GU10-IP44




Model No: **VT-981-W**
SKU: **6698**
Base: **GU10**
Material: **PC**
Color: **White**
Size(mm): **92.5x33**
Cutting Size: **70**
Box Qty: **50**



RECESSED FITTING ROUND-GU10




Model No: **VT-872-WR**
SKU: **3155**
Base: **GU10**
Material: **Aluminium+PC**
Color: **White+Rose Gold**
Size(mm): **79x32**
Cutting Size: **72**
Box Qty: **50**



RECESSED FITTING ROUND-GU10




Model No: **VT-872-WC**
SKU: **3156**
Base: **GU10**
Material: **Aluminium+PC**
Color: **White+Chrome**
Size(mm): **79x32**
Cutting Size: **72**
Box Qty: **50**



RECESSED FITTING ROUND-GU10




Model No: **VT-873-WC**
SKU: **3160**
Base: **GU10**
Material: **Aluminium+PC**
Color: **White+Chrome**
Size(mm): **80x42**
Cutting Size: **75**
Box Qty: **50**



RECESSED FITTING ROUND-GU10




Model No: **VT-873**
SKU: **8595**
Base: **GU10**
Material: **Aluminium + PC**
Color: **Black+ Black Reflector**
Size(mm): **ø83x40.7**
Cutting Size: **ø75**
Box Qty: **50**



RECESSED FITTING ROUND-GU10




Model No: **VT-874**
SKU: **8596**
Base: **GU10**
Material: **Aluminium + PC**
Color: **Black+ Black Reflector**
Size(mm): **ø83x40.7**
Cutting Size: **ø75**
Box Qty: **50**



RECESSED FITTING ROUND-GU10




Model No: **VT-873-WB**
SKU: **3157**
Base: **GU10**
Material: **Aluminium+PC**
Color: **White+Black**
Size(mm): **ø83x40.7**
Cutting Size: **75**
Box Qty: **50**



RECESSED FITTING ROUND-GU10




Model No: **VT-874-WB**
SKU: **3161**
Base: **GU10**
Material: **Aluminium+PC**
Color: **White+Black**
Size(mm): **ø83x40.7**
Cutting Size: **75**
Box Qty: **50**



RECESSED FITTING ROUND-GU10




Model No: **VT-873-WG**
SKU: **3158**
Base: **GU10**
Material: **Aluminium+PC**
Color: **White+Gold**
Size(mm): **80x42**
Cutting Size: **75**
Box Qty: **50**



RECESSED FITTING ROUND-GU10




Model No: **VT-874-WG**
SKU: **3162**
Base: **GU10**
Material: **Aluminium+PC**
Color: **White+Gold**
Size(mm): **80x42**
Cutting Size: **75**
Box Qty: **50**



RECESSED FITTING ROUND-GU10




Model No: **VT-873-WR**
SKU: **3159**
Base: **GU10**
Material: **Aluminium+PC**
Color: **White+Rose Gold**
Size(mm): **80x42**
Cutting Size: **75**
Box Qty: **50**



RECESSED FITTING ROUND-GU10




Model No: **VT-874-WR**
SKU: **3163**
Base: **GU10**
Material: **Aluminium+PC**
Color: **White+Rose Gold**
Size(mm): **80x42**
Cutting Size: **75**
Box Qty: **50**



RECESSED FITTING ROUND-GU10




Model No: **VT-874-WC**
SKU: **3164**
Base: **GU10**
Material: **Aluminium+PC**
Color: **White+Chrome**
Size(mm): **80x42**
Cutting Size: **75**
Box Qty: **50**



RECESSED FITTING SQUARE-GU10




Model No: **VT-875-WC**
SKU: **3168**
Base: **GU10**
Material: **Aluminium+PC**
Color: **White+Chrome**
Size(mm): **85x85x62**
Cutting Size: **80x80**
Box Qty: **50**



RECESSED FITTING ROUND-GU10




Model No: **VT-443-W**
SKU: **10297**
Base: **GU10**
Material: **Iron+PC**
Color: **White+White**
Size(mm): **88x88x30**
Cutting Size: **75x75**
Box Qty: **100**



RECESSED FITTING SQUARE-GU10




Model No: **VT-876-RD**
SKU: **3169**
Base: **GU10**
Material: **Aluminium**
Color: **White**
Size(mm): **85x32**
Cutting Size: **75**
Box Qty: **50**



RECESSED FITTING SQUARE-GU10




Model No: **VT-875-WB**
SKU: **3165**
Base: **GU10**
Material: **Aluminium+PC**
Color: **White+Black**
Size(mm): **85x85x62**
Cutting Size: **80x80**
Box Qty: **50**



RECESSED FITTING SQUARE-GU10




Model No: **VT-876-SQ**
SKU: **3170**
Base: **GU10**
Material: **Aluminium**
Color: **White**
Size(mm): **85x85x32**
Cutting Size: **75**
Box Qty: **50**



RECESSED FITTING SQUARE-GU10




Model No: **VT-875-WG**
SKU: **3166**
Base: **GU10**
Material: **Aluminium+PC**
Color: **White+Gold**
Size(mm): **85x85x62**
Cutting Size: **80x80**
Box Qty: **50**



RECESSED FITTING SQUARE-GU10




Model No: **VT-797-WH**
SKU: **3630**
Base: **GU10**
Material: **Die Cast Aluminium**
Color: **White**
Size(mm): **142x100x100**
Cutting Size: **N/A**
Box Qty: **50**



RECESSED FITTING SQUARE-GU10




Model No: **VT-875-WR**
SKU: **3167**
Base: **GU10**
Material: **Aluminium+PC**
Color: **White+Rose Gold**
Size(mm): **85x85x62**
Cutting Size: **80x80**
Box Qty: **50**




RECESSED FITTING SQUARE-GU10



Model No: **VT-797-B**
SKU: **3631**
Base: **GU10**
Material: **Die Cast Aluminium**
Color: **Black**
Size(mm): **100x100x142**
Cutting Size: **N/A**
Box Qty: **50**




RECESSED FITTING SQUARE-GU10




Model No: **VT-797-SN**
SKU: **3632**
Base: **GU10**
Material: **Die Cast Aluminium**
Color: **Satin Nickel**
Size(mm): **100x100x142**
Cutting Size: **N/A**
Box Qty: **50**

FITTING-SQUARE-GU10




Model No: **VT-727SQ**
SKU: **3664**
Base: **GU10**
Material: **Gypsum**
Color: **White**
Size(mm): **70x70x75**
Cutting Size: **N/A**
Box Qty: **36**

RECESSED FITTING SQUARE-GU10




Model No: **VT-796-WH**
SKU: **3627**
Base: **GU10**
Material: **Die Cast Aluminium**
Color: **White**
Size(mm): **Ø100x142**
Cutting Size: **N/A**
Box Qty: **50**

FITTING-ROUND-GU10




Model No: **VT-727RD**
SKU: **3665**
Base: **GU10**
Material: **Gypsum**
Color: **White**
Size(mm): **Ø70x75**
Cutting Size: **N/A**
Box Qty: **36**

RECESSED FITTING SQUARE-GU10




Model No: **VT-796-B**
SKU: **3628**
Base: **GU10**
Material: **Die Cast Aluminium**
Color: **Black**
Size(mm): **Ø100x142**
Cutting Size: **N/A**
Box Qty: **50**

FITTING-SQUARE-GU10




Model No: **VT-716SQ**
SKU: **3666**
Base: **GU10**
Material: **Gypsum**
Color: **White**
Size(mm): **75x75x75**
Cutting Size: **N/A**
Box Qty: **36**

RECESSED FITTING SQUARE-GU10




Model No: **VT-796-SN**
SKU: **3629**
Base: **GU10**
Material: **Die Cast Aluminium**
Color: **Satin Nickel**
Size(mm): **Ø100x142**
Cutting Size: **N/A**
Box Qty: **50**

FITTING-ROUND-GU10




Model No: **VT-716RD**
SKU: **3667**
Base: **GU10**
Material: **Gypsum**
Color: **White**
Size(mm): **Ø75x75**
Cutting Size: **N/A**
Box Qty: **36**

RECESSED GX53-FITTING



Model No: **VT-715-G**
SKU: **3676**
Base: **GX53**
Material: **Iron**
Color: **Gold**
Size(mm): **Ø105x40**
Cutting Size: **90**
Box Qty: **50**

RECESSED FITTING-SQUARE-GU10




Model No: **VT-762**
SKU: **3648**
Base: **GU10**
Material: **Gypsum**
Color: **White**
Size(mm): **215x120x60**
Cutting Size: **218x123**
Box Qty: **20**

RECESSED FITTING-SQUARE-GU10




Model No: **VT-763**
SKU: **3649**
Base: **GU10**
Material: **Gypsum**
Color: **White**
Size(mm): **120x120x50**
Cutting Size: **123x123**
Box Qty: **24**

RECESSED FITTING-SQUARE-GU10



Model No: **VT-776SQ**
SKU: **3641**
Base: **GU10**
Material: **Gypsum**
Color: **White**
Size(mm): **120x120x50**
Cutting Size: **123x123**
Box Qty: **24**

RECESSED FITTING-ROUND-GU10




Model No: **VT-764**
SKU: **3650**
Base: **GU10**
Material: **Gypsum**
Color: **White**
Size(mm): **Ø140x40**
Cutting Size: **Ø103**
Box Qty: **20**

RECESSED FITTING-ROUND-GU10




Model No: **VT-773**
SKU: **3654**
Base: **GU10**
Material: **Gypsum**
Color: **White**
Size(mm): **Ø132x74**
Cutting Size: **Ø135**
Box Qty: **20**

RECESSED FITTING-SQUARE-GU10




Model No: **VT-765**
SKU: **3651**
Base: **GU10**
Material: **Gypsum**
Color: **White**
Size(mm): **100x100x30**
Cutting Size: **103x103**
Box Qty: **30**

RECESSED FITTING-SQUARE-GU10




Model No: **VT-714**
SKU: **3674**
Base: **GU10**
Material: **Gypsum**
Color: **White**
Size(mm): **120x120x45**
Cutting Size: **123x123**
Box Qty: **24**

RECESSED FITTING-ROUND-GU10




Model No: **VT-771**
SKU: **3652**
Base: **GU10**
Material: **Gypsum**
Color: **White**
Size(mm): **Ø100x30**
Cutting Size: **Ø103**
Box Qty: **20**

RECESSED FITTING-SQUARE-GU10-FROST GLASS




Model No: **VT-801SQ**
SKU: **3691**
Base: **GU10**
Material: **Gypsum**
Color: **White**
Size(mm): **120x120x60**
Cutting Size: **123x123**
Box Qty: **24**

RECESSED FITTING-SQUARE-GU10



Model No: **VT-772**
SKU: **3653**
Base: **GU10**
Material: **Gypsum**
Color: **White**
Size(mm): **132x132x74**
Cutting Size: **135x135**
Box Qty: **20**

RECESSED FITTING-ROUND-GU10-FROST GLASS



Model No: **VT-801RD**
SKU: **3692**
Base: **GU10**
Material: **Gypsum**
Color: **White**
Size(mm): **Ø120x60**
Cutting Size: **Ø123**
Box Qty: **24**

RECESSED FITTING-ROUND-GU10-2PCS PACK



Model No: **VT-817-W-RD**
SKU: **8938**
Base: **GU10**
Material: **Ferrum**
Color: **White**
Size(mm): **Ø93x27**
Cutting Size: **Ø70**
Box Qty: **100**



RECESSED FITTING-SQUARE-GU10-2PCS PACK



Model No: **VT-817-CH-SQ**
SKU: **8943**
Base: **GU10**
Material: **Ferrum**
Color: **Chrome**
Size(mm): **82x82x27**
Cutting Size: **70x70**
Box Qty: **100**



RECESSED FITTING-ROUND-GU10-2PCS PACK



Model No: **VT-817-SN-RD**
SKU: **8939**
Base: **GU10**
Material: **Ferrum**
Color: **Satin Nickel**
Size(mm): **Ø93x27**
Cutting Size: **Ø70**
Box Qty: **100**



RECESSED FITTING-ROUND-GU10-2PCS PACK



Model No: **VT-778-WH**
SKU: **3584**
Base: **GU10**
Material: **Ferrum**
Color: **White**
Size(mm): **Ø80x30**
Cutting Size: **Ø65**
Box Qty: **200**



RECESSED FITTING-ROUND-GU10-2PCS PACK



Model No: **VT-817-CH-RD**
SKU: **8940**
Base: **GU10**
Material: **Ferrum**
Color: **Chrome**
Size(mm): **Ø93x27**
Cutting Size: **Ø70**
Box Qty: **100**



RECESSED FITTING-ROUND-GU10-2PCS PACK



Model No: **VT-778-SN**
SKU: **3585**
Base: **GU10**
Material: **Ferrum**
Color: **Satin Nickel**
Size(mm): **Ø80x30**
Cutting Size: **Ø65**
Box Qty: **200**



RECESSED FITTING-SQUARE-GU10-2PCS PACK



Model No: **VT-817-W-SQ**
SKU: **8941**
Base: **GU10**
Material: **Ferrum**
Color: **White**
Size(mm): **82x82x27**
Cutting Size: **70x70**
Box Qty: **100**



RECESSED FITTING-ROUND-GU10-2PCS PACK



Model No: **VT-778-CH**
SKU: **3586**
Base: **GU10**
Material: **Ferrum**
Color: **Chrome**
Size(mm): **Ø80x30**
Cutting Size: **Ø65**
Box Qty: **200**



RECESSED FITTING-SQUARE-GU10-2PCS PACK



Model No: **VT-817-SN-SQ**
SKU: **8942**
Base: **GU10**
Material: **Ferrum**
Color: **Satin Nickel**
Size(mm): **82x82x27**
Cutting Size: **70x70**
Box Qty: **100**




RECESSED FITTING-ROUND-GU10-CHANGING ANGLE



Model No: **VT-780-SN**
SKU: **3594**
Base: **GU10**
Material: **Ferrum**
Color: **Satin Nickel**
Size(mm): **Ø100x45**
Cutting Size: **Ø90**
Box Qty: **100**



RECESSED FITTING-ROUND-GU10




Model No: **VT-774-WH**
SKU: **3642**
Base: **GU10**
Material: **Aluminium**
Color: **White**
Size(mm): **Ø81x34**
Cutting Size: **Ø73**
Box Qty: **100**

RECESSED FITTING-ROUND-GU10




Model No: **VT-775-MG**
SKU: **3647**
Base: **GU10**
Material: **Aluminium**
Color: **Metallic Grey**
Size(mm): **Ø95x32**
Cutting Size: **Ø85**
Box Qty: **100**

RECESSED FITTING-ROUND-GU10




Model No: **VT-774-SN**
SKU: **3643**
Base: **GU10**
Material: **Aluminium**
Color: **Satin Nickel**
Size(mm): **Ø81x34**
Cutting Size: **Ø73**
Box Qty: **100**

RECESSED FITTING-ROUND-GU10




Model No: **VT-782RD-WH**
SKU: **3599**
Base: **GU10**
Material: **Aluminium**
Color: **White**
Size(mm): **Ø91x25**
Cutting Size: **Ø75**
Box Qty: **100**

RECESSED FITTING-ROUND-GU10




Model No: **VT-774-MG**
SKU: **3644**
Base: **GU10**
Material: **Aluminium**
Color: **Metallic Grey**
Size(mm): **Ø81x34**
Cutting Size: **Ø73**
Box Qty: **100**

RECESSED FITTING-ROUND-GU10




Model No: **VT-782RD-AB**
SKU: **3600**
Base: **GU10**
Material: **Aluminium**
Color: **Aluminium Brush**
Size(mm): **Ø91x25**
Cutting Size: **Ø75**
Box Qty: **100**

RECESSED FITTING-ROUND-GU10




Model No: **VT-775-WH**
SKU: **3645**
Base: **GU10**
Material: **Aluminium**
Color: **White**
Size(mm): **Ø95x32**
Cutting Size: **Ø85**
Box Qty: **100**

RECESSED FITTING GU10




Model No: **VT-782RD-B**
SKU: **8936**
Base: **1XGU10**
Material: **Aluminium**
Color: **Black**
Size(mm): **Ø91x25**
Cutting Size: **Ø75**
Box Qty: **100**

RECESSED FITTING-ROUND-GU10



Model No: **VT-775-SN**
SKU: **3646**
Base: **GU10**
Material: **Aluminium**
Color: **Satin Nickel**
Size(mm): **Ø95x32**
Cutting Size: **Ø85**
Box Qty: **100**

RECESSED FITTING GU10




Model No: **VT-782SQ-B**
SKU: **8937**
Base: **1XGU10**
Material: **Aluminium**
Color: **Black**
Size(mm): **91x91x25**
Cutting Size: **75x75**
Box Qty: **100**

RECESSED FITTING-SQUARE-GU10




Model No: **VT-782SQ-WH**
SKU: **3605**
Base: **1XGU10**
Material: **Aluminium**
Color: **White**
Size(mm): **91x91x25**
Cutting Size: **75x75**
Box Qty: **100**



RECESSED FITTING-SQUARE-GU10




Model No: **VT-784SQ-AB**
SKU: **3610**
Base: **3XGU10**
Material: **Aluminium**
Color: **Aluminium Brush**
Size(mm): **255x91x25**
Cutting Size: **235x75**
Box Qty: **50**



RECESSED FITTING-SQUARE-GU10




Model No: **VT-782SQ-AB**
SKU: **3606**
Base: **1XGU10**
Material: **Aluminium**
Color: **Aluminium Brush**
Size(mm): **91x91x25**
Cutting Size: **75x75**
Box Qty: **100**



RECESSED FITTING-ROUND-GU10




Model No: **VT-7227RD-WH**
SKU: **3469**
Base: **GU10**
Material: **Ferrum**
Color: **White**
Size(mm): **Ø99x30.8**
Cutting Size: **Ø74**
Box Qty: **100**



RECESSED FITTING-SQUARE-GU10




Model No: **VT-783SQ-WH**
SKU: **3607**
Base: **2XGU10**
Material: **Aluminium**
Color: **White**
Size(mm): **173x91x25**
Cutting Size: **155x75**
Box Qty: **50**



RECESSED FITTING-ROUND-GU10




Model No: **VT-7227RD-SN**
SKU: **3470**
Base: **GU10**
Material: **Ferrum**
Color: **Satin Nickel**
Size(mm): **Ø99x30.8**
Cutting Size: **Ø74**
Box Qty: **100**



RECESSED FITTING-SQUARE-GU10




Model No: **VT-783SQ-AB**
SKU: **3608**
Base: **GU10**
Material: **Aluminium**
Color: **Aluminium Brush**
Size(mm): **173x91x25**
Cutting Size: **155x75**
Box Qty: **50**




RECESSED FITTING-ROUND-GU10




Model No: **VT-7227RD-SS**
SKU: **3471**
Base: **GU10**
Material: **Ferrum**
Color: **Stainless Steel**
Size(mm): **Ø99x30.8**
Cutting Size: **Ø74**
Box Qty: **100**



RECESSED FITTING-SQUARE-GU10




Model No: **VT-784SQ-WH**
SKU: **3609**
Base: **3XGU10**
Material: **Aluminium**
Color: **White**
Size(mm): **255x91x25**
Cutting Size: **235x75**
Box Qty: **50**




RECESSED FITTING-ROUND-GU10



Model No: **VT-786**
SKU: **3612**
Base: **GU10**
Material: **Aluminium**
Color: **White**
Size(mm): **88x38**
Cutting Size: **Ø75**
Box Qty: **100**




RECESSED FITTING-SQUARE-GU10




Model No: **VT-7227SQ-WH**
SKU: **3472**
Base: **GU10**
Material: **Ferrum**
Color: **White**
Size(mm): **99x99x30.8**
Cutting Size: **74x74**
Box Qty: **100**

ZOOM FITTING-SPOTLIGHT




Model No: **VT-700S**
SKU: **3690**
Base: **GU10**
Material: **Aluminium**
Color: **Satin Nickel**
Size(mm): **Ø102x46**
Cutting Size: **93**
Box Qty: **50**

RECESSED FITTING-SQUARE-GU10




Model No: **VT-7227SQ-SN**
SKU: **3473**
Base: **GU10**
Material: **Ferrum**
Color: **Satin Nickel**
Size(mm): **99x99x30.8**
Cutting Size: **74x74**
Box Qty: **100**

RECESSED FITTING-ROUND-GU10




Model No: **VT-787RD-WH**
SKU: **3613**
Base: **GU10**
Material: **Zinc Alloy+Ferrum**
Color: **White**
Size(mm): **84x38**
Cutting Size: **75**
Box Qty: **100**

RECESSED FITTING-SQUARE-GU10




Model No: **VT-7227SQ-SS**
SKU: **3474**
Base: **GU10**
Material: **Ferrum**
Color: **Stainless Steel**
Size(mm): **99x99x30.8**
Cutting Size: **74x74**
Box Qty: **100**

RECESSED FITTING-ROUND-GU10




Model No: **VT-787RD-SN**
SKU: **3614**
Base: **GU10**
Material: **Zinc Alloy+Ferrum**
Color: **Satin Nickel**
Size(mm): **84x38**
Cutting Size: **75**
Box Qty: **100**

FITTING-ROUND-GU10



Model No: **VT-711-W-RD**
SKU: **3669**
Base: **GU10**
Material: **Zinc Alloy+Ferrum**
Color: **White**
Size(mm): **82x101**
Cutting Size: **N/A**
Box Qty: **50**

RECESSED FITTING-SQUARE-GU10



Model No: **VT-787SQ-WH**
SKU: **3615**
Base: **GU10**
Material: **Zinc Alloy+Ferrum**
Color: **White**
Size(mm): **84x84x38**
Cutting Size: **75**
Box Qty: **100**

ZOOM FITTING-SPOTLIGHT




Model No: **VT-700W**
SKU: **3689**
Base: **GU10**
Material: **Aluminium**
Color: **White**
Size(mm): **Ø102x46**
Cutting Size: **93**
Box Qty: **50**

RECESSED FITTING-SQUARE-GU10




Model No: **VT-787SQ-SN**
SKU: **3616**
Base: **GU10**
Material: **Zinc Alloy+Ferrum**
Color: **Satin Nickel**
Size(mm): **84x84x38**
Cutting Size: **75**
Box Qty: **100**

RECESSED FITTING-ROUND-GU10



Model No: **VT-781RD-WH**
SKU: **3595**
Base: **GU10**
Material: **Aluminium+Ferrum**
Color: **White**
Size(mm): **100x45**
Cutting Size: **90**
Box Qty: **100**

RECESSED FITTING-ROUND-GU10




Model No: **VT-779-SN-RD**
SKU: **3588**
Base: **GU10**
Material: **Zinc Alloy**
Color: **Satin Nickel**
Size(mm): **82x25**
Cutting Size: **74**
Box Qty: **100**

RECESSED FITTING-ROUND-GU10




Model No: **VT-781RD-SN**
SKU: **3596**
Base: **GU10**
Material: **Aluminium+Ferrum**
Color: **Satin Nickel**
Size(mm): **100x45**
Cutting Size: **90**
Box Qty: **100**

RECESSED FITTING GU10




Model No: **VT-779-BL**
SKU: **8955**
Base: **GU10**
Material: **Zinc alloy**
Color: **Black**
Size(mm): **82x25**
Cutting Size: **74**
Box Qty: **100**

RECESSED FITTING-SQUARE-GU10



Model No: **VT-781SQ-WH**
SKU: **3597**
Base: **GU10**
Material: **Aluminium+Ferrum**
Color: **White**
Size(mm): **100x100x38**
Cutting Size: **90x90**
Box Qty: **100**

RECESSED FITTING-ROUND-GU10




Model No: **VT-779-B**
SKU: **8580**
Base: **GU10**
Material: **Zinc alloy**
Color: **Bronze**
Size(mm): **82x25**
Cutting Size: **74**
Box Qty: **100**

RECESSED FITTING-SQUARE-GU10




Model No: **VT-781SQ-SN**
SKU: **3598**
Base: **GU10**
Material: **Aluminium+Ferrum**
Color: **Satin Nickel**
Size(mm): **100x100x38**
Cutting Size: **90x90**
Box Qty: **100**

RECESSED FITTING-ROUND-GU10




Model No: **VT-779-G**
SKU: **8579**
Base: **GU10**
Material: **Zinc alloy**
Color: **Gold**
Size(mm): **82x25**
Cutting Size: **74**
Box Qty: **100**

RECESSED FITTING-ROUND-GU10



Model No: **VT-779-WH-RD**
SKU: **3587**
Base: **GU10**
Material: **Zinc Alloy**
Color: **White**
Size(mm): **82x25**
Cutting Size: **74**
Box Qty: **100**

RECESSED FITTING-ROUND-GU10




Model No: **VT-779-CH-RD**
SKU: **3589**
Base: **GU10**
Material: **Zinc Alloy**
Color: **Chrome**
Size(mm): **82x25**
Cutting Size: **74**
Box Qty: **100**

RECESSED FITTING-SQUARE-GU10




Model No: **VT-779-WH-SQ**
SKU: **3590**
Base: **GU10**
Material: **Zinc Alloy**
Color: **White**
Size(mm): **82x82x22**
Cutting Size: **74**
Box Qty: **100**



RECESSED FITTING-SQUARE-GU10




Model No: **VT-779-SN-SQ**
SKU: **3591**
Base: **GU10**
Material: **Zinc Alloy**
Color: **Satin Nickel**
Size(mm): **82x82x25**
Cutting Size: **74**
Box Qty: **100**



RECESSED FITTING-SQUARE-GU10




Model No: **VT-779-CH-SQ**
SKU: **3592**
Base: **GU10**
Material: **Zinc Alloy**
Color: **Chrome**
Size(mm): **82x82x25**
Cutting Size: **74**
Box Qty: **100**




RECESSED FITTING-SQUARE-GU10




Model No: **VT-779-SB**
SKU: **8582**
Base: **GU10**
Material: **Zinc alloy**
Color: **Bronze**
Size(mm): **82x82x22**
Cutting Size: **74**
Box Qty: **100**



RECESSED FITTING-SQUARE-GU10



Model No: **VT-779-SG**
SKU: **8581**
Base: **GU10**
Material: **Zinc alloy**
Color: **Gold**
Size(mm): **82x82x22**
Cutting Size: **74**
Box Qty: **100**



WALL FITTING-ROUND-GU10




Model No: **VT-858RD**
SKU: **3694**
Base: **G9**
Material: **Gypsum**
Color: **White**
Size(mm): **70x90x95**
Cutting Size: **N/A**
Box Qty: **24**



WALL FITTING-SQUARE-G9




Model No: **VT-858SQ**
SKU: **3695**
Base: **G9**
Material: **Gypsum**
Color: **White**
Size(mm): **70x100x100**
Cutting Size: **N/A**
Box Qty: **24**



RECESSED FITTING-SQUARE-GU10




Model No: **VT-859SQ**
SKU: **3696**
Base: **GU10**
Material: **Gypsum**
Color: **White**
Size(mm): **100x100x40**
Cutting Size: **103x103**
Box Qty: **40**



RECESSED FITTING-ROUND-GU10




Model No: **VT-859RD**
SKU: **3697**
Base: **GU10**
Material: **Gypsum**
Color: **White**
Size(mm): **ø100x40**
Cutting Size: **ø103**
Box Qty: **40**



SURFACE FITTING-SQUARE METAL-GUN BLACK BOTTOM




Model No: **VT-860-GB**
SKU: **3140**
Base: **GU10**
Material: **Gypsum with metal**
Color: **White+Gun Black**
Size(mm): **100x100x130**
Cutting Size: **N/A**
Box Qty: **12**



SURFACE FITTING-SQUARE METAL-MATT ROSE GOLD BOTTOM




Model No: **VT-860-MRM**
SKU: **3141**
Base: **GU10**
Material: Gypsum with metal
Color: Grey+Matt Rose Gold
Size(mm): 100x100x130
Cutting Size: N/A
Box Qty: 12



SURFACE FITTING SQUARE-GU10




Model No: **VT-882-SQ-BG**
SKU: **8956**
Base: **GU10**
Material: Aluminium + PC
Color: Black+Gold
Size(mm): 74x74x140
Cutting Size: NA
Box Qty: 50



SURFACE FITTING-SQUARE METAL-CHROME BOTTOM




Model No: **VT-860-CHM**
SKU: **3142**
Base: **GU10**
Material: Gypsum with metal
Color: Grey+Chrome
Size(mm): 100x100x130
Cutting Size: N/A
Box Qty: 12




SURFACE FITTING SQUARE-GU10




Model No: **VT-882-SQ-BRG**
SKU: **8993**
Base: **GU10**
Material: Aluminium + PC
Color: Black+Rose Gold
Size(mm): 74x74x140
Cutting Size: NA
Box Qty: 50



SURFACE FITTING-SQUARE METAL-GUN BLACK BOTTOM




Model No: **VT-860-GBM**
SKU: **3143**
Base: **GU10**
Material: Gypsum with metal
Color: Grey+Gun Black
Size(mm): 100x100x130
Cutting Size: N/A
Box Qty: 12



SURFACE FITTING SQUARE-GU10




Model No: **VT-882-SQ-BC**
SKU: **8994**
Base: **GU10**
Material: Aluminium + PC
Color: Black+Chrome
Size(mm): 74x74x140
Cutting Size: NA
Box Qty: 50



SURFACE FITTING-SQUARE METAL-MATT ROSE GOLD BOTTOM



Model No: **VT-860-MR**
SKU: **3115**
Base: **GU10**
Material: Gypsum with metal
Color: White+Matt Rose Gold
Size(mm): 100x100x130
Cutting Size: N/A
Box Qty: 12



SURFACE FITTING ROUND-GU10



Model No: **VT-882-RD-BG**
SKU: **8996**
Base: **GU10**
Material: Aluminium + PC
Color: Black+Gold
Size(mm): $\varnothing 80 \times 140$
Cutting Size: NA
Box Qty: 50



SURFACE FITTING-SQUARE METAL-CHROME BOTTOM



Model No: **VT-860-CH**
SKU: **3116**
Base: **GU10**
Material: Gypsum with metal
Color: White+Chrome
Size(mm): 100x100x130
Cutting Size: N/A
Box Qty: 12



SURFACE FITTING ROUND-GU10



Model No: **VT-882-RD-BRG**
SKU: **8997**
Base: **GU10**
Material: Aluminium + PC
Color: Black+Rose Gold
Size(mm): $\varnothing 80 \times 140$
Cutting Size: NA
Box Qty: 50



SURFACE FITTING ROUND-GU10



Model No: **VT-882-RD-BC**
SKU: **8998**
Base: **GU10**
Material: **Aluminium + PC**
Color: **Black+Chrome**
Size(mm): **ø80x140**
Cutting Size: **NA**
Box Qty: **50**

SURFACE FITTING SQUARE-GU10



Model No: **VT-882-SRG**
SKU: **8587**
Base: **GU10**
Material: **Aluminium + PC**
Color: **White+Rose gold Reflector**
Size(mm): **74x74x140**
Cutting Size: **NA**
Box Qty: **50**

SURFACE FITTING ROUND-GU10



Model No: **VT-882-RD-B**
SKU: **8999**
Base: **GU10**
Material: **Aluminium + PC**
Color: **Black+Black**
Size(mm): **ø80x140**
Cutting Size: **NA**
Box Qty: **50**

SURFACE FITTING SQUARE-GU10



Model No: **VT-882-SW**
SKU: **8583**
Base: **GU10**
Material: **Aluminium + PC**
Color: **White+White Reflector**
Size(mm): **74x74x140**
Cutting Size: **NA**
Box Qty: **50**

SURFACE FITTING SQUARE-GU10



Model No: **VT-882-B**
SKU: **8584**
Base: **GU10**
Material: **Aluminium + PC**
Color: **White+Black Reflector**
Size(mm): **74x74x140**
Cutting Size: **NA**
Box Qty: **50**

SURFACE FITTING ROUND-GU10



Model No: **VT-882-RB**
SKU: **8589**
Base: **GU10**
Material: **Aluminium + PC**
Color: **White+Black Reflector**
Size(mm): **ø80x140**
Cutting Size: **NA**
Box Qty: **50**

SURFACE FITTING SQUARE-GU10



Model No: **VT-882-C**
SKU: **8585**
Base: **GU10**
Material: **Aluminium + PC**
Color: **White+Chrome Reflector**
Size(mm): **74x74x140**
Cutting Size: **NA**
Box Qty: **50**

SURFACE FITTING ROUND-GU10



Model No: **VT-882-RC**
SKU: **8590**
Base: **GU10**
Material: **Aluminium + PC**
Color: **White+Chrome Reflector**
Size(mm): **ø80x140**
Cutting Size: **NA**
Box Qty: **50**

SURFACE FITTING SQUARE-GU10



Model No: **VT-882-G**
SKU: **8586**
Base: **GU10**
Material: **Aluminium + PC**
Color: **White+Gold Reflector**
Size(mm): **74x74x140**
Cutting Size: **NA**
Box Qty: **50**

SURFACE FITTING ROUND-GU10



Model No: **VT-882-RG**
SKU: **8591**
Base: **GU10**
Material: **Aluminium + PC**
Color: **White+Gold Reflector**
Size(mm): **ø80x140**
Cutting Size: **NA**
Box Qty: **50**

SURFACE FITTING ROUND-GU10



Model No: **VT-882-RRG**
SKU: **8592**
Base: **GU10**
Material: **Aluminium + PC**
Color: **White+Rose gold Reflector**
Size(mm): **ø80x140**
Cutting Size: **NA**
Box Qty: **50**

RECESSED-CHROME BOTTOM-SQUARE



Model No: **VT-862-CHG**
SKU: **3120**
Base: **GU10**
Material: **Gypsum with metal**
Color: **Grey+Chrome**
Size(mm): **100x100x40**
Cutting Size: **ø80**
Box Qty: **24**



SURFACE FITTING ROUND-GU10



Model No: **VT-882-RW**
SKU: **8588**
Base: **GU10**
Material: **Aluminium + PC**
Color: **White+White Reflector**
Size(mm): **ø80x140**
Cutting Size: **NA**
Box Qty: **50**

RECESSED-MATT ROSE GOLD BOTTOM-SQUARE



Model No: **VT-862-MRR**
SKU: **3121**
Base: **GU10**
Material: **Gypsum with metal**
Color: **Off White+Matt Rose Gold**
Size(mm): **100x100x40**
Cutting Size: **ø80**
Box Qty: **24**



RECESSED-MATT ROSE GOLD BOTTOM-SQUARE



Model No: **VT-862-MRW**
SKU: **3117**
Base: **GU10**
Material: **Gypsum with metal**
Color: **White+Matt Rose Gold**
Size(mm): **100x100x40**
Cutting Size: **ø80**
Box Qty: **24**

RECESSED-CHROME BOTTOM-SQUARE



Model No: **VT-862-CHR**
SKU: **3122**
Base: **GU10**
Material: **Gypsum with metal**
Color: **Off White+Chrome**
Size(mm): **100x100x40**
Cutting Size: **ø80**
Box Qty: **24**




RECESSED-MATT ROSE GOLD BOTTOM-SQUARE



Model No: **VT-862-MRG**
SKU: **3118**
Base: **GU10**
Material: **Gypsum with metal**
Color: **Grey+Matt Rose Gold**
Size(mm): **100x100x40**
Cutting Size: **ø80**
Box Qty: **24**

RECESSED-MATT ROSE GOLD BOTTOM-ROUND



Model No: **VT-862-MGRD**
SKU: **3124**
Base: **GU10**
Material: **Gypsum with metal**
Color: **Grey+Matt Rose Gold**
Size(mm): **ø100x40**
Cutting Size: **ø80**
Box Qty: **24**



RECESSED-CHROME BOTTOM-SQUARE



Model No: **VT-862-CHW**
SKU: **3119**
Base: **GU10**
Material: **Gypsum with metal**
Color: **White+Chrome**
Size(mm): **100x100x40**
Cutting Size: **ø80**
Box Qty: **24**



RECESSED-MATT ROSE GOLD BOTTOM-ROUND




Model No: **VT-862-MRC**
SKU: **3125**
Base: **GU10**
Material: **Gypsum with metal**
Color: **Off White+Matt Rose Gold**
Size(mm): **ø100x40**
Cutting Size: **ø80**
Box Qty: **24**



RECESSED-CHROME BOTTOM-ROUND



Model No: **VT-862-MRD**
SKU: **3126**
Base: **GU10**
Material: **Gypsum with metal**
Color: **Off White+Chrome**
Size(mm): **ø100x40**
Cutting Size: **ø80**
Box Qty: **24**




FITTING-RECESSED-BLACK METAL-SQUARE




Model No: **VT-866-BSQ**
SKU: **3148**
Base: **GU10**
Material: **Gypsum with metal**
Color: **White+Black**
Size(mm): **ø100x100**
Cutting Size: **103x103**
Box Qty: **30**



RECESSED-CHROME BOTTOM-ROUND



Model No: **VT-862-MG**
SKU: **3128**
Base: **GU10**
Material: **Gypsum with metal**
Color: **Grey+Chrome**
Size(mm): **ø100x40**
Cutting Size: **ø80**
Box Qty: **24**



FITTING-RECESSED-CHROME METAL-SQUARE




Model No: **VT-866-CSQ**
SKU: **3149**
Base: **GU10**
Material: **Gypsum with metal**
Color: **White+Chrome**
Size(mm): **ø100x100**
Cutting Size: **103x103**
Box Qty: **30**



FITTING-RECESSED-BLACK METAL-ROUND



Model No: **VT-866-BRD**
SKU: **3145**
Base: **GU10**
Material: **Gypsum with metal**
Color: **White+Black**
Size(mm): **ø100**
Cutting Size: **ø103**
Box Qty: **30**



FITTING-RECESSED-MATT ROSE GOLD-SQUARE



Model No: **VT-866-GSQ**
SKU: **3150**
Base: **GU10**
Material: **Gypsum with metal**
Color: **White+Matt Rose Gold**
Size(mm): **ø100x100**
Cutting Size: **103x103**
Box Qty: **30**



FITTING-RECESSED-CHROME METAL-ROUND



Model No: **VT-866-CRD**
SKU: **3146**
Base: **GU10**
Material: **Gypsum with metal**
Color: **White+Chrome**
Size(mm): **ø100**
Cutting Size: **ø103**
Box Qty: **30**



FITTING-RECESSED-SQUARE




Model No: **VT-867-SQ**
SKU: **3151**
Base: **GU10**
Material: **Gypsum with metal**
Color: **White**
Size(mm): **ø120x120**
Cutting Size: **125x125**
Box Qty: **24**



FITTING-RECESSED-MATT ROSE GOLD METAL-ROUND



Model No: **VT-866-MRD**
SKU: **3147**
Base: **GU10**
Material: **Gypsum with metal**
Color: **White+Matt Rose Gold**
Size(mm): **ø100**
Cutting Size: **ø103**
Box Qty: **30**



FITTING-RECESSED-ROUND



Model No: **VT-867-RD**
SKU: **3152**
Base: **GU10**
Material: **Gypsum with metal**
Color: **White**
Size(mm): **ø120**
Cutting Size: **ø125**
Box Qty: **24**



A square LED floodlight with a black frame is mounted on a weathered metal pipe. The light is illuminated, casting a bright glow. In the background, a multi-story building under construction is visible against a twilight sky. A construction crane is also present in the upper left. The overall scene is a construction site at dusk.

V-TAC
Meaningful Innovation.


LED FLOODLIGHTS

V-TAC's LED floodlights are ideal for lighting driveways, gardens, and buildings. These energy-efficient lights emit bright, vibrant light and make an eco-friendly alternative for traditional halogen floodlights and metal halide fixtures.

NEW HIGH LUMENS FLOODLIGHT | DIRECT CONNECTION



Voltage/Frequency	AC:220-240V,50/60Hz
PF	>0.9
CRI	>70




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23850 - 4000K DAY WHITE 23851 - 6500K WHITE	VT-4409-FC	10W	1200	127.3x51.9x75	40
23852 - 4000K DAY WHITE 23853 - 6500K WHITE	VT-4419-FC	20W	2400	152.5x57.8x161.8	20
23854 - 4000K DAY WHITE 23855 - 6500K WHITE	VT-4429-FC	30W	3600	185.3x57.8x183.9	20
23856 - 4000K DAY WHITE 23857 - 6500K WHITE	VT-4449-FC	50W	6000	218.5x57.8x209.7	20

NEW

LED FLOODLIGHT | CCT 3IN1 | MIKY PC COVER



Voltage/Frequency	AC:220-240V,50/60Hz
PF	>0.9
CRI	>80




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23769 - 3IN1	VT-44036CCT	30W	3000	158x38x159	20
23768 - 3IN1	VT-44056CCT	50W	5000	193x38x205	20
23767 - 3IN1	VT-44107CCT	100W	10000	273x38x241	10

ECONOMICAL SERIES-BLACK



Voltage/Frequency	AC:220-240V, 50/60Hz
PF	>0.9
CRI	>70



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
6727 - 3000K WARM WHITE 6728 - 4000K DAY WHITE 6729 - 6500K WHITE	VT-4914-B	10W	750	90x86x27mm	60
6737 - 3000K WARM WHITE 6738 - 4000K DAY WHITE	VT-4924-B	20W	1650	120x105x27mm	40
6743 - 3000K WARM WHITE 6744 - 4000K DAY WHITE 6745 - 6500K WHITE	VT-4934-B	30W	2510	150x122x27mm	20
6749 - 3000K WARM WHITE	VT-4954-B	50W	4300	180x150x27	20
6721 - 3000K WARM WHITE	VT-49104-B	100W	8700	270x222x27	10
6733 - 4000K DAY WHITE 6734 - 6500K WHITE	VT-49204-B	200W	17600	400x333x33.3	5

ECONOMICAL SERIES-WHITE



Voltage/Frequency	AC:220-240V, 50/60Hz
PF	>0.9
CRI	>70




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
6740 - 3000K WARM WHITE 6741 - 4000K DAY WHITE 6742 - 6500K WHITE	VT-4924-W	20W	1650	120x105x27	40
6746 - 3000K WARM WHITE 6747 - 4000K DAY WHITE 6748 - 6500K WHITE	VT-4934-W	30W	2510	150x122x27	20
6752 - 3000K WARM WHITE 6753 - 4000K DAY WHITE 6754 - 6500K WHITE	VT-4954-W	50W	4300	180x150x27	20
6724 - 3000K WARM WHITE 6725 - 4000K DAY WHITE 6726 - 6500K WHITE	VT-49104-W	100W	8700	270x222x27	10
6735 - 4000K DAY WHITE 6736 - 6500K WHITE	VT-49204-W	200W	17600	400x333x33.3	5

E SERIES-WHITE



Voltage/Frequency	AC:220-240V,50Hz
PF	>0.9
CRI	>70




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
215951 - 6500K WHITE	VT-4021W-N	20W	1620	121x114x26	20
215956 - 4000K DAY WHITE 215957 - 6500K WHITE	VT-4031W-N	30W	2510	153x132x27	20

E SERIES-BLACK



Voltage/Frequency	AC:220-240V,50Hz
PF	>0.9
CRI	>70




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
215953 - 4000K DAY WHITE 215954 - 6500K WHITE	VT-4031B-N	30W	2510	153x132x27	20
215959 - 4000K DAY WHITE	VT-4051B-N	50W	4300	198x167x28	10

LED FLOODLIGHT | CCT 3IN1



Voltage/Frequency	AC:220-240V,50/60Hz
PF	>0.9
CRI	>80




SKU	Model	Watts	Lumens	Size(mm)
23613 - 3IN1	VT-44030CCT	30W	2350	171x26x176
23614 - 3IN1	VT-44050CCT	50W	4000	194x26x209
23615 - 3IN1	VT-44100CCT	100W	8150	274x26x262

NEW



COLOR FLOODLIGHTS

Voltage/Frequency AC:220-240V,50Hz
CRI >70




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
24155 - RGB+6500K	VT-44038	30W	2310	185x29x160	20
24156 - RGB+6500K	VT-44059	50W	4000	216x32x171	8

SMART SERIES FLOODLIGHTS



Voltage/Frequency AC:220-240V
PF >0.9
CRI >80




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
5984 - RGB+3IN1	VT-5020-White	20W	1400	141.6x126.3x42.7	20
5985 - RGB+3IN1	VT-5020-Black	20W	1400	141.x126.36x42.7	20

SUPER HIGH POWER FLOODLIGHTS | 1M WIRE | HIGH LUMENS



Voltage/Frequency AC:220-240V,50Hz
PF >0.9
CRI >70




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23089 - 4000K DAY WHITE 97212 - 6500K WHITE	VT-48500	500W	67500	530x65x523	1

NEW SUPER HIGH POWER FLOODLIGHTS | 1M WIRE | HIGH LUMENS



Voltage/Frequency	AC:220-240V,50Hz
PF	>0.9
CRI	>70




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23870 - 4000K DAY WHITE 23697 - 6500K WHITE	VT-1055-1	1000W	160000	676x74x840	1




- Detection Distance: 0-12M
- Detection Angle: 180°
- Video Compression: H.264 / MJPEG dual video stream
- Image Resolution: 1280*720
- Image sensor: 1/4 " 1Megapixel CMOS
- Pixels: 1 million pixels
- Delay Time: 0-30S
- AC:100-240V,50/60Hz
- PF: >0.5
- CRI: >70
- 180° Beam Angle
- 248x162x181mm180°

PIR SENSOR-WI-FI-CAMERA



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
5745 - 6000K WHITE	VT-4818-White	18W	600	248x 162x 181	4
5917 - 6000K WHITE	VT-4818-Black	18W	600	248x162x181	4

WATERPROOF BOX TERMINAL BLOCK




Model No: VT-881
SKU: 5987
Wire Range : 0.5~2.5mm²
Voltage: AC:450V
Cable Diameter: 5-9mm
Ampere: 24A
Fire Retardant Level: V2
Box Qty: 150

WATERPROOF BOX TERMINAL BLOCK




Model No: VT-868-w
SKU: 5986
Wire Range : 0.5~1.5mm²
Voltage: AC:450V
Cable Diameter: 5-9mm
Ampere: 16A
Fire Retardant Level: V2
Box Qty: 1000

WATERPROOF BOX TERMINAL BLOCK




Model No: VT-868
SKU: 5977
Wire Range : 0.5~1.5mm²
Voltage: AC:450V
Cable Diameter: 5-9mm
Ampere: 16A
Fire Retardant Level: V2
Box Qty: 1000

WATERPROOF BOX TERMINAL BLOCK




Model No: VT-869-B
SKU: 5978
Wire Range : 0.5~4mm²
Voltage: AC:450V
Cable Diameter: 8-12mm
Ampere: 24A
Fire Retardant Level: V2
Box Qty: 200

WATERPROOF BOX TERMINAL BLOCK





Model No: VT-869-W
SKU: 5979
Wire Range : 0.5~4mm²
Voltage: AC:450V
Cable Diameter: 8-12mm
Ampere: 24A
Fire Retardant Level: V2
Box Qty: 200

WATERPROOF BOX TERMINAL BLOCK




Model No: VT-870-B
SKU: 5980
Wire Range : 0.5~4mm²
Voltage: AC:450V
Cable Diameter: 8-12mm
Ampere: 24A
Fire Retardant Level: V2
Box Qty: 100

WATERPROOF BOX TERMINAL BLOCK




Model No: VT-870-W
SKU: 5981
Wire Range : 0.5~4mm²
Voltage: AC:450V
Cable Diameter: 8-12mm
Ampere: 24A
Fire Retardant Level: V2
Box Qty: 100

WATERPROOF BOX TERMINAL BLOCK



Model No: VT-871-B
SKU: 5982
Wire Range : 0.5~4mm²
Voltage: AC:450V
Cable Diameter: 8-12mm
Ampere: 24A
Fire Retardant Level: V2
Box Qty: 100

WATERPROOF BOX TERMINAL BLOCK



Model No: VT-871-W
SKU: 5983
Wire Range : 0.5~4mm²
Voltage: AC:450V
Cable Diameter: 8-12mm
Ampere: 24A
Fire Retardant Level: V2
Box Qty: 100

WATERPROOF BOX TERMINAL BLOCK



Model No: VT-7224-B
SKU: 3578
Wire Range : 0.5~2.5mm²
Voltage: AC:250V Max
Material: Polypropylene (PP)
Dimension: 123x46x33
IP Rating: IP65
Box Qty: 160

WATERPROOF BOX TERMINAL BLOCK



Model No: VT-7224-W Material: Polypropylene (PP)
 SKU: **5897** Dimension: 123x46x33
 Wire Range : 0.5-2.5mm² IP Rating: IP65
 Voltage: AC:250V Max Box Qty: 240

WATERPROOF BOX TERMINAL BLOCK




Model No: VT-792-B Material: Flame Retardant PP
 SKU: **3621** Dimension: Ø27x76
 Wire Range : 4-6.5mm IP Rating: IP68
 Voltage: AC:220V Box Qty: 500

WATERPROOF BOX TERMINAL BLOCK



Model No: VT-792-W Material: Flame Retardant PP
 SKU: **5896** Dimension: Ø27x76
 Wire Range : 4-6.5mm IP Rating: IP68
 Voltage: AC:220V Box Qty: 500

TRIPOD STAND-YELLOW



SKU	Model	Size(mm)	Box Qty
9104	VT-41150Y	900x940~1800	8

TRIPOD STAND-BLACK



SKU	Model	Size(mm)	Box Qty
9546	VT-41150B	900x940~1800	8

FLOODLIGHT STAND-85X15CM



SKU	Model	Suitable For	Size(mm)	Box Qty
3623	VT-794	10-50w	850x150	4
3622	VT-793	70-200w	870x200	4

FLOODLIGHT SPIKE-WHITE



SKU	Model	Suitable For	Size(mm)	Box Qty
7537	VT-855-W	10-150W	Ø60xH265	100

LED PANELS

Introducing slim and sleek LED panel lights from V-TAC – experience consistent illumination without hot or cold spots.



HIGH LUMENS CCT CHANGING BACKLIT LED PANELS | 5 YEAR WARRANTY



AC:220-240V, 50Hz


110° Beam Angle

>0.9 PF

>80 CRI


Aluminium+TPA(PC) Body

30,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
24324 - 3IN1	VT-61042CCT	40W	4800	595x595x33	10

NEW HIGH LUMENS BACKLIT LED PANELS | 5 YEAR WARRANTY



AC:220-240V,50/60Hz


110° Beam Angle

>0.9 PF

>80 CRI


FE+PS Body

30,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
24280 - 4000K DAY WHITE 24281 - 6400K WHITE	VT-61020	20W	3600	595x595x33	10

NEW HIGH LUMENS SLIM BACKLIT LED PANELS | 3 YEAR WARRANTY



AC:220-240V,50/60Hz


110° Beam Angle

>0.9 PF

>80 CRI


FE+PS Body

25,000 hr lifespan




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
24141 - 4000K DAY WHITE 24142 - 6500K WHITE	VT-61041	40W	4800	595x595x18	10

NEW HIGH LUMENS BACKLIT LED PANELS | 3 YEAR WARRANTY




AC:220-240V,50/60Hz
110° Beam Angle
>0.9 PF
>80 CRI
FE+PS Body
25,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
24366 - 4000K DAY WHITE 24367 - 6500K WHITE	VT-61043	40W	4500	595x595x33	10

NEW HIGH LUMENS BACKLIT LED PANELS | 5 YEAR WARRANTY



AC:220-240V,50/60Hz
110° Beam Angle
>0.9 PF
>80 CRI
FE+PS Body
25,000 hr lifespan




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
24143 - 4000K DAY WHITE 24144 - 6500K WHITE	VT-61042	40W	4800	595x595x33	10

NEW HIGH LUMENS 2IN1 BACKLIT LED PANELS



AC:220-240V,50/60Hz
110° Beam Angle
>0.9 PF
>80 CRI
ABS+PP+Iron Body
30,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23765 - 4000K DAY WHITE 23766 - 6500K WHITE	VT-61037	36W	4320	595x595x33.5	10

NEW HIGH LUMENS PANELS UGR<19 -LIFUD-FLICKER FREE



AC:220-240V, 50Hz


110° Beam Angle

>0.9 PF

>80 CRI

Aluminium Body

30,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23667 - 4000K DAY WHITE	VT-6234	36W	4320	620x620x34	6

NEW HIGH LUMEN LED PANELS



DC:30-40V


120° Beam Angle

>0.9 PF

>80 CRI

Aluminium+PMMA+PS Body

25,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
24080 - 4000K DAY WHITE 24081 - 6500K WHITE	VT-6060	40W	4950	595x595x13	6

HIGH LUMEN BIG LED PANELS




AC:220-240V, 50/60Hz

110° Beam Angle

>0.9 PF


>80 CRI

25,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23148 - 6500K WHITE	VT-61140	40W 6 pcs pack	4800	1195x295x30	6

BIG LED BACKLITE PANELS



AC:200-240V, 50/60Hz

110° Beam Angle

>0.9 PF






>80 CRI

FE+PP Body

20,000 hr lifespan

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
216625 - 4000K DAY WHITE	VT-6147-N	40W 6 pcs pack	4400	1195x295x30	6

DRIVERS - BIG PANELS

SKU	SKU	Watts	Box Qty		
	6271	29W	50		
	6328	72W	50		


ALUMINIUM SUSPENDED MOUNTING

Adjustable 1m suspension kit compatible with all panel sizes. This product can be used for all sizes of panels, that is
 · 300 x 300 · 600 x 600 · 1200 x 300 · 1200 x 600



SKU	Box Qty
6018	50

ALUMINIUM SURFACE MOUNTING-60X60



SKU	Size(mm)	Box Qty
11449	600x600x43	12

ALUMINIUM SURFACE MOUNTING-62X62



Convert the recessed panel to surface panel and install it easily on solid surfaces.

SKU	Size(mm)	Box Qty
9997	625x625	5

ALUMINIUM SURFACE MOUNTING-60X60



SKU	Size(mm)	Box Qty
8156	600x600	10

PLASTIC SURFACE MOUNTING-60X60



SKU	Size(mm)	Box Qty
6627	600x600	25

PLASTIC SURFACE MOUNTING 1200X300MM



SKU	Size(mm)	Box Qty
6708	1200x300	25

ALUMINIUM SURFACE MOUNTING-120X30



SKU	Size(mm)	Box Qty
8158	1200x300	10

ALUMINIUM SURFACE MOUNTING-120X30



SKU	Size(mm)	Box Qty
9969	1200x300	6

BACKLIT RECESSED SERIES-ROUND




AC:220-240V, 50/60Hz

>80 CRI

Plastic Body

20,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Cutting Size(mm)	Box Qty
7855 - 3000K WARM WHITE 7856 - 4000K DAY WHITE 7857 - 6500K WHITE	VT-61003RD	3W	330	90.5x28	80	100
7858 - 3000K WARM WHITE 7859 - 4000K DAY WHITE 7860 - 6500K WHITE	VT-61006RD	6W	660	120.5x28.4	110	80
7861 - 3000K WARM WHITE 7862 - 4000K DAY WHITE 7863 - 6500K WHITE	VT-61012RD	12W	1200	170.8x28.4	155	60
7864 - 3000K WARM WHITE 7865 - 4000K DAY WHITE 7866 - 6500K WHITE	VT-61018RD	18W	3000K - 1850 4000K - 1980 6500K - 1980	220.8x28.9	205	40
7867 - 3000K WARM WHITE 7868 - 4000K DAY WHITE 7869 - 6500K WHITE	VT-61024RD	24W	3000K - 2500 4000K - 2640 6500K - 2640	296x29.1	280	20

BACKLIT RECESSED SERIES-SQUARE




AC:220-240V, 50/60Hz

>80 CRI

Plastic Body

20,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Cutting Size(mm)	Box Qty
10477 - 3000K WARM WHITE 10478 - 4000K DAY WHITE 10479 - 6500K WHITE	VT-61003SQ	3W	330	90.2x90.2x28.2	80x80	100
10480 - 3000K WARM WHITE 10481 - 4000K DAY WHITE 10482 - 6500K WHITE	VT-61006SQ	6W	660	120.5x120.5x28.4	110x110	80
10483 - 3000K WARM WHITE 10484 - 4000K DAY WHITE 10485 - 6500K WHITE	VT-61012SQ	12W	1200	170.8x170.8x28.4	155x155	60
10486 - 3000K WARM WHITE 10487 - 4000K DAY WHITE 10488 - 6500K WHITE	VT-61018SQ	18W	3000K - 1850 4000K - 1980 6500K - 1980	220.4x220.4x28.8	205x205	40
10489 - 3000K WARM WHITE 10490 - 4000K DAY WHITE 10491 - 6500K WHITE	VT-61024SQ	24W	3000K - 2500 4000K - 2640 6500K - 2640	295x295x28.6	280x280	20

BACKLIT SURFACED SERIES-ROUND




AC:220-240V, 50/60Hz

>80 CRI

Plastic Body

20,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
7870 - 3000K WARM WHITE 7871 - 4000K DAY WHITE 7872 - 6500K WHITE	VT-60006RD	6W	660	121.2x30.6	100
7873 - 3000K WARM WHITE 7874 - 4000K DAY WHITE 7875 - 6500K WHITE	VT-60012RD	12W	1200	167.4x30.7	60
7876 - 3000K WARM WHITE 7877 - 4000K DAY WHITE 7878 - 6500K WHITE	VT-60018RD	18W	3000K - 1850 4000K - 1980 6500K - 1980	215.6x30.8	40
7879 - 3000K WARM WHITE 7880 - 4000K DAY WHITE 7881 - 6500K WHITE	VT-60024RD	24W	3000K - 2500 4000K - 2640 6500K - 2640	288.6x31.2	20

BACKLIT SURFACED SERIES-SQUARE




AC:220-240V, 50/60Hz

>80 CRI

Plastic Body

20,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
10492 - 3000K WARM WHITE 10493 - 4000K DAY WHITE 10494 - 6500K WHITE	VT-60006SQ	6W	660	120.8x120.8x30.7	100
10495 - 3000K WARM WHITE 10496 - 4000K DAY WHITE 10497 - 6500K WHITE	VT-60012SQ	12W	1200	167.3x167.3x30.7	60
10498 - 3000K WARM WHITE 10499 - 4000K DAY WHITE 10500 - 6500K WHITE	VT-60018SQ	18W	3000K - 1850 4000K - 1980 6500K - 1980	214x214x31	40
10514 - 3000K WARM WHITE 23023 - 4000K DAY WHITE 10516 - 6500K WHITE	VT-60024SQ	24W	3000K - 2500 4000K - 2640 6500K - 2640	287x287x30.7	20

LED MINI PANELS PREMIUM SERIES-ROUND




AC:85-265V,50/60Hz

120° Beam Angle

>0.5 PF

>80 CRI

Aluminium Body



SKU	Model	Watts	Lumens	Size(mm)	Cutting Size(mm)	Box Qty
216292 - 2700K WARM WHITE 216293 - 4000K DAY WHITE 216294 - 6400K WHITE	VT-307RD-N	3W	130	Ø84x12	Ø73	50
214854 - 2700K WARM WHITE 214855 - 4000K DAY WHITE 214856 - 6400K WHITE	VT-607RD-N	6W	490	Ø120x12	Ø110	40
214857 - 2700K WARM WHITE 214858 - 4000K DAY WHITE 214859 - 6400K WHITE	VT-1207RD-N	12W	1160	Ø170x12	Ø155	20
214860 - 2700K WARM WHITE 214861 - 4000K DAY WHITE 214862 - 6400K WHITE	VT-1807RD-N	18W	1400	Ø225x12	Ø210	20
216423 - 4000K DAY WHITE	VT-2207RD-N	22W	2265	Ø240x12	Ø220	20
214874 - 6400K WHITE	VT-2407RD-N	24W	2500	Ø300x12	Ø280	10

LED MINI PANELS PREMIUM SERIES-SQUARE




AC:85-265V,50/60Hz

120° Beam Angle

>0.5 PF

>80 CRI

Aluminium Body



SKU	Model	Watts	Lumens	Size(mm)	Cutting Size(mm)	Box Qty
216295 - 2700K WARM WHITE 216297 - 6400K WHITE	VT-307SQ-N	3W	180	84x84x12	74x73	50
4863 - 3000K WARM WHITE	VT-607SQ	6W	420	120x120x12	110	40
214864 - 4000K DAY WHITE 214865 - 6400K WHITE	VT-607SQ-N	6W	490	120x120x12	110	40
214866 - 2700K WARM WHITE 214868 - 6400K WHITE	VT-1207SQ-N	12W	1160	170x170x12	155x155	20
214871 - 6400K WHITE	VT-1807SQ-N	18W	1400	225x225x12	205x205	20

LED MINI PANELS PREMIUM SERIES-ROUND-3IN1



AC:100-240V, 50Hz


120° Beam Angle

>0.9 PF

>80 CRI

Aluminium Body

30,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Cutting Size(mm)	Box Qty
23326 - 3IN1	VT-61103	3W	130	84x12	Ø73	50
6982 - 3IN1	VT-61106	6W	490	120x12	Ø110	40
6983 - 3IN1	VT-61109	9W	820	145x18	Ø133	20
6984 - 3IN1	VT-61112	12W	1160	170x12	Ø160	20
6985 - 3IN1	VT-61118	18W	1550	225x12	Ø210	20
23327 - 3IN1	VT-61122	22W	2265	240x12	Ø220	20
23328 - 3IN1	VT-61124	24W	2500	300x12	Ø280	10

LED CHROME SURFACE PANELS



AC:85-265V,50/60Hz


120° Beam Angle

>0.6 PF

>80 CRI

Aluminium+Chrome Body

20,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
6364 - 3000K WARM WHITE	VT-1205CH	12W	1000	Ø140x24	40

LED SATIN NICKEL PANELS



AC:85-265V,50/60Hz


120° Beam Angle

>0.7 PF

>80 CRI

Aluminium+Satin Nickel Body

20,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Cutting Size(mm)	Box Qty
6355 - 3000K WARM WHITE 6356 - 4000K DAY WHITE	VT-2407SN	24W	2000	Ø300x25	Ø285	10

LED CHROME PANELS



AC:85-265V,50/60Hz


120° Beam Angle

>0.7 PF

>80 CRI

Aluminium+Chrome Body

20,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Cutting Size(mm)	Box Qty
6348 - 6400K WHITE	VT-1807CH	18W	1500	Ø225x25	Ø205	20
6352 - 3000K WARM WHITE 6353 - 4000K DAY WHITE	VT-2407CH	24W	2000	Ø300x25	Ø285	10

LED TRIMLESS MINI PANELS-SQUARE



AC:85-265V,50/60Hz


120° Beam Angle

>0.9 PF

>80 CRI

Aluminium Body

20,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Cutting Size(mm)	Box Qty
4798 - 6400K WHITE	VT-2222SQ	22W	2200	170x170x8	155x155	40

LINEAR LIGHTS



AC:85-265V,50/60Hz

120° Beam Angle

>0.7 PF

>80 CRI

Aluminium Body

30,000 hr lifespan

SKU	Model	Watts	Lumens	Size(mm)	Cutting Size(mm)	Box Qty
6415 - 6400K WHITE	VT-20002	20W	1400	290x45x72	270x32	20
6418 - 6400K WHITE	VT-30002	30W	2100	430x45x72	405x32	10




LED TUBES LIGHTS

V-TAC's LED tubes fit perfectly into existing linear fixtures, providing better light quality and energy efficiency compared to fluorescent systems.

NEW **T8 NANO PLASTIC TUBES**



Holder	G13
Voltage/Frequency	AC:220-240V,50Hz
PF	>0.5
CRI	>80
Beam Angle	160°
On/off	>15,000
Body Type	Nano Plastic
Instant start	0-100% in < 1s




SKU	Model	Watts	Lumens	Size	Box Qty
23871 - 4000K DAY WHITE	VT-062	7.5W	850	28x600	25
23872 - 3000K WARM WHITE 23873 - 6500K WHITE	VT-122	16.5W	1850	28x1200	25
23874 - 3000K WARM WHITE 23875 - 4000K DAY WHITE 23876 - 6500K WHITE	VT-152	24W	3000	28x1500	25

T8 NANO PLASTIC TUBES



Holder	G13
Voltage/Frequency	AC:220-240V,50Hz
PF	>0.5 to >0.7
CRI	>80
Beam Angle	160°
On/off	>15,000
Body Type	Nano Plastic
Instant start	0-100% in < 1s



SKU	Model	Watts	Lumens	Size	Box Qty
216392 - 3000K WARM WHITE 216393 - 4000K DAY WHITE 216394 - 6500K WHITE	VT-6072-NR-N	9W	850	28x600	25
216272 - 4000K DAY WHITE 216262 - 6500K WHITE	VT-9077-N	14W	1400	28x900	25
216263 - 3000K WARM WHITE 216273 - 4000K DAY WHITE 216264 - 6500K WHITE	VT-1277-N	18W	1850	28x1200	25
216265 - 3000K WARM WHITE 216309 - 4000K DAY WHITE 216310 - 6500K WHITE	VT-1577-N	20W	2100	28x1500	25

T8 GLASS TUBES




Holder	G13
Voltage/Frequency	AC:220-240V,50Hz
PF	>0.5 to >0.7
CRI	>80
Beam Angle	160°
On/off	>15,000
Body Type	Glass
Instant start	0-100% in < 1s



SKU	Model	Watts	Lumens	Size	Box Qty
7796 - 3000K WARM WHITE 7797 - 4000K DAY WHITE 7798 - 6500K WHITE	VT-6729	9W	850	28x600	25
2981 - 3000K WARM WHITE 2982 - 4000K DAY WHITE 2983 - 6500K WHITE	VT-1221	18W	1850	28x1200	25
7799 - 3000K WARM WHITE 7801 - 4000K DAY WHITE 7803 - 6500K WHITE	VT-1575	20W	2100	28x1500	25

T5 GLASS TUBES



Holder	G5
Voltage/Frequency	AC:220-240V,50Hz
PF	>0.7
CRI	>80
Beam Angle	160°
On/off	>15,000
Body Type	Glass
Instant start	0-100% in < 1s



SKU	Model	Watts	Lumens	Size	Box Qty
216318 - 4000K DAY WHITE 216319 - 6500K WHITE	VT-6005-N	8W	880	19x600	25
216320 - 4000K DAY WHITE 216321 - 6500K WHITE	VT-1225-N	16W	1760	19x1200	25



BATTEN FITTING WITH TUBES



Voltage/Frequency	AC:220-240V, 50Hz
PF	>0.5
CRI	>80
Beam Angle	160°
On/off	>15,000
Body Type	Iron+Nano Plastic



SKU	Model	Watts	Lumens	Size	Box Qty
23924 - 6500K WHITE	VT-12015	18W	1850	1225x45x50	20
23926 - 6500K WHITE	VT-12016	20W	2100	1520x45x50	20

SINGLE BATTEN FITTING



SKU	Model	Body Type	Size(mm)	Box Qty
6052	VT-16010	Iron	615x45x50	20
6054	VT-12020	Iron	1225x45x50	20

DOUBLE BATTEN FITTING




SKU	Model	Body Type	Size(mm)	Box Qty
6053	VT-16011	Iron	615x55x50	20
6055	VT-12021	Iron	1225x55x50	12
6057	VT-15021	Iron	1520x55x50	12

COMMERCIAL TUBES

Specialized LED tubes designed for use in the food industry. These cost-effective LED tubes are ideal for illuminating meat, bread, vegetables, seafood, or plant cultivation. Their unique light spectrum enhances the appearance of food in stores without distorting it inappropriately.

Holder	G13
Voltage/Frequency	AC:180-240V,50Hz
PF	>0.9
CRI	>95
Beam Angle	160°
On/off	>15,000
Body Type	Glass with PET
Instant start	0-100% in < 1s



T8 BAKERY TUBE



SKU	Model	Watts	Lumens	Size	Box Qty
6322	VT-1228-B	18W	1530	26x1200	25

T8 VEGETABLE TUBE



SKU	Model	Watts	Lumens	Size	Box Qty
6324	VT-1228-V	18W	1530	26x1200	25

T8 SEAFOOD TUBE



SKU	Model	Watts	Lumens	Size	Box Qty
6325	VT-1228-S	18W	1530	26x1200	25



**DOUBLE T8 NANO
PLASTIC TUBE**

Holder	G13
Voltage/Frequency	AC:200-240V,50Hz
PF	>0.9
CRI	>80
Beam Angle	160°
On/off	>15,000
Body Type	Nano Plastic
Instant start	0-100% in < 1s



SKU	Model	Watts	Lumens	Size	Box Qty
6313 - 4000K DAY WHITE	VT-6077	18W	2500	18.5x549	10

NEW




**HIGH LUMENS GRILL
FITTING | CCT 3IN1**

Voltage/Frequency	AC:220-240V, 50Hz
PF	>0.7
CRI	>80
Beam Angle	120°
On/off	>15,000
Body Type	Plastic



SKU	Model	Watts	Lumens	Size	Box Qty
24213 - 3IN1	VT-8310CCT	10W	1200	300x76x24	
24218 - 3IN1	VT-8320CCT	20W	2400	566x76x24	30
23680 - 3IN1	VT-8340CCT	40W	4800	1166x76x24	30
23681 - 3IN1	VT-8350CCT	50W	6000	1466x76x24	30
23682 - 3IN1	VT-8360CCT	60W	7200	1800x76x26	30

NEW



**HIGH LUMENS SLIM
GRILL FITTING**

Voltage/Frequency	AC:220-240V, 50Hz
PF	>0.7
CRI	>80
Beam Angle	120°
On/off	>15,000
Body Type	Plastic



SKU	Model	Watts	Lumens	Size	Box Qty
23783 - 3000K WARM WHITE 23784 - 4000K DAY WHITE 23785 - 6500K WHITE	VT-8310	10W	3000K-1000 4000K-1200 6500K-1200	300x76x24	30
23786 - 4000K DAY WHITE 23787 - 6500K WHITE	VT-8320	20W	2400	566x76x24	30
23788 - 3000K WARM WHITE 8048 - 4000K DAY WHITE 8049 - 6500K WHITE	VT-8340	40W	3000K-4300 4000K-4800 6500K-4800	1200x75x24	30
8050 - 4000K DAY WHITE 8054 - 6500K WHITE	VT-8350	50W	6000	1500x75x24	30
23713 - 4000K DAY WHITE 23714 - 6500K WHITE	VT-8-60-1	60W	7200	1800x76x26	30

LED BATTEN FITTINGS

Introducing our range of IP65-rated waterproof batten fittings. Built with a durable, air-tight body allowing it to resist jets of water and dust — an essential feature for outdoor lighting.

WATERPROOF FITTING-X SERIES



- AC:220-240V,50/60Hz

- 120° Beam Angle

- >0.9 PF

- >80 CRi

- PC+ABS Body

- 20,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
10223 - 4000K DAY WHITE	VT-1254	48W	5760	1500x64x60	12



EMERGENCY & SENSOR WATERPROOF FITTING



- AC:200-240V, 50/60Hz

 - 120° Beam Angle

 - >0.9 PF

 - >80 CRi

 - PC Body

 - 20,000 hr lifespan
- Emergency

 - 9.6V, Ni-Cd 2200mAh Battery

 - Charging Time: 24 Hours


 - Working Time: 3 Hours

 - Sensor

 - Sensor Type: Microwave

 - Detection Distance: 4-10 Meters

 - Time Delay: 5s/1 min/3 min/10 min



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
24012 - 6500K WHITE	VT-120137E	36W Emergency	4320	1200x78x72	12
24014 - 6500K WHITE	VT-150149E	48W Emergency	5760	1500x78x72	12
24013 - 4000K DAY WHITE 24016 - 6500K WHITE	VT-120137S	36W Sensor	4320	1200x78x72	12
24015 - 4000K DAY WHITE 24017 - 6500K WHITE	VT-150149S	48W Sensor	5760	1500x78x72	12

WATERPROOF FITTING-LINKABLE SERIES



AC:220-240V,50/60Hz


120° Beam Angle

>0.7 to >0.9 PF

>80 CRI

PC Body

25,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)
23087 - 4000K DAY WHITE 23088 - 6500K WHITE	VT-80060	18W	1900	600x59x47
23083 - 4000K DAY WHITE 23084 - 6500K WHITE	VT-80120	36W	3900	1200x59x47
23085 - 4000K DAY WHITE 23086 - 6500K WHITE	VT-80150	48W	5200	1500x59x47

WATERPROOF FITTING WITH TUBES



AC:200-240V,50/60Hz


120° Beam Angle

>0.5 to >0.7 PF

>80 CRI

Plastic+ABS Body

20,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
6459 - 4000K DAY WHITE 6460 - 6400K WHITE	VT-12028	18W Single Tube	1700	1276x68x58	16
6462 - 6400K WHITE	VT-15028	22W Single Tube	2000	1576x68x58	16
6387 - 4000K DAY WHITE 6399 - 6400K WHITE	VT-12023	36W Double Tube	3400	1276x96x58	10
6388 - 4000K DAY WHITE 6400 - 6400K WHITE	VT-15022	44W Double Tube	4000	1576x96x58	10

WATERPROOF FITTING-G SERIES



- AC:220-240V,50/60Hz


- 120° Beam Angle

- >0.7 to >0.9 PF

- >80 CRi

- PC Body

- 25,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
216283 - 4000K DAY WHITE 216282 - 6500K WHITE	VT-6076-N	18W	2160	600x66x58	12
216285 - 4500K DAY WHITE 216284 - 6400K WHITE	VT-1249-N	36W	4320	1200x65x58	12
216287 - 4500K DAY WHITE 216286 - 6400K WHITE	VT-1574-N	48W	5760	1500x65x58	12

HERMETIC FITTINGS



Hermetic fitting (tubes not included) is easy to install, yet provide praiseworthy protection from dampness and rainfall making it suitable for indoor and outdoor lighting.

SKU	Model	Body Type	Size(mm)	Box Qty
6709	VT-12023-N	Plastic+ABS	1576x68x58	16



V-TAC
Meaningful Innovation.

LED HIGHBAY LIGHTS

V-TAC's new UFO and Linear Highbays are designed for widespread, efficient illumination and resistance to harsh conditions. The UFO highbays, powered with Meanwell drivers for performance, are encased in a sturdy, IP65 rated body to ensure endurance. Two beam angle options available for even light distribution.

NEW HIGH LUMEN LED UFO-HIGHBAY | WATTS CHANGEABLE



AC:220-240V, 50/60Hz


90° Beam Angle

>0.9 PF

>80 CRI

Aluminium Body

50,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23736 - 4000K DAY WHITE 23737 - 5000K WHITE 23738 - 6500K WHITE	VT-9-154	150/120/80W	27000	250x110mm	1
23739 - 5000K WHITE 24361 - 6500K WHITE	VT-9-212	200W	42000	280x118mm	1

NEW



EMERGENCY KIT

- Operation Time: 2 Hrs
- LiFePO4 3.2V, 6.0Ah Battery
- Charging Time: 24 Hrs

SKU	Box Qty
23740	10

NEW



ADJUSTABLE STEEL BRACKET

SKU	Box Qty
23744	50

NEW



60° LENS

SKU	Box Qty
23751	40

NEW



110° LENS

SKU	Box Qty
23750	40

NEW



DIMMABLE MICROWAVE SENSOR

- DC:12V
- 0-10V Dimmable
- >3m/9 feet Detection

SKU	Box Qty
23741	100

NEW



DIMMABLE PIR SENSOR

- DC:12V
- 0-10V Dimmable

SKU	Box Qty
23742	100

NEW




REMOTE CONTROL FOR SENSORS

SKU	Box Qty
23743	50

NEW

HIGH LUMEN UFO HIGHBAY | 155LM/W



AC:220-240V, 50/60Hz

90° Beam Angle

>0.9 PF

>70 CRI

Aluminium Body

25,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
24075 - 4000K DAY WHITE 24074 - 6500K WHITE	VT-91102	100W	15500	208x96mm	1
24077 - 4000K DAY WHITE 24076 - 6500K WHITE	VT-91152	150W	23250	248x96mm	1
24079 - 4000K DAY WHITE 24078 - 6500K WHITE	VT-91202	200W	31000	288x96mm	1

HIGH LUMEN LED UFO HIGHBAY 3IN1



AC:100-277V, 50/60Hz


120° Beam Angle

>0.9 PF

>80 CRI

Die Cast Aluminium Body

25,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
10467 - 3IN1	VT-90202	120W 150W 200W	27000	320x125	1

HIGH LUMEN LED UFO HIGHBAY MEANWELL DRIVER



AC:175-265V, 50/60Hz

100° Beam Angle

>0.9 PF


>70 CRI

Aluminium Body

25,000 hr lifespan

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
7655 - 4000K DAY WHITE	VT-9119	100W	18500	233x161mm	1
7656 - 4000K DAY WHITE 7657 - 6500K WHITE	VT-9219	200W	37000	305x221mm	1
11361	Remote Control				

LED HIGHBAY LIGHTS 3IN1



AC:220-240V,50/60Hz

90° Beam Angle

>0.9 PF


>80 CRI

Aluminium Body

20,000 hr lifespan

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23622 - 3IN1	VT-91100CCT	100W	8300	∅235x32x68mm	10
23623 - 3IN1	VT-91150CCT	150W	12300	∅277x32x68mm	10

NEW LED LINEAR HIGHBAY



AC:220-240V,50/60Hz

115° Beam Angle

>0.9 PF

>70 CRI

Aluminium Body


25,000 hr lifespan

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
7892 - 4000K DAY WHITE 7893 - 6500K WHITE	VT-91100	100W	8700	510x97x53.2	1

LED STREET LIGHTS

LED street lights are specifically designed to illuminate streets, roads, highways and other public areas. They have become increasingly popular in recent years thanks to the numerous advantages they have over traditional incandescent and fluorescent lights. Here are some key characteristics and benefits of LED street lights:

NEW LED SLIM STREETLIGHTS



AC:120-240V,50/60Hz

90° Beam Angle

>0.9 PF


>70 CRI

25,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23831 - 4000K DAY WHITE 23832 - 6500K WHITE	VT-35ST	30W	4050	368x136x92	8
23833 - 4000K DAY WHITE 23834 - 6500K WHITE	VT-106ST	100W	13500	514x173x92	4
23835 - 4000K DAY WHITE 23836 - 6500K WHITE	VT-155ST	150W	20250	577x195x92	4

LED SLIM STREETLIGHTS



AC:220-240V,50/60Hz

115° Beam Angle

>0.9 PF


>70 CRI

25,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
7886 - 4000K DAY WHITE 7887 - 6500K WHITE	VT-150030ST	30W	2505	333x138.4x92	1
7888 - 4000K DAY WHITE 7889 - 6500K WHITE	VT-150050ST	50W	4270	386.5x149.4x92	1
7890 - 4000K DAY WHITE 7891 - 6500K WHITE	VT-150100ST	100W	8700	480x179.4x92	1

LED SLIM STREETLIGHTS



AC:220-240V,50/60Hz

110° Beam Angle

>0.9 PF

>70 CRI

25,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
10206 - 4000K DAY WHITE 10207 - 6500K WHITE	VT-15035ST	30W	2510	266x129x37	30
10208 - 4000K DAY WHITE 10209 - 6500K WHITE	VT-15057ST	50W	4270	306x150x37	24
10210 - 4000K DAY WHITE 10211 - 6500K WHITE	VT-15110ST	100W	8700	437x200x40	12



LED STRIP LIGHTS

Add an extensive array of lights and colors to any setting, rejuvenate and transform the ambience of any environment at the flick of a switch with V-TAC's LED Strip Light Series. Easy installation with minimal space required makes this the right choice for Restaurants, Auditoriums, Meeting Rooms etc.

INDOOR STRIP LIGHTS

Indoor strip lights are a versatile and popular lighting solution used to enhance the ambiance, aesthetics, and functionality of indoor spaces. Indoor strip lights come in various colors, lengths, and styles, making them suitable for a wide range of applications in residential and commercial settings. These indoor strip lights comes with an IP20 rating.



MAGIC STRIP SET-5050 60 LEDs



AC:100-240V, 50/60Hz	SMD LED
60 LEDs/m	120° :BA
IP20 Rating	10 mm Width



SKU	Model	Watts/m
23145 - RGB	VT-5050-60-24V-M	13W

BED LIGHTS-PIR SENSOR



DC:12V	SMD LED
30 LEDs/m	120° :BA
IP20 Rating	1.2 x1 mm Width
25 Box Qty	



SKU	Model	Watts/m	Lumen/m	Lumen/LED
212549 - 4000K DAY WHITE	VT-8067-N	3W	260lm	LM

STRIP SET-5050 300 LEDs



AC:100-240V, 50/60Hz	SMD LED
30 LEDs/m	0.4A /m
IP20 Rating	120° :BA
20 Box Qty	10 mm Width




SKU	Model	Watts/m	Lumen/m	Lumen/LED
2630 - RGB	VT-5050-300-EU-Plug	4.8W	500lm	14-16lm

STRIP SETS-5050 60 LEDS



AC:100-265V,50/60Hz	SMD LED
60 LEDs/m	0.92A /M
IP20 Rating	120° :BA
20 Box Qty	10 mm Width



SKU	Model	Watts	Lumen/M	Lumen/LED
212546 - 6000K WHITE	VT-5050-60-Set-N-BS-Plug	11W	1000lm	14-16lm
212558 - RGB	VT-5050-60-RGB-EU-Plug	7W	1000lm	14-16lm

STRIP-2835 60 LEDS



DC:12V	SMD LED
60 LEDs/m	0.3A /m
IP20 Rating	120° :BA
400 m Box Qty	6 mm Width



SKU	Model	Watts/m	Lumen/m	Lumen/LED
212559 - 3000K WARM WHITE 212560 - 4000K DAY WHITE 212561 - 6500K WHITE	VT-2835-60 -N	4.2W	420lm	6-7lm



STRIP LIGHTS 2835 120L ULTRA LONG



DC:24V	SMD LED
120 LEDs/m	0.34A /M
IP20 Rating	120° :BA
50 Box Qty	10 mm Width



SKU	Model	Watts	Lumen/M	Lumen/LED
24320 - 3000K WARM WHITE 24321 - 4000K DAY WHITE 24323 - 6500K WHITE	VT-2835-120L-24V	8W	785lm	24-26lm
23024 - 3000K WARM WHITE 23025 - 4000K DAY WHITE 23026 - 6500K WHITE	VT-2835-120-24V	8W	800lm	20-22lm

STRIP LIGHTS 2835 240 DOUBLE PCB




DC:24V	SMD LED
240 LEDs/m	120° :BA
IP20 Rating	15 mm Width
400 m Box Qty	

5
METER ROLL

IP20
RATING

SKU	Model	Watts/m	Lumen/m
10554 - 3IN1	VT-2835 240-24V	21W	1100lm - 3000K 2340lm - 4000K 1200lm - 6500K

STRIP LIGHTS 2835 120 RUNNING STRIP 24V



DC:24V	SMD LED
120 LEDs/m	120° :BA
IP20 Rating	8 mm Width
800 m Box Qty	

10
METER ROLL

IP20
RATING

SKU	Model	Watts	Lumen/M
23607 - 3000K WARM WHITE 23608 - 4000K DAY WHITE 23609 - 6500K WHITE	VT-2835 120 24V	10W	800lm

STRIP LIGHTS 2835 120 DOUBLE PCB



DC:24V	SMD LED
120 LEDs/m	0.6A /m
IP20 Rating	120° :BA
800 m Box Qty	10 mm Width

10
METER ROLL

IP20
RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
212622 - 3000K WARM WHITE 212623 - 4000K DAY WHITE 212624 - 6500K WHITE	VT-2835 120-N	8W	750lm	6-7lm

STRIP LIGHTS-3535 120 DOUBLE PCB



DC:24V	SMD LED
120 LEDs/m	120° :BA
IP20 Rating	8 mm Width
400 m Box Qty	

5
METER ROLL

IP20
RATING

SKU	Model	Watts/m
10556 - RGB	VT-3535-120-24V	12W

LED STRIP-2835 48 LEDS



DC:24V	SMD LED
48 LEDs/m	170° :BA
IP20 Rating	11 mm Width
240 Box Qty	

5
METER
ROLL

IP20
RATING

SKU	Model	Watts	Lumen/M
23334 - 3000K WARM WHITE 23335 - 4000K DAY WHITE 23336 - 6500K WHITE	VT-2835 48	16.5W	1320lm

LED STRIP-2835 126 LEDS -HIGH LUMEN



DC:24V	SMD LED
126 LEDs/m	0.33A /m
IP20 Rating	120° :BA
400 m Box Qty	10 mm Width

150
LUMEN/W
EFFICIENCY

5
METER
ROLL

IP20
RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
212593 - 3000K WARM WHITE 212594 - 4000K DAY WHITE 212595 - 6500K WHITE	VT-2835-126-24V-N	8W	1100lm	8-9lm

LED STRIP-4040-60



DC:12V	SMD LED
60 LEDs/m	0.66A /m
IP20 Rating	120° :BA
400 m Box Qty	8 mm Width

REAL COLOR SERIES
CRI >80

5
METER
ROLL

IP20
RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
2931 - 3000K WARM WHITE 2932 - 4000K DAY WHITE 2933 - 6400K WHITE	VT-4040-60	8W	800lm	13-14lm

LED STRIP-2835 168 LEDS-HIGH LUMEN



DC:24V	SMD LED
168 LEDs/m	0.45A /m
IP20 Rating	120° :BA
400 m Box Qty	10 mm Width

150
LUMEN/W
EFFICIENCY

5
METER
ROLL


IP20
RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
212596 - 3000K WARM WHITE 212597 - 4000K DAY WHITE 212598 - 6500K WHITE	VT-2835-168-24V-N	12W	1680lm	10-11lm

STRIP LIGHT-5050 RGB + CCT 5IN1



DC:24V	SMD LED
60 LEDs/m	0.58A /m
IP20 Rating	120° :BA
400 m Box Qty	12 mm Width




SKU	Model	Watts/m	Lumen/m	Lumen/LED
2895 - RGB+CCT	VT-5050-60-24V-CCT	24W	1400lm	23-24lm

STRIP LIGHTS 2835 - CCT 3IN1



DC:24V	SMD LED
120 LEDs/m	0.6A /M
IP20 Rating	120° :BA
400 m Box Qty	10 mm Width




SKU	Model	Watts	Lumen/M	Lumen/LED
2897 -3IN1	VT-2835-120--24V	14W	1750lm	14-15lm

LED STRIP-2835 238 LEDS-HIGH LUMEN



DC:24V	SMD LED
238 LEDs/m	0.7A /m
IP20 Rating	120° :BA
400 m Box Qty	10 mm Width




SKU	Model	Watts/m	Lumen/m	Lumen/LED
212599 - 3000K WARM WHITE 212600 - 4000K DAY WHITE 212601 - 6500K WHITE	VT-2835-238-24V-N	18W	2430lm	10-11lm

LED STRIP LIGHTS-2835 204 LEDS



DC:12V	SMD LED
204 LEDs/m	1.5A /m
IP20 Rating	120° :BA
400 m Box Qty	10 mm Width



SKU	Model	Watts/m	Lumen/m	Lumen/LED
212461 - 3000K WARM WHITE 212462 - 4000K DAY WHITE 212463 - 6500K WHITE	VT-2835-204-N	17W	1700lm	8-9lm

LED STRIP-2835 128 LEDS



DC:24V	SMD LED
128 LEDs/m	0.37A /m
IP20 Rating	120° :BA
400 m Box Qty	4 mm Width

5
METER
ROLL

IP20
RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
2906 - 3000K WARM WHITE 2907 - 4000K DAY WHITE 2908 - 6400K WHITE	VT-2835-128-24V	WW-8.5W/ DW- 8.5W/W-9W	1150lm 1200lm 1260lm	9-10lm

STRIP LIGHTS 2835 90-HIGH LUMEN



DC:24V	SMD LED
90 LEDs/m	0.16A /m
IP20 Rating	120° :BA
400 m Box Qty	10 mm Width

200
LUMEN/W

5
METER
ROLL

IP20
RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
2697 - 4000K DAY WHITE 2698 - 6400K WHITE	VT-2835-90	4W	800lm	10-11lm

LED STRIP LIGHTS-2835 240 LEDS-HIGH LUMEN



DC:12V	1.66A /m
240 LEDs/m	120° :BA
IP20 Rating	10 mm Width
400 m Box Qty	

5
METER
ROLL

IP20
RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
212164 - 3000K WARM WHITE 212165 - 4000K DAY WHITE 212166 - 6500K WHITE	VT-2835-240-N	20W	2000lm	8-9lm

LED STRIP LIGHTS-5730 120 LEDS-HIGH LUMEN



DC:12V	1.66A /m
120 LEDs/m	120° :BA
IP20 Rating	10 mm Width
400 m Box Qty	

5
METER
ROLL

IP20
RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
212162 - 3000K WARM WHITE 212163 - 4000K DAY WHITE 212161 - 6500K WHITE	VT-5730-120-N	20W	2000lm	16-17lm

STRIP LIGHTS 2110 700



DC:24V	SMD LED
700 LEDs/m	0.875A /m
IP20 Rating	120° :BA
400 m Box Qty	12 mm Width




SKU	Model	Watts/m	Lumen/m	Lumen/LED
2603 - 4000K DAY WHITE 2604 - 6400K WHITE	VT-2110 700	21W	2000lm	8-10lm
212602 - 3000K WARM WHITE	VT-2110 700-N	22W	2100lm	6-8lm

STRIP-2216 360 LEDS



DC:24V	SMD LED
360 LEDs/m	1.25A /m
IP20 Rating	120° :BA
250 m Box Qty	10 mm Width




SKU	Model	Watts/m	Lumen/m	Lumen/LED
2582 - 6000K WHITE	VT-2216 360	30W	2400lm	6-7lm

COB STRIP LIGHTS IP20



DC:24V	0.42A /m
280 LEDs/m	120° :BA
IP20 Rating	8 mm Width
400 m Box Qty	



SKU	Model	Watts/m	Lumen/m	Lumen/LED
212652 - 3000K WARM WHITE 212653 - 4000K DAY WHITE 212654 - 6500K WHITE	VT-COB-280-N	10W	950lm	3-4lm

COB STRIP LIGHTS IP20



DC:24V	COB LED
320 LEDs/m	120° :BA
IP20 Rating	8 mm Width



SKU	Model	Watts/m	Lumen/m
6862 - 3000K WARM WHITE 6863 - 4000K DAY WHITE	VT-COB-320 -24V	10.5W	1050lm

COB STRIP LIGHTS IP20

DC:24V	COB LED
420 LEDs/m	0.42A /m
IP20 Rating	120° :BA
400 m Box Qty	10 mm Width



SKU	Model	Watts/m	Lumen/m	Lumen/LED
2669 - 6400K WHITE	VT-COB-421	10W/M	1000	2-3lm
212667 - 3000K WARM WHITE	VT-COB-421-N	10W	960lm	2-3lm


COB STRIP LIGHTS IP20

DC:24V	COB LED
512 LEDs/m	0.5A /m
IP20 Rating	120° :BA
400 m Box Qty	10 mm Width



SKU	Model	Watts/m	Lumen/m	Lumen/LED
2650 - 4000K DAY WHITE 2651 - 6000K WHITE	VT-512	12W	1000lm	2-3lm
212649 - 3000K WARM WHITE	VT-512-N	13W	1050lm	2-3lm
212651 - 6500K WHITE				

COB STRIP LIGHTS IP20



DC:24V	COB LED
560 LEDs/m	120° :BA
IP20 Rating	8 mm Width
400 Box Qty	

SKU	Model	Watts/m	Lumen/m
10555 - 3IN1	VT-COB 560-CCT	2700K - 9W 4000K - 18W 6500K - 9W	500lm - 2700K 1135lm - 4000K 700lm - 6500K

COB STRIP LIGHTS IP20



DC:24V	COB LED
672 LEDs/m	120° :BA
IP20 Rating	10 mm Width
400 m Box Qty	



SKU	Model	Watts/m
2880 - RGB	VT-COB 422	13W/M

LED STRIP LIGHTS-3528 60 LEDs



DC:12V	SMD LED
60 LEDs/m	0.3A /m
IP20 Rating	120° :BA
400 m Box Qty	8 mm Width



SKU	Model	Watts/m	Lumen/m	Lumen/LED
212016 - 3000K WARM WHITE 212041 - 4000K DAY WHITE 212005 - 6500K WHITE 212015 - RED 212013 - BLUE 212011 - GREEN 212009 - YELLOW	VT-3528 -60-N	4.2W	420lm	7-8lm

LED STRIP LIGHTS-3528 120 LEDs



DC:12V	0.66A /m
120 LEDs/m	120° :BA
IP20 Rating	8 mm Width
400 m Box Qty	



SKU	Model	Watts/m	Lumen/m	Lumen/LED
212025 - 3000K WARM WHITE 212042 - 4000K DAY WHITE 212002 - 6500K WHITE	VT-3528 120-N	8W	800lm	6-7lm

LED STRIP LIGHTS-5050 30 LEDs



DC:12V	SMD LED
30 LEDs/m	0.4A /m
IP20 Rating	120° :BA
400 m Box Qty	10 mm Width



SKU	Model	Watts/m	Lumen/m	Lumen/LED
212135 - 3000K WARM WHITE 212133 - 6500K WHITE 212124 - RGB	VT-5050 30-N	6W	500lm	16-17lm

LED STRIP LIGHTS-5050 60 LEDS



DC:12V	SMD LED
60 LEDs/m	0.9A /m
IP20 Rating	120° :BA
400 m Box Qty	10 mm Width



SKU	Model	Watts/m	Lumen/m	Lumen/LED
212122 - 3000K WARM WHITE 212143 - 4000K DAY WHITE 212126 - 6400K WHITE 212120 - RGB 212128 - RED 212137 - BLUE 212138 - GREEN 212156 - YELLOW 212547 - 2200K WARM WHITE	VT-5050-60-N	10.8W	900lm	14-15lm

LED STRIP LIGHTS-5050 60 LEDS



DC:12V	0.66A /m
60 LEDs/m	120° :BA
IP20 Rating	10 mm Width
400 m Box Qty	



SKU	Model	Watts/m	Lumen/m	Lumen/LED
212159 - RGB+6500K 212552 - RGB+4000K 212553 - RGB+3000K	VT-5050-60-RGBW-N	8W	357lm	5-6lm

LED STRIP LIGHTS-5050 60 LEDS



DC:24V	SMD LED
60 LEDs/m	0.3A /m
IP20 Rating	120° :BA
200 m Box Qty	10 mm Width



SKU	Model	Watts/m	Lumen/m	Lumen/LED
212431 - 3000K WARM WHITE 212459 - 4000K DAY WHITE 212430 - 6500K WHITE 212591 - RGB	VT-5050-60-24V-N-5m	10W	830lm	13-14lm

LED STRIP LIGHTS-5050 60 LEDS



DC:24V	SMD LED
60 LEDs/m	0.29A /M
IP20 Rating	120° :BA
400 m Box Qty	10 mm Width



SKU	Model	Watts	Lumen/M	Lumen/LED
212592 - RGB	VT-5050-60-24V-N	7W	140lm	2-3lm

NEW MAGIC NEON FLEX IP20-RGB



DC:5V	SMD LED
30 LEDs/m	0.6A /M
IP20 Rating	120° :BA
20 Box Qty	



SKU	Model	Watts	Lumen/M	Lumen/LED
24050 - RGB	VT-562	3W	NA	NA

NEW NEON FLEX IP65




DC:24V	SMD LED
288 LEDs/m	0.38A /M
IP65 Rating	120° :BA
400 Box Qty	6.5 mm Width



SKU	Model	Watts	Lumen/M	Lumen/LED
24329 - 3000K WARM WHITE 24330 - 4000K DAY WHITE 24322 - 6500K WHITE	VT-564	9W	755lm	45-50lm

NEON FLEX IP65



DC:24V	SMD LED
240 LEDs/m	360° :BA
IP65 Rating	25 mm Width
20 Box Qty	



SKU	Model	Watts
6869 - 4000K DAY WHITE 6870 - 6500K WHITE 6873 - AMBER 6872 - BLUE 6871 - GREEN 6874 - PINK	VT-551	12W

NEON FLEX IP65



DC:24V	SMD LED
192 LEDs/m	360° :BA
IP65 Rating	25 mm Width
10 Box Qty	



SKU	Model	Watts
6876 - RGB MAGIC	VT-561-M	24W

WEATHERPROOF STRIP LIGHTS

Outdoor strip lights are a versatile and effective lighting solution designed specifically for outdoor use. These flexible and weather-resistant lighting fixtures have gained popularity for their ability to enhance the aesthetics, safety, and functionality of outdoor spaces. One of the most crucial aspects of outdoor strip lights is their ability to withstand various weather conditions. They are typically designed with a high level of weather resistance, often carrying IP ratings like IP65 or higher. This ensures they can endure rain, snow, wind, and exposure to the sun without being damaged.



WP-MAGIC STRIP SET-5050 60 LEDS



AC:100-240V, 50/60Hz	SMD LED
60 LEDs/m	120° :BA
IP65 Rating	10 mm Width



SKU	Model	Watts/m
23146 - RGB	VT-5050 60--60-24V	13W

WP-STRIP-2835-SENSOR



DC:6V	SMD 2835 LED
30 LEDs/m	120° :BA
IP65 Rating	1 m mm Width
50 Box Qty	



SKU	Model	Watts/m	Lumen/m	Lumen/LED
2573 - 2700K WARM WHITE	VT-8082	2.4W	200lm	5-6lm
212574 - 4000K DAY WHITE	VT-8082-N	2.4W	200lm	5-6lm

WP-STRIP LIGHTS 2835 60 DOUBLE PCB



DC:12V	SMD LED
60 LEDs/m	120° :BA
IP65 Rating	8 mm Width
150 m Box Qty	

30
METER
ROLL

IP65
RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
6855 - 3000K WARM WHITE 6856 - 4000K DAY WHITE	VT-2835-60-12V	4W	420lm	18-20lm

WP-STRIP LIGHTS 2835 60 DOUBLE PCB



DC:24V	SMD LED
60 LEDs/m	120° :BA
IP65 Rating	8 mm Width
150 m Box Qty	

30
METER
ROLL

IP65
RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
6857 - 3000K WARM WHITE 6858 - 4000K DAY WHITE	VT-2835-60-24V	4W	420lm	18-20lm

WP-STRIP LIGHTS 2835 120 DOUBLE PCB



DC:24V	SMD LED
120 LEDs/m	0.6A /m
IP65 Rating	120° :BA
400 m Box Qty	10 mm Width

10
METER
ROLL

IP65
RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
212625 - 3000K WARM WHITE 212626 - 4000K DAY WHITE 212627 - 6500K WHITE	VT-2835 120-IP65-N	7.5W	750lm	6-7lm

WP-STRIP LIGHT-5050 RGB + CCT 5IN1



DC:24V	SMD LED
60 LEDs/m	0.58A /m
IP20 Rating	120° :BA
200 m Box Qty	12 mm Width

5
METER
ROLL

5IN1
RGB
3000K
4000K
6400K

IP65
RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
2896 -5IN1	VT-5050-60-RGB	14W	1400lm	23-24lm

WP-STRIP LIGHTS 2835 - CCT



DC:24V	SMD LED
120 LEDs/m	0.6A /m
IP65 Rating	120° :BA
200 m Box Qty	10 mm Width



SKU	Model	Watts/m	Lumen/m	Lumen/LED
2898 - 3IN1	VT-2835-120-IP65	14.5W	1750lm	14-15lm

WP-COB STRIP LIGHTS IP65



DC:12V	COB LED
320 LEDs/m	120° :BA
IP65 Rating	8 mm Width




SKU	Model	Watts/m	Lumen/m
6864 - 3000K WARM WHITE 6865 - 4000K DAY WHITE	VT-COB-320 -12V	10W	1200lm

WP-COB STRIP LIGHTS IP65



DC:24V	COB LED
320 LEDs/m	120° :BA
IP65 Rating	8 mm Width




SKU	Model	Watts/m	Lumen/m
6866 - 3000K WARM WHITE 6867 - 4000K DAY WHITE	VT-COB -320-24V	10.5W	1050lm

WP-COB STRIP LIGHTS IP67



DC:24V	COB LED
320 LEDs/m	120° :BA
IP67 Rating	8 mm Width



SKU	Model	Watts/m	Lumen/m
23138 - 3000K WARM WHITE 23139 - 4000K DAY WHITE 23140 - 6500K WHITE 23141 - RED 23142 - BLUE 23143 - GREEN 23144 - AMBER	VT-COB-320 -24V-IP67	10W	840lm

NEW

WP-LED STRIP LIGHTS-2025 286 LEDS 220V



AC:220-240V, 50/60Hz	SMD LED
286 LEDs/m	0.052A /M
IP65 Rating	120° :BA
100 Box Qty	8 mm Width



SKU	Model	Watts	Lumen/M
23715 - 3000K WARM WHITE 23716 - 4000K DAY WHITE 23717 - 6500K WHITE	VT-2025 286-5M Roll	12.5W	1100lm
23718 - 3000K WARM WHITE 23719 - 4000K DAY WHITE 23720 - 6500K WHITE	VT-2025 286-10M Roll	12.5W	1100lm
23721 - 3000K WARM WHITE 23722 - 4000K DAY WHITE 23723 - 6500K WHITE	VT-2025 286-50M Roll	12.5W	1100lm

NEW

WP-LED STRIP LIGHTS-2835 121 LEDS 220V



AC:220-240V, 50/60Hz	SMD LED
121 LEDs/m	0.044A /M
IP65 Rating	120° :BA
100 Box Qty	8 mm Width



SKU	Model	Watts	Lumen/M
23727 - 3000K WARM WHITE 23728 - 4000K DAY WHITE 23729 - 6500K WHITE 23724 - RED 23725 - BLUE 23726 - GREEN	VT-2835 121-10M Roll	10.5W	1000lm
23733 - 3000K WARM WHITE 23734 - 4000K DAY WHITE 23735 - 6500K WHITE 23730 - RED 23731 - BLUE 23732 - GREEN	VT-2835 121-50M Roll	10.5W	1000lm

WP-LED STRIP LIGHTS-3528 60 LEDS



DC:12V	SMD LED
60 LEDs/m	0.3A /m
IP65 Rating	120° :BA
400 m Box Qty	8 mm Width



SKU	Model	Watts/m	Lumen/m	Lumen/LED
212032 - 3000K WARM WHITE 212043 - 4000K DAY WHITE 212031 - 6500K WHITE 212036 - RED 212035 - BLUE 212034 - GREEN	VT-352-60-N	5W	420lm	7-8lm

WP-LED STRIP LIGHTS-3528 120 LEDS



DC:12V	0.66A /m
120 LEDs/m	120° :BA
IP65 Rating	9.2 mm Width
400 m Box Qty	



SKU	Model	Watts/m	Lumen/m	Lumen/LED
212038 - 3000K WARM WHITE 212044 - 4000K DAY WHITE 212037 - 6500K WHITE	VT-3528-120-N	8W	800lm	6-7lm

WP-LED STRIP LIGHTS-5050 30 LEDS



DC:12V	SMD LED
30 LEDs/m	0.4A /M
IP65 Rating	120° :BA
400 m Box Qty	10 mm Width



SKU	Model	Watts	Lumen/M	Lumen/LED
2144 - 6000K WHITE	VT-5050-30	4.8W	500lm	14 -16lm
212144 - 6500K WHITE	VT-5050-30-12V	6W	500lm	19-22lm
212460 - 4000K DAY WHITE 212145 - 3000K WARM WHITE 212118 - RGB	VT-5050-30-N	6W - 3000K 4.8W - 4000K 4W - RGB	500lm-3000K 500lm-4000K 70lm-RGB	14 -16lm

WP-LED STRIP LIGHTS-5050 60 LEDS



DC:12V	0.9A /M
60 LEDs/m	120° :BA
IP65 Rating	11.4 mm Width
400 m Box Qty	



SKU	Model	Watts	Lumen/M	Lumen/LED
212149 - 3000K WARM WHITE 212150 - 4000K DAY WHITE 212148 - 6500K WHITE 212155 - RGB	VT-5050 60-N	11W	900lm	14-15lm

WP-TAPE-5050 60 LEDS



DC:24V	SMD LED
60 LEDs/m	0.375A /m
IP65 Rating	120° :BA
200 m Box Qty	10 mm Width



SKU	Model	Watts/m	Lumen/m	Lumen/LED
212562 - 3000K WARM WHITE 212563 - 4000K DAY WHITE 212564 - 6500K WHITE	VT-5050 60-24V-N	10W	830lm	13-14lm

WP-NEON FLEX IP68



DC:24V	SMD LED
126 LEDs/m	0.27A /m
IP68 Rating	120° :BA
50 m Box Qty	8 mm Width

10
METER ROLL

IP68
RATING

SKU	Model	Watts/m	Lumen/m
2614 - 6400K WHITE	VT-554	6.5W	260lm

WP-NEON FLEX SILICON COVER



DC:24V	SMD LED
238 LEDs/m	0.34A /m
IP65 Rating	120° :BA
200 m Box Qty	4 mm Width

5
METER ROLL

IP65
RATING

SKU	Model	Watts/m	Lumen/m
2621 - 6000K WHITE	VT-560	8W	530lm

WP-NEON FLEX-RED



DC:24V	SMD LED
120 LEDs/m	160° :BA
IP65 Rating	9x16.5 mm Width
50 m Box Qty	

10
METER ROLL

IP65
RATING

SKU	Model	Watts/m	Lumen/m
2516 - RED	VT-555R	8W	320

WP-BACKLITE SILICON NEON FLEX




DC:24V	SMD LED
120 LEDs/m	120° :BA
IP65 Rating	8 mm Width
200 m Box Qty	

10
METER ROLL

IP65
RATING

SKU	Model	Watts/m	Lumen/m
2569 - 4000K DAY WHITE	VT-559	13W	1000

BAR 4014 144 LEDS



DC:12V	SMD LED
IP20 Rating	1.5A /m
125 Box Qty	1 mm Height

SKU	Model	Watts/m	Lumen/m	Lumen/LED	
2538 - 3000K WARM WHITE	VT-4014 144-10Pc	18W	1700lm	20-24lm	10 PCS PACK

STRIP CONNECTORS




SKU	Model	Box Qty
2587	Flexible Connector - LED Strip 5050 RGB+White	2500
2588	Flexible Connector - 5050 RGB+White With Pin	2000
2589	Connector - LED Strip 5050 RGB+White	3000
3500	Flexible Connector - LED Strip 3528	100
3501	Flexible Connector - LED Strip 5050	100
3502	Flexible Connector - LED Strip 5050 RGB	100
3503	Connector - LED Strip 3528	100
3504	Connector - LED Strip 5050	1000
3505	Connector - LED Strip 5050 RGB	1000
3507	Flexible Connector - LED Strip 3528 DC Female	100
3508	Flexible Connector - LED Strip 5050 DC Female	100
3512	Connector - LED Strip DC Female	100



NEW

MOUNTING KIT SILVER WITH DIFFUSER




Model	SKU	Size(mm)	Color	Box Qty
VT-71001	24100	2000x39.8x9.8	Silver	40



NEW

MOUNTING KIT SILVER WITH DIFFUSER




Model	SKU	Size(mm)	Color	Box Qty
VT-71002	24101	2000x55.01x9.8	Silver	40



NEW

MOUNTING KIT SILVER WITH DIFFUSER




Model	SKU	Size(mm)	Color	Box Qty
VT-71003	24102	2000x49.8x9.8	Silver	40



NEW

MOUNTING KIT SILVER WITH DIFFUSER




Model	SKU	Size(mm)	Color	Box Qty
VT-71004	24103	2000x65.01x9.8	Silver	40



NEW

MOUNTING KIT SILVER WITH DIFFUSER




Model	SKU	Size(mm)	Color	Box Qty
VT-71005	24104	2000x17.7x13	Silver	50



NEW

MOUNTING KIT SILVER WITH DIFFUSER




Model	SKU	Size(mm)	Color	Box Qty
VT-71006	24105	2000x25.2x13	Silver	50



NEW

MOUNTING KIT SILVER WITH DIFFUSER




Model	SKU	Size(mm)	Color	Box Qty
VT-71007	24106	2000x24.01x10	Silver	50



NEW

MOUNTING KIT SILVER WITH DIFFUSER




Model	SKU	Size(mm)	Color	Box Qty
VT-71008	24107	2000x17x10	Silver	50



NEW

MOUNTING KIT SILVER WITH DIFFUSER




Model	SKU	Size(mm)	Color	Box Qty
VT-81129	24296	2000x14.8x10	Silver	100



NEW

MOUNTING KIT SILVER WITH DIFFUSER




Model	SKU	Size(mm)	Color	Box Qty
VT-81130	24297	2000x14.8x10	Silver	100



NEW

MOUNTING KIT SILVER WITH DIFFUSER




Model	SKU	Size(mm)	Color	Box Qty
VT-81131	24298	2000x12x10	Silver	100



NEW

MOUNTING KIT SILVER WITH DIFFUSER




Model	SKU	Size(mm)	Color	Box Qty
VT-81132	24299	2000x18x10	Silver	100



NEW

MOUNTING KIT SILVER WITH DIFFUSER




Model	SKU	Size(mm)	Color	Box Qty
VT-81133	24300	2000x13.2x7	Silver	100



NEW

MOUNTING KIT SILVER WITH DIFFUSER




Model	SKU	Size(mm)	Color	Box Qty
VT-81134	24301	2000x19.2x7	Silver	100




NEW

MOUNTING KIT SILVER WITH DIFFUSER




Model	SKU	Size(mm)	Color	Box Qty
VT-81135	24302	2000x30x30	Silver	50




NEW

MOUNTING KIT SILVER WITH DIFFUSER FLEXIBLE



Model	SKU	Size(mm)	Color	Box Qty
VT-81127	24215	2000x35.46x14.8	Silver	50



NEW


MOUNTING KIT SILVER WITH DIFFUSER FLEXIBLE

Model	SKU	Size(mm)	Color	Box Qty
VT-81128	24216	2000x38.05x18	Silver	40



MOUNTING KIT WITH BLACK DIFFUSER

Model	SKU	Size(mm)	Color	Box Qty
VT-8113	2873	2000x17.4x7	Black	box



MOUNTING KIT WITH BLACK DIFFUSER

Model	SKU	Size(mm)	Color	Box Qty
VT-8109	2874	2000x15.8x15.8	Black	box




MOUNTING KIT WITH BLACK DIFFUSER

Model	SKU	Size(mm)	Color	Box Qty
VT-8106	2875	2000x24.7x7	Black	box




MOUNTING KIT WITH BLACK DIFFUSER

Model	SKU	Size(mm)	Color	Box Qty
VT-8108	2876	2000x23.5x10	Black	box



MOUNTING KIT WITH BLACK DIFFUSER

Model	SKU	Size(mm)	Color	Box Qty
VT-8114	2877	2000x19x19	Black	box



MOUNTING KIT WITH BLACK DIFFUSER

Model	SKU	Size(mm)	Color	Box Qty
VT-8110	2878	2000x17.2x14.4	Black	box



MOUNTING KIT SILVER

Model	SKU	Size(mm)	Color	Box Qty
VT-8156	10320	2000x24.7x7	Silver	100




MOUNTING KIT SILVER

Model	SKU	Size(mm)	Color	Box Qty
VT-8157	10321	2000x17.4x7	Silver	100



MOUNTING KIT SILVER

Model	SKU	Size(mm)	Color	Box Qty
VT-8158	10322	2000x15.8x15.8	Silver	100



MOUNTING KIT SILVER

Model	SKU	Size(mm)	Color
VT-8201	23173	2000x55x15	Silver



MOUNTING KIT SILVER

Model	SKU	Size(mm)	Color
VT-8202	23174	2000x20x10	Silver




MOUNTING KIT SILVER

Model	SKU	Size(mm)	Color
VT-8203	23175	2000x20x10	Silver



MOUNTING KIT SILVER

Model	SKU	Size(mm)	Color
VT-8204-S	23176	2000x30x10	Silver



MOUNTING KIT SILVER

Model	SKU	Size(mm)	Color
VT-8204-R	23177	2000x30x10	Silver



MOUNTING KIT SILVER

Model	SKU	Size(mm)	Color
VT-8206-S	23178	2000x50x20	Silver




MOUNTING KIT SILVER

Model	SKU	Size(mm)	Color
VT-8206-R	23179	2000x50x20	Silver



MOUNTING KIT SILVER

Model	SKU	Size(mm)	Color
VT-8208	23180	2000x60x36	Silver



MOUNTING KIT WHITE

Model	SKU	Size(mm)	Color	Box Qtt
VT-8126	2871	2000x50x35	White	20



MOUNTING KIT WHITE

Model	SKU	Size(mm)	Color	Box Qtt
VT-8127	2872	2000x50x75	White	10



MOUNTING KIT WITH DIFFUSER SURFACED

Model	SKU	Size(mm)	Color	Box Qtt
VT-8136	2903	2000x7.8x9	Silver	box



MOUNTING KIT WITH DIFFUSER RECESSED

Model	SKU	Size(mm)	Color	Box Qtt
VT-8137	2904	2000x12.4x9	Silver	box



MOUNTING KIT BENDABLE SILVER


Model	SKU	Size(mm)	Color	Box Qtt
VT-8138	2909	2000x18x6	Silver	box

MOUNTING KIT



Model	SKU	Size(mm)	Color	Box Qty
VT-8106-M	3350	2000x24.7x7	Silver	180
VT-8122-W	3368	2000x24.7x7	White	180

MOUNTING KIT



Model	SKU	Size(mm)	Color	Box Qty
VT-8108-M	3352	2000x23.5x10	Silver	120
VT-8108-W	3367	2000x23.5x10	White	120

MOUNTING KIT



Model	SKU	Size(mm)	Color	Box Qty
VT-8109-M	3353	2000x15.8x15.8	Silver	160
VT-8123-W	3369	2000x15.8x15.8	White	160

MOUNTING KIT



Model	SKU	Size(mm)	Color	Box Qty
VT-8110-M	3354	2000x17.2x14.4	Silver	120
VT-8110-W	3366	2000x17.2x14.4	White	120

MOUNTING KIT



Model	SKU	Size(mm)	Color	Box Qty
VT-8113-M	3355	2000x17.4x7	Silver	180
VT-8113-W	3365	2000x17.4x7	White	180

MOUNTING KIT



Model	SKU	Size(mm)	Color	Box Qty
VT-8114-M	3356	2000x19x19	Silver	120
VT-8114-W	3364	2000x19x19	White	120

MOUNTING KIT



Model	SKU	Size(mm)	Color	Box Qty
VT-8107	3351	2000x23x15.5	Silver	120

MOUNTING KIT



Model	SKU	Size(mm)	Color	Box Qty
VT-9327	3370	2000x16x7	Silver	200

MOUNTING KIT




Model	SKU	Size(mm)	Color	Box Qty
VT-8115	3357	2000x24.5x12.2	Silver	120

MOUNTING KIT




Model	SKU	Size(mm)	Color	Box Qty
VT-8116	3358	2000x17.4x12.1	Silver	120

MOUNTING KIT-SILVER-SET




Model	SKU	Size(mm)	Color	Box Qty
VT-8101	3359	2000	Silver	30

MOUNTING KIT-SILVER-SET




Model	SKU	Size(mm)	Color	Box Qty
VT-8102	3360	2000	Silver	50



MOUNTING KIT-SILVER-SET

Model	SKU	Size(mm)	Color	Box Qtt
VT-8103	3361	2000	Silver	40



MOUNTING KIT-SILVER-SET

Model	SKU	Size(mm)	Color	Box Qtt
VT-8104	3362	2000	Silver	30



MOUNTING KIT-SILVER-SET

Model	SKU	Size(mm)	Color	Box Qtt
VT-8105	3363	2000	Silver	30



MOUNTING KIT

Model	SKU	Size(mm)	Color	Box Qtt
VT-8118	3371	2000x30x20	Silver	50




MOUNTING KIT

Model	SKU	Size(mm)	Color	Box Qtt
VT-8119	3372	2000x32x20	Silver	60



MOUNTING KIT



Model	SKU	Size(mm)	Color	Box Qtt
VT-7104	9956	19x19x2000	Silver	40

SINGLE COLOR CONTROLLER

SKU	Model
2911	VT-2431



- Voltage: DC:12V-24V
- Working Temperature: -10~40 °C
- Output: Max 12A
- RF: 2.4GHz
- Control Distance: 30m
- Output connection: Common anode

RGB CONTROLLER

SKU	Model
2912	VT-2432



- Voltage: DC12V-24V
- Working Temperature: -10~40°C
- Output Max: 6A/Channel
- Total Output Max:12A
- RF: 2.4GHz
- Control Distance: 30m
- Output connection: Common anode

RGB+W CONTROLLER

SKU	Model
2913	VT-2434



- Voltage: DC12V-24V
- Working Temperature: -10~40°C
- Output Max: 6A/Channel
- Total Output Max:12A
- RF: 2.4GHz
- Control Distance: 30m
- Output connection: Common anode

5 CHANNEL AMPLIFIER

SKU	Model
2914	VT-2435



- Voltage: DC12V/24V
- Work Temperature: -20~60°C
- Output Voltage: DC12V/24V
- Output Current: 6A/Channel
- Total output Max: 15A
- Switching Rate: 10Mbps
- Connection: Common anode

WALL CONTROLLER - 3 IN 1

SKU	Model
2915	VT-2433



- Voltage: DC12V-24V
- Output Max: 5A/Channel
- Total Output Max: 10A
- RF: 2.4GHz
- Control Distance: 30m
- Working Temperature: -20-60°C
- Panel Size: 86x86mm"
- Compatible with RGB/RGBW/RGB+CCT strips

4 ZONE CONTROLLER

SKU	Model
2916	VT-2439



- Voltage: 3V(2*AAA Battery)
- Transmission Frequency: 2400-2483.5MHz
- Modulation Method: GFSK
- Transmitting Power: 6dBm
- Control Distance: 30m
- Standby Power: 20uA
- Working Temperature: -10 -40°C
- Panel Size: 86x86x16mm

4 ZONE RGB+W CONTROLLER

SKU	Model
2917	VT-2437



- Voltage: 3V(2*AAA Battery)
- Transmission Frequency: 2400-2483.5MHz
- Modulation Method: GFSK
- Transmitting Power: 6dBm
- Control Distance: 30m
- Standby Power: 20uA
- Working Temperature: -10 -40°C
- Panel Size: 86x86x16mm

TOUCH DIMMER-WHITE

SKU	Model
2919	VT-2440-W



- Voltage: 3V(2*AAA Battery)
- Working Temperature: -20 -60°C
- Transmission Frequency: 2400-2483.5MHz
- Modulation Method: GFSK
- Transmitting Power: 6dBm
- Standby Power: 20uA
- Control Distance: 30m

TOUCH DIMMER-BLACK

SKU	Model
2920	VT-2440-B



- Voltage: 3V(2*AAA Battery)
- Working Temperature: -20 -60°C
- Transmission Frequency: 2400-2483.5MHz
- Modulation Method: GFSK
- Transmitting Power: 6dBm
- Standby Power: 20uA
- Control Distance: 30m

8 ZONE REMOTE CONTROL

SKU	Model
2921	VT-2438



- Voltage: 3V(2*AAA Battery)
- Control Distance: 30m
- Size: 47x19x153mm

4 ZONE REMOTE CONTROL

SKU	Model
2918	VT-2436



- Voltage: 3V(sevtion 2 batteries)
- Control Distance: 30m
- Size: 53x21x110.5mm

TOUCH REMOTE CONTROL RGB+CCT

SKU	Model
2922	VT-2441



- Voltage: 3V(2*AAA Battery)
- Control Distance: 30m
- Size: 56x20x138mm

TOUCH REMOTE CONTROL RGB+W-WHITE

SKU	Model
2923	VT-2442-W



- Voltage: 3V(sevtion 2 batteries)
- Control Distance: 30m
- Size: 52.5x21x120mm

TOUCH REMOTE CONTROL RGB+W-BLACK

SKU	Model
2924	VT-2442-B



- Voltage: 3V(sevtion 2 batteries)
- Control Distance: 30m
- Size: 52.5x21x120mm

STRIP-CONTROLLER-DIMMER



SKU	Model	Voltage
3300	VT-2402	DC:12/24V

RUNNING STRIP CONTROLLER



SKU	Model	Voltage
23610	23610	DC:24V

STRIP-CONTROLLER-RF



SKU	Model	Voltage
3303	VT-2404	DC:12/24V

STRIP-CONTROLLER-RF



SKU	Model	Voltage
3312	VT-2405	DC:12/24V

STRIP-CONTROLLER-INFRARED



SKU	Model	Voltage
3625	VT-2472	DC:12/24V

STRIP-CONTROLLER-RGB + CCT



SKU	Model	Voltage
2899	VT-2428	DC:12V/24V

STRIP-CONTROLLER-CCT



SKU	Model	Voltage
2901	VT-2425	DC:12V/24V

STRIP-AMPLIFIER-5050



SKU	Model	Voltage
3018	3018	DC:12V

STRIP CONTROLLER- WIFI - RGB + CCT



SKU	Model	Voltage
2900	VT-2429	DC:12V/24V

STRIP-AMPLIFIER



SKU	Model	Voltage
3327	VT-2408	DC:12/24V

STRIP-AMPLIFIER



SKU	Model	Voltage
3309	VT-2407	DC:12/24V

HEAD DOOR SENSOR



SKU	Model	Voltage
23457	VT-82060	DC:12V-24V

BED LIGHT-SENSOR

Sensing Distance:2-5m
DeLay Time:3s-6min



SKU	Model	Voltage
2554	VT-8069	DC:12V

SURFACE-TOUCH SENSOR



SKU	Model	Voltage
2556	VT-8071	DC:12V

HAND WAVE SENSOR



SKU	Model	Voltage
2557	VT-8072	DC:12V

LED SYNC CONTROLLER- DIMMER



SKU	Model	Voltage
3337	VT-2414	DC:12/24V

LED SYNC CONTROLLER- RGBW/WW



SKU	Model	Voltage
3338	VT-2424	DC:12/24V

LED SYNC CONTROLLER- RGB



SKU	Model	Voltage
3339	VT-2420	DC:12/24V

LED SYNC CONTROLLER- RGB



SKU	Model	Voltage
3340	VT-2421	DC:12/24V

STRIP DIMMER- TOUCH REMOTE CONTROL



SKU	Model	Voltage
2590	VT-5115	DC:12/24V

CONTROLLER FOR NEON FLEX(VT-561)



SKU	Model	Voltage
7805	7805	DC:5-24V

STRIP WIFI CONTROLLER - CCT



SKU	Model	Voltage
2902	VT-2427	DC:12V/24V

STRIP-CONTROLLER-5050



SKU	Model	Voltage
3326	3326	DC:12/24V

STRIP-CONTROLLER-DIMMER- RECESSED



SKU	Model	Voltage
3341	VT-2411	DC:12V

**HIDDEN TOUCH DIMMER SWITCH
WHITE**



SKU	Model	Voltage
23465	VT-2412-W	DC:12V-24V

**HIDDEN TOUCH DIMMER SWITCH
BLACK**



SKU	Model	Voltage
23466	VT-2412-B	DC:12V-24V



**2P PVC WIRE 0.5MTR/
PCS,0.5MM²**

SKU	Box Qty
6877	1000



**3P PVC WIRE 0.5MTR/
PCS,0.5MM²**

SKU	Box Qty
7852	1000



**4P PVC WIRE 0.5MTR/
PCS,0.5MM²**

SKU	Box Qty
6878	1000



22END CAP

SKU	Box Qty
6879	2000



**FIXING CLIP + SCREWS FOR
220V STRIP LIGHT**

SKU	Box Qty
2642	2000



22HEAD CAP

SKU	Box Qty
6880	2000



CONNECTOR FOR STRIP 8MM

SKU	Box Qty
2655	5000



**CONNECTOR FOR STRIP 8MM
SINGLE HEAD**

SKU	Box Qty
2656	2500



**CONNECTOR FOR STRIP 8MM
DUAL HEAD**

SKU	Box Qty
2657	2500



**L SHAPE CONNECTOR FOR
STRIP 8MM**

SKU	Box Qty
2658	5000



**CONNECTOR FOR STRIP
10MM**

SKU	Box Qty
2659	5000



**CONNECTOR FOR STRIP
10MM SINGLE HEAD**

SKU	Box Qty
2660	2500



**CONNECTOR FOR STRIP
10MM DUAL HEAD**

SKU	Box Qty
2661	2500




**L SHAPE CONNECTOR FOR
STRIP 10MM**

SKU	Box Qty
2662	5000



**CONNECTOR FOR COB STRIP
8MM SINGLE HEAD**

SKU	Box Qty
2663	1000



**CONNECTOR FOR COB STRIP
8MM DUAL HEAD**

SKU	Box Qty
2664	1000



**CONNECTOR FOR COB STRIP
10MM SINGLE HEAD**

SKU	Box Qty
2665	1000



**CONNECTOR FOR COB STRIP
10MM DUAL HEAD**

SKU	Box Qty
2666	1000



**QUICK CONNECT WIRE FOR
LED STRIP LIGHT**

SKU	Box Qty
11341	1000



**QUICK MIDDLE CONNECTOR
FOR LED STRIP LIGHT**

SKU	Box Qty
11342	1000



**QUICK MIDDLE CONNECTOR
WITH WIRE FOR LED STRIP
LIGHT**

SKU	Box Qty
11343	500

MODULES-3 SMD-IP67



DC:12V
66lm
>75 CRI
160° Beam Angle
67x15x8.5
2000 Box Qty



SKU	Model	Watts
5116 - 6000K WHITE 5117 - RED 5118 - BLUE 5119 - GREEN	VT-50503	0.72W

MODULES-3 SMD-IP67



DC:12V
100lm
>75 CRI
120° Beam Angle
53x12x4.6
200 Box Qty



SKU	Model	Watts
5120 - 6000K WHITE 5121 - RED 5123 - GREEN	VT-28353	1W

MODULES-3 SMD-IP67




DC:12V
120-150lm
>75 CRI
120° Beam Angle
87x15x10
2000 Box Qty



SKU	Model	Watts
5124 - 3000K WARM WHITE 5127 - BLUE 5128 - GREEN	VT-28356	1.5W

MODULES-4 SMD-IP68



DC:12V
120-135lm
>75 CRI
160° Beam Angle
37x37x6.8
100 Box Qty



SKU	Model	Watts
5130 - 6000K WHITE 5129 - 3000K WARM WHITE 5131 - RED 5132 - BLUE 5133 - GREEN	VT-28358	1.44W

MODULES-3 SMD-IP67



DC:12V
20lm
>75 CRI
120° Beam Angle
68x19.5x5.7
100 Box Qty



SKU	Model	Watts
5134 - RGB	VT-50506	0.72W

MODULES-SMD-IP68



DC:12V
20lm
>75 CRI
120° Beam Angle
12x22
320 Box Qty



SKU	Model	Watts
5136 - 6000K WHITE 5141 - 4000K DAY WHITE 5135 - 3000K WARM WHITE 5137 - RED 5139 - BLUE 5140 - GREEN	VT-50501	0.24W



SLIM POWER SUPPLY

24V



SKU	Model	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
24235	VT-24035-S	36W	1.5A	AC:176-264V, 50/60Hz	DC:24V	116x35x24	100
24236	VT-24062-S	60W	2.5A	AC:176-264V, 50/60Hz	DC:24V	145x50x24	80
24237	VT-24075-S	75W	3.1A	AC:176-264V, 50/60Hz	DC:24V	200x50x24	60
24238	VT-24122-S	120W	5A	AC:176-264V, 50/60Hz	DC:24V	200x50x24	60
24239	VT-24152-S	150W	6.25A	AC:176-264V, 50/60Hz	DC:24V	209x63x25	50
24240	VT-24202-S	200W	8.25A	AC:176-264V, 50/60Hz	DC:24V	209x63x25	50
24241	VT-24250-S	250W	10.5A	AC:176-264V, 50/60Hz	DC:24V	246x63x30	30
24242	VT-24361-S	360W	15A	AC:176-264V, 50/60Hz	DC:24V	208x82x32	30



SLIM POWER SUPPLY

12V



SKU	Model	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
24254	VT-13036-S	36W	3A	AC:176-264V, 50/60Hz	DC:12V	116x35x24	100
24255	VT-13060-S	60W	5A	AC:176-264V, 50/60Hz	DC:12V	145x50x24	80
24256	VT-13075-S	75W	6.25A	AC:176-264V, 50/60Hz	DC:12V	200x50x24	60
24257	VT-13120-S	120W	10A	AC:176-264V, 50/60Hz	DC:12V	200x50x24	60
24258	VT-13150-S	150W	12.5A	AC:176-264V, 50/60Hz	DC:12V	209x63x25	50
24259	VT-13200-S	200W	16.5A	AC:176-264V, 50/60Hz	DC:12V	209x63x25	50
24260	VT-13250-S	250W	20.83A	AC:176-264V, 50/60Hz	DC:12V	246x63x30	30
24261	VT-13360-S	360W	30A	AC:176-264V, 50/60Hz	DC:12V	208x82x32	30

SLIM POWER SUPPLY



SKU	Model	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
3246	VT-20062	60W	5A	AC:85-265V,50/60Hz	DC:12V	130x50x31	36
3247	VT-20077	75W	6A	AC:85-265V,50/60Hz	DC:12V	130x50x31	60
3243	VT-20122	120W	10A	AC:85-265V,50/60Hz	DC:12V	190x50x31	80
3244	VT-20152	150W	12.5A	AC:85-265V,50/60Hz	DC:12V	200x62x31	60
3261	VT-24061	60W	2.5A	AC:85-265V,50/60Hz	DC:24V	130x50x31	36
3262	VT-24120	120W	5A	AC:85-265V,50/60Hz	DC:24V	190x50x31	80
3253	VT-20153	150W	6.5A	AC:85-265V,50/60Hz	DC:24V	200x62x31	50
3273	VT-22250	250W	10A	AC:200-265V, 50Hz	DC:24V	225x60x30	30

LED POWER SUPPLY-METAL



SKU	Model	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
3259	VT-20352	350W	30A	AC:200-240V,50/60 Hz	DC:12V	208x82x32	30
3263	VT-24350	350W	15A	AC:200-240V,50/60 Hz	DC:24V	208x82x32	30

METAL POWER SUPPLY



SKU	Model	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
3274	VT-21360	360W	30A	AC:200-240V,50Hz	DC:12V	208x82x32	24
3275	VT-21361	360W	15A	AC:200-240V,50Hz	DC:24V	208x82x32	24

LED POWER SUPPLY-METAL



SKU	Model	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
3228	VT-20026	25W	2.1A	AC:85-265V,50/60Hz	DC:12V	115x40x25	100

LED POWER SUPPLY-TRIAC DIMMABLE



SKU	Model	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
3256	VT-20101D	100W	8.5A	AC:200-240V,50/60 Hz	DC:12V	199x62x31	50
3257	VT-20154D	150W	12.5A	AC:200-240V,50/60 Hz	DC:12V	199x62x31	50
3258	VT-20155D	150W	6.25A	AC:200-240V,50/60 Hz	DC:24V	199x62x31	50

LED POWER SUPPLY-RAINPROOF



SKU	Model	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
3231	VT-21151	150W	12.5A	AC: 100-264V,50/60Hz	DC:12V	207x74x42	40
3232	VT-21251	250W	20A	AC: 100-264V,50/60Hz	DC:12V	218x95x50	25
3233	VT-21401	400W	33A	AC: 100-264V,50/60Hz	DC:12V	223x118x50	20
3265	VT-26400	400W	16.6A	AC: 100-264V,50/60Hz	DC:24V	223x118x50	20

LED POWER SUPPLY-WATERPROOF



SKU	Model	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
3236	VT-22101	100W	8.0A	AC: 100-264V,50/60Hz	DC:12V	201x30.5x20	20
3101	VT-22101-24	100W	4.2A	AC: 100-264V,50/60Hz	DC:24V	192x52x37	20



LED POWER SUPPLY-WATERPROOF



SKU	Model	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
24262	VT-13036	36W	3A	AC:100-240V,50/60Hz	DC:12V	140x35x21	50
24263	VT-13060	60W	5A	AC:100-240V,50/60Hz	DC:12V	159x50x25	40
24264	VT-13100	100W	8.3A	AC:100-240V,50/60Hz	DC:12V	219x50x25	30
24265	VT-13150	150W	12.5A	AC:176-264V, 50/60Hz	DC:12V	224x65x25	30
24266	VT-13200	200W	16.5A	AC:220-240V, 50/60Hz	DC:12V	244x65x25	20
24267	VT-13300	300W	25A	AC:220-240V, 50/60Hz	DC:12V	244x80x29	20

LED POWER SUPPLY-WATERPROOF



SKU	Model	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
3271	VT-21030	30W	2.5A	AC:100-240V,50/60Hz	DC:12V	150x40x30	60
3234	VT-22061	60W	5A	AC: 100-264V,50/60Hz	DC:12V	166x43x33	40
3235	VT-22075	75W	6A	AC: 100-264V,50/60Hz	DC:12V	166x43x33	40
3248	VT-22153	150W	12.5A	AC: 100-264V,50/60Hz	DC:12V	192x62x38	15

LED POWER SUPPLY-PLASTIC



SKU	Model	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
3252	VT-22065	60W	5A	AC: 100-264V,50/60Hz	DC:12V	166x43x33	40
3251	VT-22105	100W	8.3A	AC: 100-264V,50/60Hz	DC:12V	192x52x37	25
3250	VT-22155	150W	12.5A	AC: 100-264V,50/60Hz	DC:12V	192x62x38	20

NEW LED POWER SUPPLY-PLASTIC

24V

IP44
RATING



SKU	Model	Watts	Current Capacity	Input Power	Output	Dimension
24249	VT-24037	36W	1.5A	AC: 220-240V,50/60Hz	DC:24V	160x41x30
24250	VT-24063	60W	2.5A	AC: 220-240V,50/60Hz	DC:24V	220x41x30
24251	VT-24103	100W	4.15A	AC: 220-240V,50/60Hz	DC:24V	300x41x30
24252	VT-24203	200W	8.25A	AC: 220-240V,50/60Hz	DC:24V	320x41x30
24253	VT-24303	300W	12.5A	AC: 220-240V,50/60Hz	DC:24V	353x57x35

NEW LED POWER SUPPLY-PLASTIC

12V

IP44
RATING



SKU	Model	Watts	Current Capacity	Input Power	Output	Dimension
24268	VT-13035	36W	3A	AC: 220-240V,50/60Hz	DC:12V	160x41x30
24269	VT-13061	60W	5A	AC: 220-240V,50/60Hz	DC:12V	220x41x30
24270	VT-13101	100W	8.3A	AC: 220-240V,50/60Hz	DC:12V	300x41x30
24271	VT-13201	200W	16.5A	AC: 220-240V,50/60Hz	DC:12V	320x41x30
24272	VT-13301	300W	25A	AC: 220-240V,50/60Hz	DC:12V	353x57x35

LED POWER SUPPLY-PLASTIC



SKU	Model	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
3237	VT-23019	18W	1.5A	AC: 100-264V,50/60Hz	DC:12V	73x27x43	120

LED POWER SUPPLY-PLASTIC



SKU	Model	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
3238	VT-23031	30W	2.5A	AC: 100-264V,50/60Hz	DC:12V	119x52x32	50
3249	VT-23043	42W	3.5A	AC:100-265V 50/60 Hz	DC:12V	119x52x32	50
3239	VT-23061	60W	5A	AC: 100-264V,50/60Hz	DC:12V	119x52x32	50
3240	VT-23079	78W	6.5A	AC: 100-264V,50/60Hz	DC:12V	119x52x32	50
3264	VT-25060	60W	2.5A	AC: 100-264V,50/60Hz	DC:24V	119x52x32	50
3272	VT-22078	78W	3.25A	AC: 100-264V,50/60Hz	DC:24V	119x52x32	50

POWER SUPPLY - PLASTIC



SKU	Model	Watts	Current Capacity	Input Power	Output	Box Qty
2671	VT-23032	30W	2.5A	AC:100-240V,50/60Hz	DC:12V	100
2672	VT-23044	42W	3.5A	AC:100-240V,50/60Hz	DC:12V	100




V-TAC
Meaningful Innovation.

LED TRACK LIGHTS

V-TAC's extensive range of modern LED track lights are the perfect ecological alternative to old, inefficient Halogen lights. Delivering high performance, excellent durability, and remarkable light output to serve the general Commercial and Retail market.

COB TRACK LIGHTS



- AC:220-240V,50/60Hz Input Voltage

- 24° Beam Angle

- >0.9 PF


- >80 CRI

- Aluminium Body

- 30,000 hr lifespan

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
1334 - 6000K WHITE	VT-4512	10W	800	209x65x163	40
1337 - 6000K WHITE	VT-4528	25W	2100	209x85x187	20
1340 - 6000K WHITE	VT-4537	35W	2850	224x100x215	10

COB TRACK LIGHTS



- AC:220-240V,50/60Hz Input Voltage

- 24° Beam Angle

- >0.9 PF

- >95 CRI


- Aluminium Body

- 30,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
1303 - 6400K WHITE	VT-4615B	15W	1350	180x97x155	20
1297 - 6400K WHITE	VT-4635B	30W	2700	180x140x215	10

COB 4 LINE TRACK LIGHTS



- AC:220-240V, 50Hz Input Voltage

- 35° Beam Angle

- >90 CRI


- ABS+Aluminium Body

- 20,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
8078 - 3IN1	VT-47030-B	30W	2900	253x71x71	20
8842 - 3IN1	VT-47050-B	40W	3150	293x80x80	

COB 4 LINE TRACK LIGHTS



AC:220-240V, 50Hz Input Voltage

35° Beam Angle


>90 CRI

ABS+Aluminium Body

20,000 hr lifespan

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
8142 - 3IN1	VT-47030-W	30W	2900	253x71x71	20
8843 - 3IN1	VT-47050-W	40W	3150	293x80x80	

COB 4 LINE TRACK LIGHTS



AC:220-240V, 50Hz Input Voltage

35° Beam Angle


>80 CRI

Aluminium Body

20,000 hr lifespan

SKU	Model	Watts	Lumens	Size(mm)
10371 - 3IN1	VT-4633	30W	3000	105x150x141

COB 4 LINE TRACK LIGHTS



AC:220-240V, 50Hz Input Voltage

30° Beam Angle


>80 CRI

Aluminium Body

20,000 hr lifespan

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
10281 - 4000K DAY WHITE	VT-4235-B	35W	3000	91x151x159	20

COB 4 LINE TRACK LIGHTS



AC:100-240V,50/60Hz Input Voltage

25° Beam Angle

>0.9 PF


>95 CRI

Die Cast Aluminium Body

20,000 hr lifespan

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
1235 - 5000K WHITE	VT-4535	33W	1800	112x165x205	8
1238 - 5000K WHITE	VT-4545	45W	2300	123x165x218	8


COB 4 LINE TRACK LIGHTS



AC:220-240V,50/60Hz Input Voltage
10° Beam Angle
>0.9 PF
>80 CRi
PC+Aluminium Body

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
211255 - 3000K WARM WHITE 211256 - 4000K DAY WHITE 211257 - 6400K WHITE	VT-4536W-N	35W	3000	208x195xØ93.5	20


COB 4 LINE TRACK LIGHTS



AC:220-240V,50/60Hz Input Voltage
10° Beam Angle
>0.9 PF
>80 CRi
PC+Aluminium Body

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
211285 - 3000K WARM WHITE 211286 - 4000K DAY WHITE 211287 - 6000K WHITE	VT-4536B-N	35W	3000	208x195xØ93.5	20

COB 4 LINE TRACK LIGHTS



AC:220-240V,50/60Hz Input Voltage
22° Beam Angle
>0.9 PF
>70 CRi
Aluminium Body
20,000 hr lifespan


SKU	Model	Watts	Lumens	Size(mm)	Box Qty
	VT-4540T	40W	2600	225x185x138	8



Track Fitting-GU10

AC:220-240V, 50/60Hz
PC+Aluminium Body


SKU	Box Qty
6783	20



Track Fitting-GU10

AC:220-240V, 50/60Hz
PC+Aluminium Body

SKU	Box Qty
6784	20





**Connector
4T**

SKU	Box Qty
3524	25



**Connector
4T**

SKU	Box Qty
3525	25



**Connector
4X**

SKU	Box Qty
3526	10



**4 Wired
Y Series
Connector**

SKU	Box Qty
3655	100



**4 Wired
Y Series
Connector**

SKU	Box Qty
3656	100



**4 Wired
Y Series
Adaptor**

SKU	Box Qty
3659	50



**4 Wired
Y Series
Adaptor**

SKU	Box Qty
3660	50



**Connector
4X**

SKU	Box Qty
3527	10




**Connector
4L**

SKU	Box Qty
3528	25




**Connector
4L**

SKU	Box Qty
3529	25



**Flexible
Joint 4
Line**

SKU	Box Qty
3559	20



**Flexible
Joint 4
Line**

SKU	Box Qty
3560	20



**Hanging
Trackline
Kit 1 Meter**

SKU	Box Qty
3565	100



**Hanging
Trackline
Kit 1 Meter**

SKU	Box Qty
3566	100



**4 Core
Track 1
Meter**

SKU	Box Qty
9944	10



**4 Core
Track 1
Meter**

SKU	Box Qty
9945	10



**4 Core
Track 1.5
Meter**

SKU	Box Qty
9952	10



**4 Core
Track 1.5
Meter**

SKU	Box Qty
9953	10



**4 Core
Track 2
Meter**

SKU	Box Qty
9954	10



**4 Core
Track 2
Meter**

SKU	Box Qty
9955	10

NEW **MAGNETIC TRACKLIGHTS-GRILLE LIGHT**



DC:48V Input Voltage


30° Beam Angle

>80 CRI

Aluminium Body

30,000 hr lifespan

IP20 Rating



SKU	Model	Unit Color	Watts	Lumens	Size(mm)
24415 - 3000K WARM WHITE 24368 - 4000K DAY WHITE 24369 - 6400K WHITE	VT-41008	Black	5W	425	115x22x44
24370 - 3000K WARM WHITE 24371 - 4000K DAY WHITE 24372 - 6400K WHITE	VT-41021	Black	10W	860	221x22x44
24373 - 3000K WARM WHITE 24374 - 4000K DAY WHITE 24375 - 6400K WHITE	VT-41022	Black	15W	1215	330x22x44
24376 - 3000K WARM WHITE 24377 - 4000K DAY WHITE 24378 - 6400K WHITE	VT-41023	Black	20W	1660	437x22x44

NEW **MAGNETIC LINEAR TRACK LIGHTS**



DC:48V Input Voltage

120° Beam Angle

>80 CRI

Aluminium Body

30,000 hr lifespan

IP20 Rating



SKU	Model	Unit Color	Watts	Lumens	Size(mm)
24379 - 3000K WARM WHITE 24380 - 4000K DAY WHITE 24381 - 6400K WHITE	VT-41026	Black	10W	1110	300x22x43
24382 - 3000K WARM WHITE 24383 - 4000K DAY WHITE 24384 - 6400K WHITE	VT-41027	Black	20W	2230	600x22x43
24385 - 3000K WARM WHITE 24386 - 4000K DAY WHITE 24387 - 6400K WHITE	VT-41036	Black	28W	3265	900x22x43
24388 - 3000K WARM WHITE 24389 - 4000K DAY WHITE 24390 - 6400K WHITE	VT-41048	Black	36W	4325	1200x22x43

NEW **MAGNETIC TACKLIGHT-ADJUSTABLE ANGLE**



DC:48V Input Voltage


30° Beam Angle

>80 CRI

Aluminium Body

30,000 hr lifespan

IP20 Rating



SKU	Model	Unit Color	Watts	Lumens	Size(mm)
24391 - 3000K WARM WHITE 24392 - 4000K DAY WHITE 24393 - 6400K WHITE	VT-41028	Black	5W	400	115x22x105
24394 - 3000K WARM WHITE 24395 - 4000K DAY WHITE 24396 - 6400K WHITE	VT-41029	Black	10W	840	223x22x105
24397 - 3000K WARM WHITE 24398 - 4000K DAY WHITE 24399 - 6400K WHITE	VT-41031	Black	15W	1220	330x22x105

NEW **MAGNETIC TACKLIGHTS**



DC:48V Input Voltage


30° Beam Angle

>80 CRI

Aluminium Body

30,000 hr lifespan

IP20 Rating



SKU	Model	Unit Color	Watts	Lumens	Size(mm)
24400 - 3000K WARM WHITE 24401 - 4000K DAY WHITE 24402 - 6400K WHITE	VT-40012	Black	10W	950	115x60x152
24403 - 3000K WARM WHITE 24404 - 4000K DAY WHITE 24405 - 6400K WHITE	VT-40020	Black	12W	1140	115x70x165

NEW **MAGNETIC TACKLIGHT-PENDANT**



DC:48V Input Voltage

30° Beam Angle

>80 CRI

Aluminium Body


30,000 hr lifespan

IP20 Rating



SKU	Model	Unit Color	Watts	Lumens	Size(mm)
24409 - 3000K WARM WHITE 24410 - 4000K DAY WHITE 24411 - 6400K WHITE	VT-40006	Black	5W	360	115x50x1400
24412 - 3000K WARM WHITE 24413 - 4000K DAY WHITE 24414 - 6400K WHITE	VT-40011	Black	10W	735	115x50x1400

NEW **MAGNETIC TACKLIGHT-PENDANT**



DC:48V Input Voltage

40° Beam Angle

>80 CRI

Aluminium Body

30,000 hr lifespan

IP20 Rating



SKU	Model	Unit Color	Watts	Lumens	Size(mm)
24406 - 3000K WARM WHITE 24407 - 4000K DAY WHITE 24408 - 6400K WHITE	VT-40009	Black	7W	840	115x80x1060

LED MAGNETIC TRACK LIGHTS FLEXIBLE TUBE



DC:48V Input Voltage

200° Beam Angle

>80 CRI

Silicone Body



SKU	Model	Unit Color	Watts	Lumens	Size(mm)
10277 - 3000K WARM WHITE 10278 - 4500K DAY WHITE	VT-42112	Black	11W	1270	1066x150x26
10279 - 3000K WARM WHITE 10280 - 4500K DAY WHITE	VT-42024	Black	23W	2760	2066x150x26

MAGNETIC TRACKLIGHTS-GRILLE LIGHT



DC:48V Input Voltage


5W=39°/12-22W=35° Beam Angle

>80 CRI

Aluminium+PC Body

20,000 hr lifespan

IP20 Rating



SKU	Model	Unit Color	Watts	Lumens	Size(mm)	Box Qty
10234 - 3000K WARM WHITE 10233 - 4000K DAY WHITE 10235 - 6400K WHITE	VT-4225	Black	5W	550	160x26x24	100
10237 - 3000K WARM WHITE 10236 - 4000K DAY WHITE 10238 - 6400K WHITE	VT-4212	Black	12W	1100	273x26x24	50
10240 - 3000K WARM WHITE 10239 - 4000K DAY WHITE 10241 - 6400K WHITE	VT-4222	Black	22W	1900	501x26x24	50

MAGNETIC TACKLIGHT-ADJUSTABLE ANGLE



DC:48V Input Voltage

34° Beam Angle

>80 CRI

Aluminium+PC Body

20,000 hr lifespan

IP20 Rating



SKU	Model	Unit Color	Watts	Lumens	Size(mm)	Box Qty
10258 - 3000K WARM WHITE 10257 - 4000K DAY WHITE 10259 - 6400K WHITE	VT-4205	Black	5W	600	145x33x52	30
10261 - 3000K WARM WHITE 10260 - 4000K DAY WHITE 10262 - 6400K WHITE	VT-42012	Black	12W	1300	260x33x52	30

MAGNETIC LINEAR TRACK LIGHTS



DC:48V Input Voltage


82° Beam Angle

>80 CRI

Aluminium+PC Body


20,000 hr lifespan

IP20 Rating



SKU	Model	Unit Color	Watts	Lumens	Size(mm)	Box Qty
10243 - 3000K WARM WHITE 10242 - 4000K DAY WHITE 10244 - 6400K WHITE	VT-4211	Black	14W	1500	278x26x24	50
10246 - 3000K WARM WHITE 10245 - 4000K DAY WHITE 10247 - 6400K WHITE	VT-4218	Black	18W	2000	385x26x24	50
10249 - 3000K WARM WHITE 10248 - 4000K DAY WHITE 10250 - 6400K WHITE	VT-42022	Black	22W	2500	615x26x24	50

MAGNETIC TACKLIGHT-L SHAPE



03
YEAR
WARRANTY

DC:48V Input Voltage

82° Beam Angle


>80 CRI

Aluminium+PC Body

DC
48V

20,000 hr lifespan

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
10267 - 3000K WARM WHITE 10266 - 4000K DAY WHITE 10268 - 6400K WHITE	VT-42025	25W	2850	280x255x24	20

MAGNETIC TACKLIGHT-PENDANT



03
YEAR
WARRANTY

DC:48V Input Voltage

30° Beam Angle

>80 CRI

Aluminium+PC Body

DC
48V

20,000 hr lifespan

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
10264 - 3000K WARM WHITE 10263 - 4000K DAY WHITE 10265 - 6400K WHITE	VT-4214	15W	1600	40x128x1155	35

COB MAGNETIC TACKLIGHTS



03
YEAR
WARRANTY

DC:48V Input Voltage

34° Beam Angle


>80 CRI

Aluminium Body

DC
48V

20,000 hr lifespan

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
10252 - 3000K WARM WHITE 10251 - 4000K DAY WHITE 10253 - 6400K WHITE	VT-42010	11W	1300	46x128x176	30
10255 - 3000K WARM WHITE 10254 - 4000K DAY WHITE 10256 - 6400K WHITE	VT-4221	20W	2200	56x128x210	30

MAGNETIC LINEAR SPOTLIGHT



DC:24V Input Voltage


30° Beam Angle

>90 CRI

Aluminium Body

30,000 hr lifespan

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
7959 4000K DAY WHITE	VT-4141	1W	35	45x35x59mm	40

MAGNETIC LINEAR SPOTLIGHT



DC:24V Input Voltage


30° Beam Angle

>90 CRI

Aluminium Body

30,000 hr lifespan

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
7960 3000K WARM WHITE 7961 4000K DAY WHITE	VT-4143	3W	240	106x35x59mm	36

MAGNETIC LINEAR TRACK LIGHT



DC:24V Input Voltage


30° Beam Angle

>90 CRI

Aluminium Body

30,000 hr lifespan

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
7962 3000K WARM WHITE 7963 4000K DAY WHITE	VT-4210	10W	700	137x35x180mm	16
7964 3000K WARM WHITE 7965 4000K DAY WHITE	VT-4220	20W	1200	270x35x180mm	8

MAGNETIC SPOTLIGHT



DC:24V Input Voltage


36° Beam Angle

>90 CRI

Aluminium Body

30,000 hr lifespan

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
7966 3000K WARM WHITE 7967 4000K DAY WHITE	VT-4215	15W	900	166x100x55mm	16

MAGNETIC PENDANT LIGHT



DC:24V Input Voltage


36° Beam Angle

>90 CRI

Aluminium Body

30,000 hr lifespan

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
7968 3000K WARM WHITE 7969 4000K DAY WHITE	VT-4315	15W	1000	300x55mm	12

MAGNETIC LINEAR LIGHT



DC:24V Input Voltage


100° Beam Angle

>90 CRI

Aluminium Body

30,000 hr lifespan

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
7954 3000K WARM WHITE 7955 4000K DAY WHITE	VT-4121	20W	1600	652x35x59mm	12
7956 3000K WARM WHITE 7957 4000K DAY WHITE	VT-4131	30W	2700	970x35x59mm	12

ACCESSORIES FOR DC:48V



Drivers-100W - DC:48V

SKU	Box Qty
10272	50



Drivers-200W -DC:48V

SKU	Box Qty
10273	50



I Shape Straight Connector

SKU	Box Qty
10269	200



I Shape Right Angle Turn Connector

SKU	Box Qty
10270	200



L Shape Connector

SKU	Box Qty
10271	30



THINNER THAN MOBILE PHONE

Ultra Thin Magnetic Track Rail-1M

SKU	Box Qty
10232	25

ACCESSORIES FOR DC:24V



Track Rail-1M

SKU	Box Qty
7951	9



Recessed Kit for Magnetic Tracklight

SKU	Box Qty
7970	75



Track Connector

SKU	Box Qty
7971	298



90'D Corner Connector

SKU	Box Qty
7972	27



Outer Corner Connector

SKU	Box Qty
7973	27



Pendant Track Rail Accessory

SKU	Box Qty
7977	64



Track Cover

SKU	Box Qty
7978	180



Live End Connector

SKU	Box Qty
7979	180



COB DOWNLIGHTS

Swap out antiquated CFL Lights with high-quality for achieve long-lasting and energy-efficient lighting. Choose from a wide range of 3w to 40w variations.

NEW HONEY COMB COB DOWNLIGHT-BRIDGELUX CHIP




AC:100-240V,50/60Hz

24° Beam Angle

>0.7 PF

>90 CRI

IP20 Rating



SKU	Model	Unit Colour	Watts	Lumens	Size(mm)	Box Qty
23671 - 3IN1	VT-17012-B	Black	12W	1180	86x44	40
23673 - 3IN1	VT-17018-B	Black	18W	1860	106x46	40
23675 - 3IN1	VT-17024-B	Black	24W	2540	135x51	20
23672 - 3IN1	VT-17012-W	White	12W	1180	86x44	40
23674 - 3IN1	VT-17018-W	White	18W	1860	106x46	40
23676 - 3IN1	VT-17024-W	White	24W	2540	135x51	20

COB DOWNLIGHT




AC:100-240V,50/60Hz

25° Beam Angle

>0.7 PF

>90 CRI

IP20 Rating



SKU	Model	Unit Colour	Watts	Lumens	Size(mm)	Box Qty
10578 - 3IN1	VT-2512-B	Black	12W	785	Ø120x43	20
10580 - 3IN1	VT-2520-B	Black	20W	1408	Ø165x50	20
10582 - 3IN1	VT-2532-B	Black	28W	2500	Ø200x58	10
10579 - 3IN1	VT-2512-W	White	12W	785	Ø120x43	20
10581 - 3IN1	VT-2520-W	White	20W	1408	Ø165x50	20
10583 - 3IN1	VT-2532-W	White	28W	2500	Ø200x58	10

COB DOWNLIGHT-SURFACE




AC:100-240V,50/60Hz

90° Beam Angle

>0.7 PF

>90 CRI

IP20 Rating



SKU	Model	Unit Colour	Watts	Lumens	Size(mm)	Box Qty
23156 - 3IN1	VT-2825-B	Black	20W	1408	Ø148x75	20
23158 - 3IN1	VT-2833-B	Black	28W	2500	Ø178x87	10
23155 - 3IN1	VT-2825-W	White	20W	1408	Ø148x75	20
23157 - 3IN1	VT-2833-W	White	28W	2500	Ø178x87	10

NEW TILTABLE LED DOWNLIGHT CCT



AC:220-240V,50Hz


38° Beam Angle

>80 CRI

Plastic Body

20,000 hr lifespan

IP20 Rating



SKU	Model	Unit Colour	Watts	Lumens	Size(mm)	Box Qty
23837 - 3 IN 1	VT-2707CCT	White	7W	510	88x45	100

HIGH LUMEN REFLECTOR COB DOWNLIGHTS




AC:200-240V, 50/60Hz

120° Beam Angle

>0.9 PF

>80 CRI

PKW Body



Cutting Size
Ø207mm



SKU	Model	Unit Colour	Watts	Lumens	Size(mm)	Box Qty
211278 - 6500K WHITE	VT-26301-N	White	30W	3100	Ø221x107	12
211279 - 4000K DAY WHITE 211280 - 6500K WHITE	VT-26451-N	PKW	40W	4200	Ø221x107	12

COB FIRE RATED DOWNLIGHT WITH WHITE BEZEL

3 BEZELS
INTERCHANGEABLE
(OPTIONAL)



AC:220-240V,50Hz

38° Beam Angle

Aluminium Body

30,000 hr lifespan

IP65 Rating



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
1424 - 3 IN 1	VT-7710	10W	850	Ø83x57	40
1426	1426	Brush Nickel Bezel			100
1427	1427	Chrome Bezel			100

LED DUAL WALL LIGHT



- AC:100-240V,50/60Hz
- 120° Beam Angle
- >0.6 PF
- >80 CRI
- Die Cast Aluminium Body
- 20,000 hr lifespan
- IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
211489 - 3000K WARM WHITE	VT-2963-N	3+6W	180+500	140x30	30

LED DUAL WALL LIGHT



- AC:100-240V,50/60Hz
- 120° Beam Angle
- >0.6 PF
- >80 CRI
- Die Cast Aluminium Body
- 20,000 hr lifespan
- IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
211488 - 3000K WARM WHITE	VT-2953-N	3+6W	180+500	300x50x35	30

LED WALL LIGHT



AC:100-240V,50/60Hz

30° Beam Angle

>0.6 PF

>80 CRI

Die Cast Aluminium Body


20,000 hr lifespan

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
211486 - 3000K WARM WHITE	VT-2913-N	3W	180	90x60x30	40

LED WALL LIGHT WITH SWITCH & USB PORT



AC:100-240V,50/60Hz

30° Beam Angle

>0.6 PF

>80 CRI

Die Cast Aluminium Body

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
211487 - 3000K WARM WHITE	VT-2943-N	3W	150	120x120x45	20



LED DOME LIGHTS

Create a better ambience in any environment with V-TAC's LED Dome Lights. These compact and easy to install lights make a perfect replacement for traditional dome lights.



NEW



05 YEAR WARRANTY

120 LUMEN/W EFFICIENCY

IP65 RATING

POLYCARBONATE PC

LED DOME LIGHTS - CCT 3IN1

8W
3000K-1050
4000K-1100
6500K-1100

16W
3000K-2100
4000K-2250
6500K-2300

20W
3000K-2550
4000K-2600
6500K-2500

3 VARIABLE CCT
3 VARIABLE WATTS

MICROWAVE SENSOR

EMERGENCY BATTERY BACKUP

CCT Bulkhead

- 110° Beam Angle
- AC:220-240V, 50Hz
- 5 Years Warranty
- PC
- IK08
- IP65

CCT Bulkhead-Sensor

- Hinged LED Gear Tray for Easy Installation
- Microwave Sensor
- Detection Distance: 3-6M, 6-10M Optional
- Dimmable functin: Yes,0,10%20%30% Optional
- Time Delay: 5s, 30s, 90s, 3min, 20min, 30min
- Daylight Sensor: Day,2lux,10lux,50lux Optional
- Detection Range: 6mx3m (Max)
- Detection Angle: Wall Mount 120°/Ceiling Mount 360°
- Detection Motion Speed: 0.5-3m/s
- Manual Override: Available by dial switch

CCT Bulkhead With Emergency Backup

- Emergency Operation Time: >3 Hours
- Battery Standby Watts: >1.2 Watts
- Battery Charging Current: 250mA
- Battery Discharging Current: 410mA
- Battery Type: LiFePO4, 3.2V 2Ah Battery

SKU	Model	Watts	Name	Box Qty	Size
801-27 - 3IN1	VT-8603	8W/16W/20W	LED Dome Lights - CCT 3IN1	10	320x100
804-27 - 3IN1	VT-8613	8W/16W/20W	LED Dome Lights - CCT 3IN1-Sensor	10	320x100
806-27 - 3IN1	VT-8623	8W/16W/20W	LED Dome Lights - CCT 3IN1-Emergency	10	320x100
812-27 - 3IN1	VT-8633	8W/16W/20W	LED Dome Lights - CCT 3IN1-Sensor+Emergency	10	320x100

LED DOME LIGHT CYCLONE COVER WITH REMOTE CONTROL



AC:220-240V, 50/60Hz

360° Beam Angle

>0.9 PF

>80 CRI

Plastic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23585 - 3IN1	VT-8559-W	3000K- 30W 4000K- 60W 6500K- 30W	6000	Ø492x71	5

LED DOME LIGHT CYCLONE COVER WITH REMOTE CONTROL



AC:220-240V, 50/60Hz

360° Beam Angle

>0.9 PF

>80 CRI

Plastic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23586 - 3IN1	VT-8559-WG	3000K- 30W 4000K- 60W 6500K- 30W	6000	Ø492x71	5

LED DOME LIGHT PLUM BLOSSOM COVER WITH REMOTE CONTROL



AC:220-240V, 50/60Hz

360° Beam Angle

>0.9 PF

>80 CRI

Plastic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23587 - 3IN1	VT-8561	3000K- 20W 4000K- 40W 6500K- 20W	4000	Ø400x70	5
23588 - 3IN1	VT-8562	3000K- 30W 4000K- 60W 6500K- 30W	6000	Ø500x85	5

LED DOME LIGHT ELEGANT WHITE COVER WITH REMOTE CONTROL



AC:220-240V, 50/60Hz

360° Beam Angle

>0.9 PF

>80 CRI



Plastic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23589 - 3IN1	VT-8563	3000K- 20W 4000K- 40W 6500K- 20W	4000	Ø395x66	5
23590 - 3IN1	VT-8564	3000K- 30W 4000K- 60W 6500K- 30W	6000	Ø495x66	6

LED DOME LIGHT VICTORY WHITE COVER WITH REMOTE CONTROL



AC:220-240V, 50/60Hz

360° Beam Angle

>0.9 PF

>80 CRI



Plastic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23591 - 3IN1	VT-8565	3000K- 20W 4000K- 40W 6500K- 20W	4000	Ø390x80	5
23592 - 3IN1	VT-8566	3000K- 30W 4000K- 60W 6500K- 30W	6000	Ø495x85	5

LED DOME LIGHT PHANTOM COVER WITH REMOTE CONTROL



AC:220-240V, 50/60Hz

360° Beam Angle

>0.9 PF

>80 CRI



Plastic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23593 - 3IN1	VT-8567	3000K- 20W 4000K- 40W 6500K- 20W	4000	Ø450x65	5
23594 - 3IN1	VT-8568	3000K- 30W 4000K- 60W 6500K- 30W	6000	Ø550x65	5

LED DOME LIGHT BEEHIVE COVER WITH REMOTE CONTROL



AC:220-240V, 50/60Hz

360° Beam Angle

>0.9 PF

>80 CRI

Plastic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23595 - 3IN1	VT-8569	3000K- 30W 4000K- 60W 6500K- 30W	6000	Ø490x70	5

LED DOME LIGHTS -WHITE FRAME



AC:220-240V,50/60Hz

>80 CRI

PP+PMMA Body

20,000 hr lifespan

IP44 Rating

SKU	Model	Shape	Watts	Lumens	Size(mm)
76151 - 3000K WARM WHITE 76161 - 4000K DAY WHITE 76171 - 6500K WHITE	VT-8618W-RD-N	Round	18W	1830	Ø250x63
76181 - 3000K WARM WHITE 76191 - 4000K DAY WHITE 76201 - 6500K WHITE	VT-8624W-RD-N	Round	24W	2500	Ø295x60
76211 - 3000K WARM WHITE 76221 - 4000K DAY WHITE 76231 - 6500K WHITE	VT-8630W-RD-N	Round	36W	3820	Ø350x61
76241 - 3000K WARM WHITE 76251 - 4000K DAY WHITE 76261 - 6500K WHITE	VT-8618W-SQ-N	Square	18W	1830	250x250x65
76271 - 3000K WARM WHITE 76281 - 4000K DAY WHITE 76291 - 6500K WHITE	VT-8624W-SQ-N	Square	24W	2500	295x295x65
76301 - 3000K WARM WHITE 76311 - 4000K DAY WHITE 76321 - 6500K WHITE	VT-8630W-SQ-N	Square	48W	5160	420x420x65

LED DOME LIGHTS - BLACK FRAME



AC:220-240V,50/60Hz

>80 CRI

PP+PMMA Body

20,000 hr lifespan

IP44 Rating

SKU	Model	Shape	Watts	Lumens	Size(mm)
76331 - 3000K WARM WHITE 76341 - 4000K DAY WHITE 76351 - 6500K WHITE	VT-8618B-RD-N	Round	18W	1830	Ø250x63
76361 - 3000K WARM WHITE 76371 - 4000K DAY WHITE 76381 - 6500K WHITE	VT-8624B-RD-N	Round	24W	2500	Ø295x60
76391 - 3000K WARM WHITE 76401 - 4000K DAY WHITE 76411 - 6500K WHITE	VT-8630B-RD-N	Round	36W	3820	Ø350x61
76421 - 3000K WARM WHITE 76431 - 4000K DAY WHITE 76441 - 6500K WHITE	VT-8618B-SQ-N	Square	18W	1830	250x250x65
76451 - 3000K WARM WHITE 76461 - 4000K DAY WHITE 76471 - 6500K WHITE	VT-8624B-SQ-N	Square	24W	2500	295x295x65
76481 - 3000K WARM WHITE 76491 - 4000K DAY WHITE 76501 - 6500K WHITE	VT-8630B-SQ-N	Square	48W	5160	420x420x65

LED DOME LIGHTS WITH SENSOR - WHITE FRAME



AC:220-240V,50/60Hz

>80 CRI

PP+PMMA Body

20,000 hr lifespan

IP44 Rating



SKU	Model	Shape	Watts	Lumens	Size(mm)
76591 - 3000K WARM WHITE 76601 - 4000K DAY WHITE 76611 - 6500K WHITE	VT-8618S-W-RD-N	Round	18W	1830	Ø295x60
76621 - 3000K WARM WHITE 76631 - 4000K DAY WHITE 76641 - 6500K WHITE	VT-8624S-W-RD-N	Round	24W	2500	Ø350x61
76651 - 4000K DAY WHITE	VT-8630S-W-RD-N	Round	36W	3820	Ø420x65
76661 - 4000K DAY WHITE	VT-8618SW-SQ-N	Square	18W	1830	295x295x65
76681 - 4000K DAY WHITE	VT-8630SW-SQ-N	Square	36W	3820	420x420x65

LED DOME LIGHTS WITH SENSOR - BLACK FRAME



AC:220-240V,50/60Hz

>80 CRI

PP+PMMA Body

20,000 hr lifespan

IP44 Rating

SKU	Model	Shape	Watts	Lumens	Size(mm)
76691 - 4000K DAY WHITE	VT-8618S-B-RD-N	Round	18W	1830	Ø295x60
76701 - 4000K DAY WHITE	VT-8624S-B-RD-N	Round	24W	2500	Ø350x61
76711 - 4000K DAY WHITE	VT-8630S-B-RD-N	Round	36W	3820	Ø420x65
76721 - 4000K DAY WHITE	VT-8618S-B-SQ-N	Square	18W	1830	295x295x65
76741 - 4000K DAY WHITE	VT-8630S-B-SQ-N	Square	36W	3820	420x420x65

LED DOME LIGHTS WITH SENSOR - WHITE FRAME



AC:220-240V,50Hz

120° Beam Angle

>0.7 PF

>80 CRI

PC Body

25,000 hr lifespan

IP44 Rating

SKU	Model	Shape	Watts	Lumens	Size(mm)
7667 - 4000K DAY WHITE	VT-8624S-W-SQ	Square	24W	2400	295x295x65
7673 - 4000K DAY WHITE	VT-8624S-B-SQ	Square	24W	2400	295x295x65

LED DOME LIGHT STARRY COVER



AC:220-240V, 50/60Hz

360° Beam Angle

Plastic Body

20,000 hr lifespan

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
217602 - 3IN1	VT-8412-S-N	12W	1200	260x55	5
217604 - 3IN1	VT-8418-S-N	18W	1800	Ø310x55	5
217606 - 3IN1	VT-8424-S-N	24W	2600	Ø350x55	5
217608 - 3IN1	VT-8436-S-N	36W	3900	Ø500x80	5

LED DOME LIGHT MILKY COVER



AC:220-240V, 50/60Hz

360° Beam Angle

Plastic Body

20,000 hr lifespan

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
217603 - 3IN1	VT-8412-M-N	12W	1200	Ø260x55	5
217605 - 3IN1	VT-8418-M-N	18W	1800	Ø310x55	5
217607 - 3IN1	VT-8424-M-N	24W	2600	Ø350x55	5
217609 - 3IN1	VT-8436-M-N	36W	3900	Ø500x80	5

LED DOME LIGHT STARRY COVER WITH REMOTE CONTROL



AC:220-240V, 50/60Hz

360° Beam Angle

Plastic+Metal Body

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
2114741- 3IN1	VT-8401-N	3000K- 20W 4000K- 40W 6400K- 20W	4000	Ø465x75	5
2114551- 3IN1	VT-8555-N	3000K- 30W 4000K- 60W 6400K- 30W	6000	Ø565x75	5
2114951- 3IN1	VT-8472-N	3000K- 36W 4000K- 72W 6400K- 36W	7200	Ø670x80	5

LED DOME LIGHT DIAMOND COVER WITH REMOTE CONTROL



AC:220-240V, 50/60Hz

360° Beam Angle

>0.9 PF

>80 CRI

Plastic+Metal Body

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
2114931 - 3IN1	VT-8404-N	3000K- 20W 4000K- 40W 6400K- 20W	4000	Ø388.5x75	5
2114921- 3IN1	VT-8557-N	3000K- 30W 4000K- 60W 6400K- 30W	6000	Ø500x75	5

LED DOME LIGHT WITH REMOTE CONTROL



AC:175-265V,50/60Hz

120° Beam Angle

>0.9 PF

>80 CRI

Plastic+Metal Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
2114941- 3IN1	VT-8405-N	3000K- 20W 4000K- 40W 6400K- 20W	4000	Ø393x80	5
2114911 - 3IN1	VT-8556-N	3000K- 30W 4000K- 60W 6400K- 30W	6000	Ø493.9x75	5

LED DOME LIGHT WITH REMOTE CONTROL



AC:175-265V,50/60Hz

120° Beam Angle

>0.9 PF

>80 CRI

Plastic+Metal Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
2114761- 3IN1	VT-8402-N	3000K- 20W 4000K- 40W 6400K- 20W	4000	Ø410x75	5
2114751- 3IN1	VT-8502-N	3000K- 30W 4000K- 60W 6400K- 30W	6000	Ø510x80	5

LED DOME LIGHT WITH REMOTE CONTROL



AC:220-240V, 50/60Hz

360° Beam Angle

Plastic+Metal Body

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
2114601- 3IN1	VT-8403-N	3000K- 20W 4000K- 40W 6400K- 20W	4000	Ø395x80	5
2114611- 3IN1	VT-8503-N	3000K- 30W 4000K- 60W 6400K- 30W	6000	Ø500x90	5

LED DOME LIGHT WITH REMOTE CONTROL



AC:175-265V,50/60Hz

120° Beam Angle

>0.9 PF

>80 CRI

Plastic+Metal Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
2114621- 3IN1	VT-8504-N	3000K- 30W 4000K- 60W 6500K- 30W	3000K 2100 4000K 4200 6500K 2100	Ø490x85	5

LED ROUND DOME LIGHTS-BULKHEAD



AC:220-240V,50/60Hz

110° Beam Angle

>0.7 PF

>80 CRI

25,000 hr lifespan

IP54 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
10195 - 3000K WARM WHITE 10196 - 4000K DAY WHITE 10197 - 6500K WHITE	VT-8095	12W	1160	151x38	80
10198 - 3000K WARM WHITE 10199 - 4000K DAY WHITE 10200 - 6500K WHITE	VT-8096	18W	1820	195x38	40
23596 - 3000K WARM WHITE 23597 - 4000K DAY WHITE 23598 - 6500K WHITE	VT-80024	24W	2500	240x38	

LED DOME LIGHTS WITH SENSOR



Detection Range:	180°/ 360°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	Wall 5-15 Meters,Ceiling 2-8 Meters Adjustable
Ambient Light:	5lux,15lux,50lux,2000lux optional
Body Type:	PC
Dimension:	300x87
Time Delay:	10s,90s,3min,10min optional



SKU	Model	Shape	Watts	Lumens	Size(mm)
23160 - 3IN1	VT-8222	Round	20W	1850	300x87

LED OVAL DOME LIGHTS



AC:200-240V,50/60Hz
120° Beam Angle
>0.9 PF
>80 CRI
PC+PC Body
20,000 hr lifespan
IP54 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
1350 - 3000K WARM WHITE	VT-8010-B	12W	840	Ø242x96	10

LED ROUND DOME LIGHTS



AC:200-240V,50/60Hz
120° Beam Angle
>0.7 PF
>70 CRI
PC+PC Body
20,000 hr lifespan
IP54 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
1349 - 3000K WARM WHITE	VT-8015-B	12W	840	Ø220x105	10



LED WALL LIGHTS

Presenting our modern LED wall lights, the perfect replacement for traditional wall lamps. A classy combination of energy efficiency and design. Applied indoors or outdoors, style up your bedroom, hall or pathways with the soft light illuminated from these wall lamps.

LED ROTATABLE WALL LIGHTS WITH USB CHARGING PORT




AC:220-260V, 50Hz

120° Beam Angle

>80 CRI

Steel+Acrylic Body

IP20 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)
23405 - 3000K WARM WHITE	VT-10111	8W	900	Black	265x155x98mm

LED ROTATABLE WALL LIGHTS WITH USB CHARGING PORT




AC:220-260V, 50Hz

120° Beam Angle

>80 CRI

Steel+Acrylic Body

IP20 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
23406 - 3000K WARM WHITE	VT-10112	8W	900	Black	265x140x88mm	

LED ROTATABLE WALL LIGHTS




AC:220-240V,50/60Hz

350° Beam Angle

>80 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
2934 - 3000K WARM WHITE 2935 - 4000K DAY WHITE	VT-11020-W	17W	3000K-2520lm 4000K-2580lm	White	212x165x100	12
2936 - 3000K WARM WHITE 2937 - 4000K DAY WHITE	VT-11020-B	17W	3000K-2520lm 4000K-2580lm	Black	212x165x100	12

LED ROTATABLE WALL LIGHTS-SENSOR




AC:220-240V,50/60Hz

350° Beam Angle

>80 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
2938 - 3000K WARM WHITE 2939 - 4000K DAY WHITE	VT-11020S-W	17W	3000K-2520lm 4000K-2580lm	White	212x165x100	12
2940 - 3000K WARM WHITE 2941 - 4000K DAY WHITE	VT-11020S-B	17W	3000K-2520lm 4000K-2580lm	Black	212x165x100	12

LED ROTATABLE WALL LIGHTS




AC:220-240V,50/60Hz

350° Beam Angle

>80 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
2942 - 3000K WARM WHITE 2943 - 4000K DAY WHITE	VT-11020-SQ-W	17W	3000K-2520lm 4000K-2580lm	White	178x170x160	12
2944 - 3000K WARM WHITE 2945 - 4000K DAY WHITE	VT-11020-SQ-B	17W	3000K-2520lm 4000K-2580lm	Black	178x170x160	12

LED ROTATABLE WALL LIGHTS-SENSOR




AC:220-240V,50/60Hz

350° Beam Angle

>80 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
2946 - 3000K WARM WHITE 2947 - 4000K DAY WHITE	VT-11020S-SQ-W	17W	3000K-2520lm 4000K-2580lm	White	178x170x160	12
2948 - 3000K WARM WHITE 2949 - 4000K DAY WHITE	VT-11020S-SQ-B	17W	3000K-2520lm 4000K-2580lm	Black	178x170x160	12

LED ROTATABLE WALL LIGHTS




AC:220-240V,50/60Hz

350° Beam Angle

>80 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
2950 - 3000K WARM WHITE 2951 - 4000K DAY WHITE	VT-11020-RD-W	17W	3000K-2480lm 4000K-2520lm	White	160x206x160	12
2952 - 3000K WARM WHITE 2953 - 4000K DAY WHITE	VT-11020-RD-B	17W	3000K-2480lm 4000K-2520lm	Black	160x206x160	12

LED ROTATABLE WALL LIGHTS-SENSOR




AC:220-240V,50/60Hz

350° Beam Angle

>80 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
2954 - 3000K WARM WHITE 2955 - 4000K DAY WHITE	VT-11020S-RD-W	17W	3000K-2480lm 4000K-2520lm	White	160x206x160	12
2956 - 3000K WARM WHITE 2957 - 4000K DAY WHITE	VT-11020S-RD-B	17W	3000K-2480lm 4000K-2520lm	Black	160x206x160	12

LED ROTATABLE WALL LIGHTS-SWITCH




AC:220-240V,50Hz

120° Beam Angle

>90 CRI

Aluminium Body

IP20 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10447 - 3000K+4000K WARM WHITE+DAY WHITE	VT-1180-W	5W	600	White	153x183x185	20
10448 - 3000K+4000K WARM WHITE+DAY WHITE	VT-1180-B	5W	600	Black	153x183x185	20

LED ROTATABLE WALL LIGHTS-2WAY




AC:220-240V,50/60Hz

90° Beam Angle

Aluminium+Glass Body

IP44 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10473 - 3000K WARM WHITE 23049 - 4000K DAY WHITE	VT-1186-B	6W	620	Black	172x105x253	4
10474 - 3000K WARM WHITE 23050 - 4000K DAY WHITE	VT-1186-W	6W	620	White	172x105x253	4

LED SINGLE HEAD ROTATABLE WALL LIGHTS



AC:220-240V,50/60Hz


350° Beam Angle

>0.5 PF

>80 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218286 - 3000K WARM WHITE 218287 - 4000K DAY WHITE	VT-816-W-N	5W	722	White	115x50x100	20
218288 - 3000K WARM WHITE 218289 - 4000K DAY WHITE	VT-816-B-N	6W	722	Black	115x50x100	20
218291 - 4000K DAY WHITE	VT-816-G-N	6W	800	Grey	115x50x100	20

LED DOUBLE HEAD ROTATABLE WALL LIGHTS



AC:110-240V,50/60Hz


350° Beam Angle

>0.5 PF

>80 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218292 - 3000K WARM WHITE	VT-814-W-N	12W	1444	White	230x54x96	20
8293 - 3000K WARM WHITE	VT-814-B	12W	1320	Black	230x54x97	20

LED UP-DOWN WALL LIGHTS



AC:220-240V,50Hz

120° Beam Angle

>0.45 PF

>80 CRI

Aluminium Body

IP54 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218684 - 4000K DAY WHITE	VT-815-B-N	9W	1280	Black	200x130x100	20

218683 - 4000K DAY WHITE	VT-815-W-N	10W	1280	White	200x130x100	20
--------------------------	------------	-----	------	-------	-------------	----

LED WALL LIGHTS



AC:220-240V,50/60Hz

41° Beam Angle

>0.4 PF

>80 CRI

Nylon Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218561 - 3000K WARM WHITE 218563 - 6400K WHITE	VT-844-B-N	4W	400	Black	83x123x30	50

218560 - 3000K WARM WHITE 218562 - 6400K WHITE	VT-844-W-N	4W	400	White	83x123x30	50
---	------------	----	-----	-------	-----------	----

LED WALL LIGHTS



AC:220-240V,50/60Hz


128° Beam Angle

>0.6 PF

>80 CRI

PC Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Shape	Size(mm)	Box Qty
218609 - 3000K WARM WHITE	VT-831-CRD-N	7W	610	Round	133x133x67	20
218610 - 3000K WARM WHITE	VT-831-CSQ-N	7W	670	Square	133x133x67	20
218537 - 3000K WARM WHITE 218538 - 4000K DAY WHITE	VT-827-RD-N	12W	1155	Round	169x100	20
218539 - 3000K WARM WHITE 218540 - 4000K DAY WHITE	VT-827-SQ-N	12W	1160	Square	160x160x100	20

LED WALL LIGHTS



AC:220-240V,50/60Hz


128° Beam Angle

>0.6 PF

>80 CRI

PC Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Shape	Size(mm)	Box Qty
218612 - 3000K WARM WHITE	VT-831-SQ-N	7W	700	Square	133x133x67	20
8541 - 3000K WARM WHITE	VT-828-RD	12W	900	Round	169x100	20
218543 - 3000K WARM WHITE 218544 - 4000K DAY WHITE	VT-828-SQ-N	12W	3000K - 1200 4000K - 1280	Square	160x160x100	20

LED OUTDOOR BOLLARD LAMP



AC:100-240V,50/60Hz


72° Beam Angle

>0.5 PF

>80 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
128317 - 4000K DAY WHITE 128318 - 6400K WHITE	VT-830-W-N	10W	1000	White	Ø148x250 mm	8
128319 - 3000K WARM WHITE 128320 - 4000K DAY WHITE 128321 - 6400K WHITE	VT-830-G-N	10W	1000	Grey	Ø148x250 mm	8
128322 - 3000K WARM WHITE 128323 - 4000K DAY WHITE 128324 - 6400K WHITE	VT-830-B-N	10W	1000	Black	Ø148x250 mm	8

LED OUTDOOR BOLLARD LAMP



AC:220-240V,50Hz

110° Beam Angle

>0.5 PF

>80 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
8327 - 6400K WHITE	VT-820-W	10W	450	White	Ø148x800 mm	4
128325 - 3000K WARM WHITE 128326 - 4000K DAY WHITE	VT-820-W-N	10W	1000	White	Ø148x800 mm	4
128333 - 6400K WHITE	VT-820-B-N	10W	1000	Black	Ø148x800 mm	4
218328 - 3000K WARM WHITE	VT-820-G-N	10W	1000	Grey	Ø148x800 mm	4

LED OUTDOOR BOLLARD LAMP



AC:220-240V,50/60Hz

180° Beam Angle

>0.5 PF

>80 CRI


Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218682 - 4000K DAY WHITE	VT-896-B-N	5W	810	Black	150x95x805	12
218681 - 4000K DAY WHITE	VT-896-G-N	6W	810	Grey	95x150x805	12

LED BOLLARD LIGHTS



AC:220-240V,50/60Hz


120° Beam Angle

>0.5 PF

>80 CRI

Die Cast Aluminium+PC Body

IP65 IP Rating




SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
20116 3000K WARM WHITE 20117 4000K DAY WHITE 20118 6400K WHITE	VT-33-White	10W	900	White	163x57x800mm	5
20113 3000K WARM WHITE 20115 6400K WHITE	VT-33-Black	10W	650	Black	163x57x800mm	5
2120114 4000K DAY WHITE	VT-33-Black-N	10W	650	Black	163x57x800mm	5

LED UP-DOWN WALL LIGHTS



AC:220-240V,50Hz
Up150° / Down150° Beam Angle
>0.6 PF
>80 CRI
Aluminium Body
IP54 IP Rating




SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218615 - 3000K WARM WHITE 218616 - 4000K DAY WHITE	VT-846-B-N	5W	630	Black	170x40x80	20
218613 - 3000K WARM WHITE 218614 - 4000K DAY WHITE	VT-846-W-N	5W	630	White	170x40x80	20
218619 - 3000K WARM WHITE 218620 - 4000K DAY WHITE	VT-848-B-N	7W	3000K-870lm 4000K-940lm	Black	220x48x90	20
218617 - 3000K WARM WHITE 218618 - 4000K DAY WHITE	VT-848-W-N	7W	3000K-870lm 4000K-940lm	White	220x48x90	20

LED WALL LIGHTS



AC:220-240V, 50Hz
167° Beam Angle
>80 CRI
PC Body
IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10284 - 3000K WARM WHITE 10285 - 4000K DAY WHITE	VT-732-B	8W	800	Brown	120x120x92	20

LED WALL LIGHTS




AC:220-240V, 50Hz

167° Beam Angle

>80 CRI

PC Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10282 - 3000K WARM WHITE 10283 - 4000K DAY WHITE	VT-708	8W	800	Brown	120x120x92	20

LED WALL LIGHTS



AC:100-240V,50/60Hz


170° Beam Angle

>0.7 PF

>80 CRI


PC Body

IP65 IP Rating




SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218334 - 3000K WARM WHITE 218335 - 4000K DAY WHITE	VT-822-W-N	12W	1350	White	130x108x160mm	20
8338 - 4000K DAY WHITE	VT-822-G	12W	750	Grey	130x108x160mm	20
218338 - 4000K DAY WHITE	VT-822-G-N	12W	1350	Grey	130x108x160mm	20
218341 - 4000K DAY WHITE	VT-822-B-N	12W	1350	Black	130x108x160mm	20

LED UP-DOWN WALL LIGHTS



AC:220-240V,50/60Hz
Adjustable 5°-120° Beam Angle
>0.45 PF
>80 CRI
Aluminium Body
IP65 IP Rating




SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
217079 - 3000K WARM WHITE 217088 - 4000K DAY WHITE	VT-759-W-N	5W	700	White	100x100x100	20
217078 - 3000K WARM WHITE 217087 - 4000K DAY WHITE	VT-759-B-N	5W	700	Black	100x100x100	20
217080 - 3000K WARM WHITE 217089 - 4000K DAY WHITE	VT-759-G-N	5W	700	Grey	100x100x100	20

LED UP-DOWN WALL LIGHTS



AC:200-240V, 50Hz
Adjustable 5°-120° Beam Angle
>80 CRI
Aluminium Body
IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
6820 - 3000K WARM WHITE	VT-759-12-C	11W	1360	Corten	100x100x100	20
218527 - 3000K WARM WHITE 218528 - 4000K DAY WHITE	VT-759-12-W-N	11W	1360	White	100x100x100	20
218529 - 3000K WARM WHITE 218530 - 4000K DAY WHITE	VT-759-12-B-N	11W	1360	Black	100x100x100	20
218531 - 3000K WARM WHITE 218532 - 4000K DAY WHITE	VT-759-12-G-N	11W	1360	Grey	100x100x100	20

LED UP-DOWN WALL LIGHTS




AC:200-240V, 50Hz

90° Beam Angle

>80 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10443 - 3000K WARM WHITE 10444 - 4000K DAY WHITE	VT-1179-W	5W	465	White	90x70x130	20
10445 - 3000K WARM WHITE 10446 - 4000K DAY WHITE	VT-1179-B	5W	465	Black	90x70x130	20
23007 - 3000K WARM WHITE	VT-7504-B	10W	950	Black	135x100	10
23008 - 3000K WARM WHITE	VT-7504-W	10W	950	White	135x100	10

LED 4 SIDES LIGHT WALL LIGHTS



AC:220-240V,50/60Hz


4*60° Beam Angle

>0.5 PF

>80 CRI

Aluminium+Acrylic Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218209 - 3000K WARM WHITE 218210 - 4000K DAY WHITE	VT-704-W-N	4W	428	White	150x150x50	20
218211 - 3000K WARM WHITE	VT-704-B-N	4W	428	Black	150x150x50	20

LED 4 SIDES LIGHT WALL LIGHTS



AC:220-240V,50/60Hz

4*60° Beam Angle

>0.5 PF

>80 CRI

Aluminium+Acrylic Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
8213 - 3000K WARM WHITE	VT-706-W	4W	440	White	150x50	20
218214 - 4000K DAY WHITE	VT-706-W-N	4W	428	White	150x45	20
218215 - 3000K WARM WHITE	VT-706-B-N	4W	428	Black	150x150x50	20

LED 4 SIDES LIGHT WALL LIGHTS



AC:220-240V,50/60Hz


4*90° Beam Angle

>0.45 PF

>80 CRI


Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
8551 - 3000K WARM WHITE 8552 - 4000K DAY WHITE	VT-834-W	4W	440	White	Ø112	20
218553 - 3000K WARM WHITE 218554 - 4000K DAY WHITE	VT-834-B-N	4W	428	Black	Ø112	20

LED WALL LIGHTS



AC:220-240V,50/60Hz


110° Beam Angle

>0.5 PF

>80 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
8281 - 4000K DAY WHITE	VT-825-W	5W	550	White	170x170x75	20
218280 - 3000K WARM WHITE	VT-825-W-N	5W	568	White	170x170x75	20
218282 - 3000K WARM WHITE 218283 - 4000K DAY WHITE	VT-825-B-N	5W	645	Black	170x170x75	20
218284 - 3000K WARM WHITE 218285 - 4000K DAY WHITE	VT-825-G-N	5W	3000K-568lm 4000K-645lm	Grey	170x170x75	20

LED UP-DOWN WALL LIGHTS



AC:220-240V,50/60Hz

Up15°-Down120° Beam Angle

>0.5 PF

>80 CRI

Aluminium Body

IP65 IP Rating




SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218295 - 3000K WARM WHITE	VT-826-W-N	6W	450	White	90x200x90	20
218297 - 3000K WARM WHITE 218298 - 4000K DAY WHITE	VT-826-B-N	6W	3000K-450lm 4000K-476lm	Black	90x200x90	20
218299 - 3000K WARM WHITE	VT-826-G-N	6W	450	Grey	90x200x90	20

LED UP-DOWN WALL LIGHTS



AC:220-240V,50/60Hz
Adjustable 0°-120° Beam Angle
>80 CRI
Aluminium Body
IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
2975 - 3000K WARM WHITE 2976 - 4000K DAY WHITE	VT-8125-W	24W	2720	White	200x100x100	10
2977 - 3000K WARM WHITE 2978 - 4000K DAY WHITE	VT-8125-B	24W	2720	Black	200x100x100	10
2979 - 3000K WARM WHITE 2980 - 4000K DAY WHITE	VT-8125-G	24W	2720	Grey	200x100x100	10

LED UP-DOWN WALL LIGHTS



AC:220-240V,50/60Hz
Adjustable 5°-120° Beam Angle
>0.45 PF
>80 CRI
Aluminium Body
IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
217082 - 3000K WARM WHITE 217091 - 4000K DAY WHITE	VT-756-W-N	5W	700	White	140x115x100	20
217081 - 3000K WARM WHITE 217090 - 4000K DAY WHITE	VT-756-B-N	5W	700	Black	140x115x100	20
7083 - 3000K WARM WHITE	VT-756-G	6W	660	Grey	140x115x100	20
217092 - 4000K DAY WHITE	VT-756-G-N	5W	700	Grey	140x115x100	20

LED CEILING-BLADE LIGHTS



AC:220-240V,50/60Hz


360° Beam Angle

>0.5 PF

>80 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
8218 - 4000K DAY WHITE	VT-707-W	7W	770	White	110x120x170	20
218217 - 3000K WARM WHITE	VT-707-W-N	6W	645	White	110x120x170	20
8219 - 3000K WARM WHITE	VT-707-B	7W	770	Black	110x120x170	20
218220 - 4000K DAY WHITE	VT-707-B-N	6W	645	Black	110x120x170	20

LED UP-DOWN WALL LIGHTS



AC:220-240V,50/60Hz


Up-Down 90° Beam Angle

>0.5 PF

>80 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218301 - 3000K WARM WHITE 218302 - 4000K DAY WHITE	VT-836-W-N	4W	450	White	112x112x100	20
218305 - 3000K WARM WHITE 218306 - 4000K DAY WHITE	VT-836-G-N	4W	450	Grey	112x112x100	20

NEW LED WALL LIGHTS



AC:220-240V,50Hz

360° Beam Angle

>80 CRI

Stainless Steel Body

IP44 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)
24311 - 3000K WARM WHITE	VT-10179	6W	900	Black	93x60x275

NEW LED WALL LIGHTS



AC:220-240V,50Hz


360° Beam Angle

>80 CRI

Stainless Steel+Aluminium

Body

IP44 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)
24312 - 3000K WARM WHITE	VT-10180	8W	1100	Black	106x82x228

NEW LED UP-DOWN WALL LIGHTS



AC:220-240V, 50Hz


295° Beam Angle

>0.5 PF

>80 CRI

PC Body

IP65 IP Rating




SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
23760 - 4000K DAY WHITE	VT-91008	8W	960	Black	250x85x31	20

NEW LED UP-DOWN WALL LIGHTS CCT



AC:220-240V, 50Hz
Adjustable 0°-90° Beam Angle
>90 CRI
Aluminium Body
IP65 IP Rating




SKU	Model	Watts	Lumens	Unit Color	Size(mm)
24345 - 2700K+3200K+4000K - WARM WHITE+DAY WHITE	VT-120112-W	10W	1250	White	71x71x171
24346 - 2700K+3200K+4000K - WARM WHITE+DAY WHITE	VT-120112-B	10W	1250	Black	71x71x171
24347 - 2700K+3200K+4000K - WARM WHITE+DAY WHITE	VT-120112-C	10W	1250	Corten	71x71x171

NEW LED UP-DOWN WALL LIGHTS CCT



AC:220-240V, 50Hz
Adjustable 0°-90° Beam Angle
>90 CRI
Aluminium Body
IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)
24348 - 2700K+3200K+4000K - WARM WHITE+DAY WHITE	VT-120113-W	10W	1250	White	71x96x171
24349 - 2700K+3200K+4000K - WARM WHITE+DAY WHITE	VT-120113-B	10W	1250	Black	71x96x171
24350 - 2700K+3200K+4000K - WARM WHITE+DAY WHITE	VT-120113-C	10W	1250	Corten	71x96x171

COB UP-DOWN WALL LIGHTS



AC:100-265V,50/60Hz

60° Beam Angle

>0.5 PF

>80 CRi

Aluminium Body

IP54 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
23028 - 3000K WARM WHITE 23030 - 4000K DAY WHITE	VT-2503-B	2W	200	Black	50x40x40	100
23029 - 3000K WARM WHITE 23031 - 4000K DAY WHITE	VT-2503-W	2W	200	White	50x40x40	100

COB UP-DOWN WALL LIGHTS



AC:100-265V,50/60Hz


60° Beam Angle

>0.5 PF

>80 CRi

Aluminium Body

IP54 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10584 - 3000K WARM WHITE 10586 - 4000K DAY WHITE	VT-2502-B	2W	200	Black	42x40	100
10585 - 3000K WARM WHITE 10587 - 4000K DAY WHITE	VT-2502-W	2W	200	White	42x40	100

COB 4 SIDES LIGHT WALL LIGHTS



AC:100-265V,50/60Hz


60° Beam Angle

>0.5 PF

>80 CRi

Aluminium Body

IP54 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10588 - 3000K WARM WHITE 10590 - 4000K DAY WHITE	VT-2544-B	4W	390	Black	50x50x30	100
10589 - 3000K WARM WHITE 10591 - 4000K DAY WHITE	VT-2544-W	4W	390	White	50x50x30	100

LED CEILING & WALL LIGHTS



AC:220-240V,50/60Hz


360° Beam Angle

>0.55 PF

>80 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
7525 - 4000K DAY WHITE	VT-741	6W	660	White	Ø135	20
217524 - 3000K WARM WHITE	VT-741-N	5W	710	White	Ø135x40	20
217527 - 4000K DAY WHITE	VT-743-N	8W	1280	White	Ø180x40	20

LED CEILING & WALL LIGHTS




AC:220-240V,50Hz

105° Beam Angle

>80 CRI

PC Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
7853 - 3IN1	VT-83012-B	12W	1200	Black	160x160x60	20
7854 - 3IN1	VT-83012-W	12W	1200	White	160x160x60	20

LED CEILING & WALL LIGHTS




AC:220-240V,50/60Hz

105° Beam Angle

>80 CRI

PC Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
6787 - 3000K WARM WHITE 6788 - 4000K DAY WHITE	VT-8612-B	12W	1400	Black	160x160x60	50
6785 - 3000K WARM WHITE 6786 - 4000K DAY WHITE	VT-8612-W	12W	1400	White	160x160x60	50

LED UP-DOWN WALL LIGHTS




AC:220-240V,50Hz

340° Beam Angle

>80 CRI

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10559 - 3000K WARM WHITE 10560 - 4000K DAY WHITE	VT-1189	12W	1250	Black	160x65x200	

LED UP-DOWN WALL LIGHTS




AC:200-240V,50Hz

100° Beam Angle

>80 CRI

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10564 - 3000K WARM WHITE 23027 - 4000K DAY WHITE	VT-1192	15W	1950	Black	160x165x164	

LED OUTDOOR WALL LIGHTS




AC:220-240V,50Hz

140° Beam Angle

>80 CRI

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10558 - 3000K WARM WHITE	VT-1188	20W	2300	Black	200x50x400	

NEW LED OUTDOOR WALL LIGHTS CCT




AC:220-240V,50Hz

190° Beam Angle

>80 CRI

PC Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
23758 - 3IN1	VT-912CCT-B	12W	1500	Black	92.5x129x203	20

NEW LED OUTDOOR WALL LIGHTS CCT



AC:220-240V,50Hz

190° Beam Angle

>80 CRI

PC Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
23759 - 3IN1	VT-912CCT-W	12W	1500	White	92.5x129x203	20

LED OUTDOOR WALL LIGHTS



AC:200-240V,50Hz

350° Beam Angle

>80 CRI

IP54 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10562 - 3000K WARM WHITE 10563 - 4000K DAY WHITE	VT-1191	15W	1650	Black	330x150x44	

LED LINEAR WALL LIGHTS



AC:220-240V,50Hz

150° Beam Angle

>90 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10427 - 3000K WARM WHITE 10428 - 4000K DAY WHITE	VT-1173-B	10W	1300	Black	510x60x50	20
10429 - 3000K WARM WHITE 10430 - 4000K DAY WHITE	VT-1173-A	10W	1300	Anthracite	510x60x50	20
10431 - 3000K WARM WHITE 23022 - 4000K DAY WHITE	VT-1176-B	16W	2250	Black	1010x60x50	10
10434 - 3000K WARM WHITE 10435 - 4000K DAY WHITE	VT-1176-A	16W	2250	Anthracite	1010x60x50	10
10436 - 3000K WARM WHITE 10437 - 4000K DAY WHITE	VT-1178-B	23W	3150	Black	1410x60x50	10
10438 - 3000K WARM WHITE 10439 - 4000K DAY WHITE	VT-1178-A	23W	3150	Anthracite	1410x60x50	10

LED OUTDOOR WALL LIGHTS



AC:220-240V,50/60Hz

>90 CRI


Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
6828 - 3000K WARM WHITE 6829 - 4000K DAY WHITE	VT-11117-C	17W	2330	Corten	85x54x625	10
6830 - 3000K WARM WHITE 6831 - 4000K DAY WHITE	VT-11117-B	17W	2330	Black	85x54x625	10

LED OUTDOOR WALL LIGHTS




AC:220-240V,50/60Hz

120° Beam Angle

>90 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
6832 - 3000K WARM WHITE 6833 - 4000K DAY WHITE	VT-11112-W	12W	1400	White	16x72x650	10
6834 - 3000K WARM WHITE 6835 - 4000K DAY WHITE	VT-11112-B	12W	1590	Black	16x72x650	10

LED OUTDOOR SOFT LIGHTS



AC:100-240V,50/60Hz


90° Beam Angle

>0.9 PF

>80 CRI

PC Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218239 - 3000K WARM WHITE 218240 - 4000K DAY WHITE 218241 - 6400K WHITE	VT-8056-N	9W	850	Grey	173x81x46	20
218242 - 3000K WARM WHITE 218243 - 4000K DAY WHITE 218244 - 6400K WHITE	VT-8057-N	12W	1155	Grey	230x100x90	20

LED OUTDOOR SOFT LIGHTS



AC:100-240V,50/60Hz


130° Beam Angle

>0.9 PF

>80 CRI

PC Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218245 - 3000K WARM WHITE 218246 - 4000K DAY WHITE 218247 - 6400K WHITE	VT-8058-N	12W	1160	Grey	230x110x76	20

LED OUTDOOR SOFT LIGHTS



AC:220-240V, 50/60Hz


110° Beam Angle

>0.9 PF

>80 CRI


PC Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
6807 - 3000K WARM WHITE 6808 - 4000K DAY WHITE 6809 - 6400K WHITE	VT-8054-B	12W	1250	Black	265x120x81	20
6813 - 3000K WARM WHITE 6814 - 4000K DAY WHITE 6815 - 6400K WHITE	VT-8054-W	12W	1250	White	265x120x81	20
8234 - 4000K DAY WHITE	VT-8054	12W	600	Grey	265x120x81	20
218233 - 3000K WARM WHITE 218234 - 4200K DAY WHITE 218235 - 6400K WHITE	VT-8054-N	12W	1250	Grey	265x120x81	20
6810 - 3000K WARM WHITE 6811 - 4000K DAY WHITE 6812 - 6400K WHITE	VT-8055-B	20W	2045	Black	319x170x114	20
6816 - 3000K WARM WHITE 6817 - 4000K DAY WHITE 6818 - 6400K WHITE	VT-8055-W	20W	2045	White	319x170x114	20
218236 - 3000K WARM WHITE 218237 - 4200K DAY WHITE 218238 - 6400K WHITE	VT-8055-N	20W	2050	Grey	319x170x114	20

LED ROTATABLE WALL LIGHT



AC:110-240V,50/60Hz


10-360° Beam Angle

>0.45 PF

>80 CRI

Aluminium Body

IP20 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
217093 - 4000K DAY WHITE	VT-757-N	5W	645	White	Ø 120	20

LED WALL LIGHTS



AC:110-240V, 50/60Hz


360° Beam Angle

>0.5 PF

>80 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218309 - 3000K WARM WHITE	VT-811-B-N	9W	1070	Black	300x215x60	20

LED WALL LIGHTS




AC:220-240V, 50Hz

>90 CRI

Aluminium Body

IP20 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
6840 - 3000K WARM WHITE	VT-11120-C	20W	2400	Corten	420x60x290	5
6842 - 3000K WARM WHITE	VT-11120-B	20W	2400	Black	420x60x290	5

ADJUSTABLE LED WALL LIGHTS



AC:220-240V,50/60Hz


Adjustable 5°-90° Beam Angle

>0.5 PF

>80 CRI

Aluminium Body

IP44 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218533 - 3000K WARM WHITE 218534 - 4000K DAY WHITE	VT-819-W-N	16W	2340	White	600x100x42	10

LED WALL LIGHTS



AC:220-240V,50/60Hz

150° Beam Angle

>0.5 PF

>80 CRI

Aluminium Body

IP20 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218535 - 3000K WARM WHITE 218536 - 4000K DAY WHITE	VT-821-W-N	17W	2300	White	610x90x35	20

LED WALL LIGHT WITH SWITCH



AC:220-240V, 50Hz

38° Beam Angle


>80 CRI

Aluminium Body

IP20 IP Rating



With Switch



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10286 - 3000K WARM WHITE 10287 - 4000K DAY WHITE	VT-402-B	2W	150	Black	145x150x60	50
10288 - 3000K WARM WHITE 10289 - 4000K DAY WHITE	VT-402-W	2W	150	White	145x150x60	50

LED SINGLE HEAD WALL LIGHTS



AC:220-240V, 50Hz

38° Beam Angle

>80 CRI

Aluminium Body

IP20 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10290 - 3000K WARM WHITE 10291 - 4000K DAY WHITE	VT-412-B	2W	150	Black	140x60x60	50
10292 - 3000K WARM WHITE 10293 - 4000K DAY WHITE	VT-412-W	2W	150	White	140x60x60	50

LED WALL LIGHT WITH SWITCH



AC:220-240V,50/60Hz

100° Beam Angle

>0.5 PF


>80 CRI

Plastic+Metal Body

IP20 IP Rating



With Switch



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218675 - 3000K WARM WHITE	VT-805-N-W-N	4.5W	420	White	100x94x45	12
218676 - 3000K WARM WHITE	VT-805-N-B-N	4.5W	420	Black	100x94x45	24

LED SINGLE HEAD WALL LIGHTS



AC:220-240V,50/60Hz


100° Beam Angle

>0.5 PF

>80 CRI

Plastic+Metal Body

IP20 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218262 - 3000K WARM WHITE 218264 - 4000K DAY WHITE	VT-805-W-N	4.5W	420	White	100x94x45	24
218263 - 3000K WARM WHITE 218265 - 4000K DAY WHITE	VT-805-B-N	4.5W	420	Black	100x94x45	24

LED DOUBLE HEAD WALL LIGHTS



AC:220-240V,50/60Hz


100° Beam Angle

>0.5 PF

>80 CRI


Plastic+Metal Body

IP20 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218266 - 3000K WARM WHITE	VT-810-W-N	9W	840	White	400x100x94	12
8267 - 3000K WARM WHITE	VT-810-B	9W	720	Black	400x100x94	12
218269 - 4000K DAY WHITE	VT-810-B-N	9W	840	Black	400x100x94	12

LED TRIPLE HEAD WALL LIGHTS



AC:220-240V,50/60Hz


100° Beam Angle

>0.7 PF

>80 CRI

Plastic+Metal Body

IP20 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218270 - 3000K WARM WHITE 218272 - 4000K DAY WHITE	VT-813-W-N	13.5W	1260	White	600x100x94	12
218271 - 3000K WARM WHITE 218273 - 4000K DAY WHITE	VT-813-B-N	13.5W	1260	Black	600x100x94	12

LED SINGLE HEAD WALL LIGHTS



AC:220-240V,50/60Hz


100° Beam Angle

>0.5 PF

>80 CRI

Plastic+Metal Body

IP20 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218250 - 3000K WARM WHITE 218252 - 4000K DAY WHITE	VT-806-W-N	5W	540	White	71x93x100	24

LED DOUBLE HEAD WALL LIGHTS



AC:220-240V,50/60Hz


100° Beam Angle

>0.5 PF

>80 CRI


Plastic+Metal Body

IP20 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218254 - 3000K WARM WHITE 218256 - 4000K DAY WHITE	VT-812-W-N	10W	1080	White	405x100x93	12
218255 - 3000K WARM WHITE 218257 - 4000K DAY WHITE	VT-812-B-N	10W	1080	Black	405x100x93	12

LED TRIPLE HEAD WALL LIGHTS



AC:220-240V,50/60Hz


100° Beam Angle

>0.7 PF

>80 CRI

Plastic+Metal Body

IP20 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218258 - 3000K WARM WHITE 218260 - 4000K DAY WHITE	VT-818-W-N	15W	1620	White	605x100x93	12
218259 - 3000K WARM WHITE 218261 - 4000K DAY WHITE	VT-818-B-N	15W	1620	Black	605x100x93	12

CABINET LIGHTS WITH SENSOR





DC:5V, 1A

270° Beam Angle


Aluminium Body

IP20 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
2961 - 3000K WARM WHITE 2958 - 4000K DAY WHITE	VT-8141-S	1.5W	110	Silver	300x40x9	50
2960 - 3000K WARM WHITE 2959 - 4000K DAY WHITE	VT-8141-B	1.5W	110	Black	300x40x9	50
2965 - 3000K WARM WHITE 2962 - 4000K DAY WHITE	VT-8142-S	2W	160	Silver	400x40x9	50
2964 - 3000K WARM WHITE 2963 - 4000K DAY WHITE	VT-8142-B	2W	160	Black	400x40x9	50
2969 - 3000K WARM WHITE 2966 - 4000K DAY WHITE	VT-8143-S	2.5W	260	Silver	600x40x9	30
2968 - 3000K WARM WHITE 2967 - 4000K DAY WHITE	VT-8143-B	2.5W	260	Black	600x40x9	30

LED STEP LIGHTS




AC:220-240V,50Hz

270° Beam Angle

>80 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10376 - 3000K WARM WHITE	VT-1128	3W	180	White	58x58x45	100

LED STEP LIGHTS




AC:220-240V,50Hz

270° Beam Angle

>80 CRI


Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10377 - 3000K WARM WHITE	VT-1129	5W	380	White	84x84x50	50

LED STEP LIGHTS




AC:220-240V,50Hz

270° Beam Angle

>80 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10378 - 3000K WARM WHITE	VT-1130	3W	180	White	58x103x45	100

NEW

LED STEP LIGHTS



AC:220-240V,50Hz


62° Beam Angle

>0.5 PF

>80 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)
24230 - 3000K WARM WHITE	VT-44002RD	3W	230	White	55x85x85

NEW

LED STEP LIGHTS



AC:220-240V,50Hz


62° Beam Angle

>0.5 PF

>80 CRI

Aluminium Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)
24231 - 3000K WARM WHITE	VT-44002SQ	3W	230	White	55x85x85

NEW

LED STEP LIGHTS



AC:220-240V,50Hz


65°/55° Beam Angle

>0.5 PF

>80 CRI

Aluminium+PC Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
24010 - 3IN1	VT-10184	3W	170	Black	81.5x48.5	50

LED STEP LIGHTS



AC:100-240V,50/60Hz


15° Beam Angle

>0.5 PF

>80 CRI

Aluminium Body

IP20 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
211209 - 3000K WARM WHITE 211210 - 4000K DAY WHITE	VT-1109	3W	270	Black+White	80x80x51	50
211207 - 3000K WARM WHITE 211208 - 4000K DAY WHITE	VT-1109RD	3W	270	Black+White	Ø80x51	50

LED STEP LIGHTS



AC:100-240V,50/60Hz


55° Beam Angle

>0.5 PF

>80 CRI

PC Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
211326 - 4000K DAY WHITE	VT-1162-W	3W	110	White	230x80x28	50
211329 - 3000K WARM WHITE 211328 - 4000K DAY WHITE	VT-1162-B	3W	110	Black	230x80x28	50
211331 - 3000K WARM WHITE 211330 - 4000K DAY WHITE	VT-1162-G	3W	110	Grey	230x80x28	50

LED STEP LIGHTS



AC:100-240V,50/60Hz


55° Beam Angle

>0.5 PF

>80 CRI

PC Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
211315 - 3000K WARM WHITE 211314 - 4000K DAY WHITE	VT-1142-W	3W	80	White	150x27	50
211317 - 3000K WARM WHITE 211316 - 4000K DAY WHITE	VT-1142-B	2W	80	Black	150x27	50
211319 - 3000K WARM WHITE	VT-1142-G	2W	80	Grey	150x27	50

LED STEP LIGHTS



AC:100-240V,50/60Hz


55° Beam Angle

>0.5 PF

>80 CRI

PC Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
211323 - 3000K WARM WHITE 211322 - 4000K DAY WHITE	VT-1152-B-N	2W	70	Black	124x124x27	50

LED STEP LIGHTS



AC:100-240V,50/60Hz

90° Beam Angle

>0.5 PF

>80 CRI

PC Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
1398 - 3000K WARM WHITE 1399 - 4000K DAY WHITE	VT-1172-B	3W	210	Black	151x72x154	20
1401 - 4000K DAY WHITE	VT-1172-G	3W	210	Grey	151x72x154	20
121402 - 3000K WARM WHITE 121403 - 4000K DAY WHITE	VT-1172-W-N	3W	70	White	151x72x154	20

LED STEP LIGHTS



AC:100-240V,50/60Hz

90° Beam Angle

>0.5 PF

>80 CRI

PC Body

IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
1405 - 4000K DAY WHITE	VT-1182-B	3W	210	Black	Ø166x94	20
1406 - 3000K WARM WHITE	VT-1182-G	3W	210	Grey	Ø166x94	20

V-TAC
Meaningful Innovation.



LED EMERGENCY LIGHTS

V-TAC features a line of premium quality LED emergency lights for clear and bright emergency illumination. Complete with easily readable legends, these signs are powered by high performance batteries, rendering a longer lifespan and lower maintenance. V-TAC's emergency lights and signs are a practical and valuable asset in many applications including but not limited to offices, hotels, hospitals and residential areas.

SELF TEST LED EMERGENCY LIGHTS



Input Voltage:	AC:220-240V
Protection Rating:	IP20
Material :	PC
Exit Lamp Type:	Wall Mounted
Viewing Distance:	30M(EU) / 24M(AU)
Emergency Operation Time:	>3 Hours
Battery:	LiFePo4, 3.2V 1.5Ah
Recharging Time:	24 Hours
Charging Indicator:	Green Light Indicator Test
Stickers:	Arrow Up Sticker
Legends:	Arrow Up Legend
Mode Of Operation:	Maintained
Size:	330x30x186

SKU	Model	Watts	Lumens	Box Qty
7817 - 6500K WHITE	7817	4W	80	10
7818	Legend -Arrow Down			10
7819	Legend -Arrow Left			10
7820	Legend -Arrow Right			10

SELF TEST LED EMERGENCY LIGHTS



No. Of LED:	18 SMD LEDs
Input Voltage:	AC:200-240V, 50/60Hz
Protection Rating:	IP65
Material :	PC
Exit Lamp Type:	Wall - Bulkhead
Viewing Distance:	22 Meters From One side
Emergency Operation Time:	>3 Hours
Battery:	LiFePO4, 3.2V 1.5Ah
Recharging Time:	24 Hours
Charging Indicator:	Green Light Indicator Test
Stickers:	4 Stickers
Legends:	4 Ways Legend Available
Mode Of Operation:	Maintained & Non Maintained
Size:	350x110x56

SKU	Model	Watts	Lumens	Box Qty
7687 - 6400K WHITE	VT-996	3W	130	20


SELF TEST LED EMERGENCY EXIT LIGHT RF CONTROL



No. Of LED:	18 SMD LEDs
Input Voltage:	AC:200-240V, 50/60Hz
Protection Rating:	IP65
Material :	PC
Exit Lamp Type:	Wall - Bulkhead
Viewing Distance:	22 Meters From One side
Emergency Operation Time:	>3 Hours
Battery:	Ni-CD SC, 3.6V 1.2Ah
Recharging Time:	24 Hours
Charging Indicator:	Green Light Indicator Test
Stickers:	4 Stickers
Legends:	4 Ways Legend Available
Mode Of Operation:	Maintained & Non Maintained
Size:	350x110x56

SKU	Model	Watts	Lumens	Box Qty
7688 - 6400K WHITE	VT-997	3W	120	20
11368	Remote Control for VT-997			

4IN1 SELF TEST LED EMERGENCY EXIT LIGHT RF CONTROL



No. Of LED:	20 SMD LEDs
Input Voltage:	AC:200-240V,50/60Hz
Protection Rating:	IP20
Material :	PC+PMMA
Exit Lamp Type:	Ceiling, Hanging, Sidewall and Wall Mounting
Viewing Distance:	30 Meters From Both Sides
Emergency Operation Time:	>3 Hours
Battery:	Ni-cd AA, 3.6V, 0.6Ah
Recharging Time:	24 Hours
Charging Indicator:	Green Light Indicator Test
Stickers:	4 Stickers
Legends:	4 Ways Legend Available
Mode Of Operation:	Maintained
Size:	350x29x195

SKU	Model	Watts	Lumens	Box Qty
7675 - 6000K WHITE	VT-995	2.5W	100	20
11362	Remote Control for VT-995			

LED EMERGENCY LIGHTS BULKHEAD



SKU	Model	Watts	Lumens	Box Qty
83111 - 6400K WHITE	VT-543	3W	140	12

No. Of LED:	16 SMD LEDs
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP65
Material :	PC Cover
Exit Lamp Type:	Wall - Bulkhead
Viewing Distance:	22 Meters From One side
Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 3.6v,1200mAh
Recharging Time:	12 Hours
Charging Indicator:	Green Light Indicator Test
Stickers:	4 Stickers
Legends:	4 Ways Legend Available
Mode Of Operation:	Maintained
Size:	346x107x60

LED EMERGENCY LIGHTS BULKHEAD



SKU	Model	Watts	Lumens	Box Qty
8437 - 6400K WHITE	VT-533	3W	140	10
8437-0 - 6400K WHITE	VT-533-N	3W	140	10
8027	Legend -Arrow Up			100

No. Of LED:	16 SMD LEDs
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP65
Material :	PC
Exit Lamp Type:	Wall - Bulkhead
Viewing Distance:	22 Meters From One side
Emergency Operation Time:	>3 Hours
Battery:	Ni-cd 3.6V, 1200mAh
Recharging Time:	24 Hours
Charging Indicator:	Green Light Indicator Test
Stickers:	4 Stickers
Legends:	4 Ways Legend Available
Mode Of Operation:	Maintained & Non Maintained
Size:	346x104x58

LED EMERGENCY LIGHTS DOWNLIGHT



SKU	Model	Watts	Lumens	Box Qty
8274 - 5500K WHITE	VT-503	3W	140	20


Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP20
Material :	Poly Carbonate & Aluminium
Exit Lamp Type:	Ceiling Recessed
Emergency Operation Time:	>3 Hours
Battery:	3.6V 1800mAh Ni-cd Battery
Charging Indicator:	Green Light Indicator Test
Mode Of Operation:	Non Maintained
Size:	38.5x22x25



MOTION SENSORS

Many areas like lobbies, parking garages, staircases remain unused for long hours but do need lighting to be lit automatically in case of movement. A motion sensor is a device, which detects movements, and in some cases light conditions and then transmits a signal for illumination.

NEW INFRARED SENSOR



SKU	Model	Unit Color	Box Qty
24355	VT-8153	White	50

Sensor Type: Infrared
 Voltage: AC:220-240V,50/60Hz
 Detection Distance: Max.6m (<24°C)
 Ambient Light: <3—2000LUX (adjustable)
 Body Type: PC
 IP Rating: IP20
 Dimension: 65.6x53mm
 Time Delay: Min. 10sec±3sec, Max. 15min±2min
 Rated Load: Max 400W(LED)

NEW INFRARED SENSOR



SKU	Model	Unit Color
24356	VT-8154	White

Sensor Type: Infrared
 Voltage: AC:220-240V,50/60Hz
 Detection Distance: Max.15m (<24°C)
 Ambient Light: <3—2000LUX (adjustable)
 Body Type: PC
 IP Rating: IP65
 Dimension: 116x72x75mm
 Time Delay: Min. 10sec±3sec, Max. 15min±2min
 Rated Load: Max 1000W(LED)


NEW INFRARED SENSOR



SKU	Model	Unit Color	Box Qty
24357	VT-8159	White	100

Sensor Type: Infrared
 Voltage: AC:220-240V,50/60Hz
 Detection Distance: 5-6cm
 Body Type: PC
 IP Rating: IP20
 Dimension: 78.2x35.5x20.4mm
 Rated Load: Max 200W(LED)



NEW INFRARED TOUCH SENSOR



SKU	Model	Unit Color	Box Qty
24358	VT-8165	White	50

Sensor Type: Infrared
 Voltage: AC:220-240V,50/60Hz
 Body Type: PC
 IP Rating: IP20
 Dimension: 78.2x35.5x20.4mm
 Rated Load: Max 600W(LED)


NEW **MICROWAVE SENSOR-E27 HOLDER**



SKU	Model	Unit Color	Box Qty
24359	VT-8178	White	5

Sensor Type: Microwave
 Voltage: AC:220-240V,50/60Hz
 Detection Distance: Wall:6M/Ceiling:2-8M(Diameter)
 Ambient Light: <3-2000LUX (adjustable)
 Body Type: PC+PMMA
 IP Rating: IP44
 Dimension: 277x112.4mm
 Time Delay: Min.10sec±3sec, Max. 12min±1min
 Rated Load: Max 300W(LED)

NEW **INFRARED SENSOR**



SKU	Model	Unit Color	Box Qty
24108	VT-81041	White	50

Sensor Type: Infrared
 Voltage: AC:220-240V,50/60Hz
 Detection Distance: Max.8m (<24°C)
 Ambient Light: <3-2000LUX (adjustable)
 Body Type: PC
 IP Rating: IP20
 Dimension: 76x44.8mm
 Time Delay: Min. 10sec±3sec, Max. 15min±2min
 Rated Load: Max 600W(LED)

NEW **INFRARED SENSOR**



SKU	Model	Unit Color	Box Qty
24109	VT-81044	White	50

Sensor Type: Infrared
 Voltage: AC:220-240V,50/60Hz
 Detection Distance: Max.8m (<24°C)
 Ambient Light: <3-2000LUX (adjustable)
 Body Type: PC
 IP Rating: IP20
 Dimension: 83x48.2mm
 Time Delay: Min. 10sec±3sec, Max. 15min±2min
 Rated Load: Max 600W(LED)

NEW **INFRARED SENSOR**



SKU	Model	Unit Color	Box Qty
24110	VT-81040	White	50

Sensor Type: Infrared
 Voltage: AC:220-240V,50/60Hz
 Detection Distance: Max.12m (<24°C)
 Ambient Light: <3-2000LUX (adjustable)
 Body Type: PC
 IP Rating: IP44
 Dimension: 80.2x55.5x68mm
 Time Delay: Min. 10sec±3sec, Max. 15min±2min
 Rated Load: Max 600W(LED)


NEW INFRARED SENSOR



SKU	Model	Unit Color	Box Qty
24111	VT-81008	White	50

Sensor Type: Infrared
 Voltage: AC:220-240V,50/60Hz
 Detection Distance: Max.8-14m (<24°C)
 Ambient Light: <3-2000LUX (adjustable)
 Body Type: PC
 IP Rating: IP65
 Dimension: 100.3x75x62mm
 Time Delay: Min. 10sec±3sec, Max. 15min±2min
 Rated Load: Max 1000W(LED)


NEW REAL PRESENCE SENSOR



SKU	Model	Unit Color	Box Qty
24112	VT-81042	White	50

Sensor Type: Infrared
 Voltage: AC:220-240V,50/60Hz
 Detection Distance: 2-6m(diameter)adjustable
 Ambient Light: <3-2000LUX (adjustable)
 Body Type: PC
 IP Rating: IP54
 Dimension: 76x71.4mm
 Time Delay: Min. 10sec±3sec, Max. 15min±2min
 Rated Load: Max 1000W(LED)

NEW REAL PRESENCE SENSOR



SKU	Model	Unit Color	Box Qty
24113	VT-81005	White	50

Sensor Type: Infrared
 Voltage: AC:220-240V,50/60Hz
 Detection Distance: 2-6m(diameter)adjustable
 Ambient Light: <3-2000LUX (adjustable)
 Body Type: PC
 IP Rating: IP20
 Dimension: 115x24.3mm
 Time Delay: Min. 10sec±3sec, Max. 15min±2min
 Rated Load: Max 1000W(LED)

REAL PRESENCE SENSOR



SKU	Model	Unit Color	Box Qty
23429	VT-81013	White	50

Sensor Type: Infrared
 Detection Angle: 360°
 Voltage: AC:110-240V,50/60Hz
 Detection Distance: Max. 3m(radius)
 Ambient Light: <3-2000LUX (adjustable)
 IP Rating: IP54
 Dimension: 76x66.2mm
 Time Delay: Min.10sec±3sec, Max. 12min±1min
 Rated Load: Max. 1200W/Max.600W(LED)

REAL PRESENCE SENSOR



SKU	Model	Unit Color	Box Qty
23430	VT-81014	White	50

Sensor Type: Infrared
 Detection Angle: 360°
 Voltage: AC:110-240V,50/60Hz
 Detection Distance: Max. 3m(radius)
 Ambient Light: <3—2000LUX (adjustable)
 IP Rating: IP20
 Time Delay: Min.10sec±3sec, Max. 12min±1min
 Rated Load: Max. 2000W/Max.1000W(LED)

INFRARED SENSOR



SKU	Model	Unit Color	Box Qty
23425	VT-81009	White	50

Sensor Type: Infrared
 Detection Angle: 120°
 Voltage: AC:220-240V,50/60Hz
 Detection Distance: Max.10m (<24°C)
 Ambient Light: <3—2000LUX (adjustable)
 IP Rating: IP20
 Dimension: 80x80x43.5mm
 Time Delay: Min. 10sec±3sec, Max. 7min±2min
 Rated Load: Max 200W(LED)

INFRARED SENSOR



SKU	Model	Unit Color	Box Qty
23427	VT-81011	White	50

Sensor Type: Infrared
 Detection Angle: 360°
 Voltage: AC:220-240V,50/60Hz
 Detection Distance: Max.8m (<24°C)
 Ambient Light: <3—2000LUX (adjustable)
 IP Rating: IP20
 Dimension: 102x24.9mm
 Time Delay: Min. 10sec±3sec, Max. 15min±2min
 Rated Load: Max 400W(LED)

COB INFRARED SENSOR



SKU	Model	Unit Color	Box Qty
23426	VT-81010	White	50

Sensor Type: Infrared
 Detection Angle: 360°
 Voltage: AC:220-240V,50/60Hz
 Detection Distance: Max.8m (<24°C)
 Ambient Light: <3—2000LUX (adjustable)
 Body Type:
 IP Rating: IP20
 Dimension: 76x49mm
 Time Delay: Min. 10sec±3sec, Max. 15min±2min
 Rated Load: Max 600W(LED)

INFRARED SENSOR



SKU	Model	Unit Color	Box Qty
5090	VT-8029-W	White	50
23679	VT-8029-B	Black	50

Sensor Type: Infrared
 Detection Angle: 360°
 Voltage: AC:220-240V,50/60Hz
 Detection Distance: Max. 6m(<24°C)
 Ambient Light: <3-2000LUX(adjustable)
 Body Type: PC
 IP Rating: IP20
 Dimension: 76x75.6mm
 Time Delay: Min. 10sec±3sec, Max. 15min±2min
 Rated Load: Max 300W(LED)

INFRARED SENSOR-IP65



SKU	Model	Unit Color	Box Qty
23161	VT-80300	White	50

Sensor Type: Infrared
 Detection Angle: 180°
 Voltage: AC:220-240V,50/60Hz
 Detection Distance: Max.12m (<24°C)
 Ambient Light: <3-2000LUX (adjustable)
 IP Rating: IP65
 Dimension: 119.5x80x51.5mm
 Time Delay: 10sec±3sec to 15min±2min(adjustable)
 Rated Load: Max. 300W (LED)

INFRARED SENSOR



SKU	Model	Unit Color	Box Qty
23162	VT-81000	White	50

Sensor Type: Infrared
 Detection Angle: 360°
 Voltage: AC:220-240V,50/60Hz
 Detection Distance: Max. 30m(<24°C)
 Ambient Light: <3-2000LUX(adjustable)
 IP Rating: IP20
 Dimension: 103x53.5mm
 Time Delay: Min. 10sec±3sec, Max. 7min±2min
 Rated Load: Max 1000W(LED)

MICROWAVE SENSOR



SKU	Model	Unit Color	Box Qty
23163	VT-81001	White	50

Sensor Type: Microwave
 Detection Angle: 360°
 Voltage: AC:220-240V,50/60Hz
 Detection Distance: 1-8m(radius) adjustable
 Ambient Light: <3-2000LUX (adjustable)
 IP Rating: IP20
 Dimension: 115x24.3mm
 Time Delay: Min.10sec±3sec, Max. 12min±1min
 Rated Load: Max 1000W(LED)

MICROWAVE SENSOR



SKU	Model	Unit Color	Box Qty
23164	VT-80301	White	50

Sensor Type: Microwave
 Detection Angle: 180°
 Voltage: AC:220-240V,50/60Hz
 Detection Distance: 5-12m(radius) adjustable
 Ambient Light: <3-2000LUX (adjustable)
 IP Rating: IP20
 Dimension: 119.5x80x51.5mm
 Time Delay: Min.10sec±3sec. Max. 12min±1min
 Rated Load: Max 300W(LED)


MICROWAVE SENSOR



SKU	Model	Unit Color	Box Qty
23165	VT-80360	White	50

Sensor Type: Microwave
 Detection Angle: 360°
 Voltage: AC:220-240V,50/60Hz
 Detection Distance: 1-8m(radius) adjustable
 Ambient Light: <3-2000LUX (adjustable)
 IP Rating: IP20
 Dimension: 80x66.6mm
 Time Delay: Min.10sec±3sec. Max. 12min±1min
 Rated Load: Max 300W(LED)


INFRARED SENSOR



SKU	Model	Unit Color	Box Qty
6606	VT-8091-W	White	100
6607	VT-8091-B	Black	100

Sensor Type: Infrared
 Detection Angle: 360°
 Voltage: AC:110-240V,50/60Hz
 Detection Distance: Max.8m (<24°C)
 Ambient Light: <3—2000LUX (adjustable)
 Body Type: PC
 IP Rating: IP20
 Dimension: Ø76x20.2mm
 Time Delay: 10sec±3sec to 7min±2min(adjustable)
 Rated Load: Max.200W /100W (LED)

INFRARED SENSOR



SKU	Model	Unit Color	Box Qty
6608	VT-8092-W	White	100
6609	VT-8092-B	Black	100

Sensor Type: Infrared
 Detection Angle: 360°
 Voltage: AC:220-240V,50/60Hz
 Detection Distance: Max.8m (<24°C)
 Ambient Light: <3—2000LUX (adjustable)
 Body Type: PC
 IP Rating: IP20
 Dimension: Ø50x62mm
 Time Delay: 10sec±3sec to 15min±2min(adjustable)
 Rated Load: Max. 400W (LED)

INFRARED SENSOR-IP65



SKU	Model	Unit Color	Box Qty
6611	VT-8093-W	White	50
6610	VT-8093-B	Black	50

Sensor Type: Infrared
 Detection Angle: 180°/360°
 Voltage: AC:220-240V,50/60Hz
 Detection Distance: Max.12m (<24°C)
 Ambient Light: <3–2000LUX (adjustable)
 Body Type: PC
 IP Rating: IP65
 Dimension: 76x92x62.5mm
 Time Delay: 10sec±3sec to 15min±2min(adjustable)
 Rated Load: Max. 600W (LED)

INFRARED SENSOR-IP65



SKU	Model	Unit Color	Box Qty
6613	VT-8094-W	White	50
6612	VT-8094-B	Black	50

Sensor Type: Infrared
 Detection Angle: 240°
 Voltage: AC:220-240V,50/60Hz
 Detection Distance: Max.10m (<24°C)
 Ambient Light: <3–2000LUX (adjustable)
 Body Type: PC
 IP Rating: IP65
 Dimension: 125.2x71.4x71.7mm
 Time Delay: 10sec±3sec to 15min±2min(adjustable)
 Rated Load: Max. 600W (LED)

INFRARED SENSOR



SKU	Model	Unit Color	Box Qty
5086	VT-8027-W	White	50
5087	VT-8027-B	Black	50
23677	VT-8027-B-N	Black	50

Sensor Type: Infrared
 Detection Angle: 360°
 Voltage: AC:220-240V,50/60Hz
 Detection Distance: Max. 8m(<24°C)
 Ambient Light: <3-2000LUX(adjustable)
 Body Type: PC
 IP Rating: IP20
 Dimension: 115x25mm
 Time Delay: Min. 10sec±3sec, Max. 15min±2min
 Rated Load: Max 1000W(LED)

INFRARED SENSOR-MOVING HEAD-IP44



SKU	Model	Unit Color	Box Qty
5088	VT-8028-W	White	50
5089	VT-8028-B	Black	50
23678	VT-8028-B-N	Black	50

Sensor Type: Infrared
 Detection Angle: 180°
 Voltage: AC:220-240V,50/60Hz
 Detection Distance: Max. 12m(<24°C)
 Ambient Light: <3-2000LUX(adjustable)
 Body Type: PC
 IP Rating: IP44
 Dimension: 445X345X19mm
 Time Delay: Min. 10sec±3sec, Max. 15min±2min
 Rated Load: Max 400W(LED)


INFRARED SENSOR-IP44



SKU	Model	Unit Color	Box Qty
4967	VT-8003-W	White	50
5077	VT-8003-B	Black	50

Sensor Type: Infrared
 Detection Angle: 180°
 Voltage: AC:220-240V,50/60Hz
 Detection Distance: Max. 12m(<24°C)
 Ambient Light: <3-2000LUX(adjustable)
 Body Type: PC
 IP Rating: IP44
 Dimension: 86.4x60.4x98mm
 Time Delay: Min. 10sec±3sec, Max. 7min±2min
 Rated Load: Max 300W(LED)


INFRARED SENSOR



SKU	Model	Unit Color	Box Qty
15011	VT-8083-B	Black	50

Sensor Type: Infrared
 Detection Angle: 360°
 Voltage: AC:220-240V,50/60Hz
 Detection Distance: Max.20m(<24°C)
 Ambient Light: <3-2000LUX (adjustable)
 Body Type: PC
 IP Rating: IP65
 Dimension: 86.5x172.5x56mm
 Time Delay: Min.10sec±3sec, Max. 30min±2min
 Rated Load: 1000w(LED)

INFRARED SENSOR



SKU	Model	Unit Color	Box Qty
15001	VT-8083-W	White	50

Sensor Type: Infrared
 Detection Angle: 360°
 Voltage: AC:220-240V,50/60Hz
 Detection Distance: Max.20m(<24°C)
 Ambient Light: <3-2000LUX (adjustable)
 Body Type: PC
 IP Rating: IP65
 Dimension: 86.5x172.5x56mm
 Time Delay: Min.10sec±3sec, Max. 30min±2min
 Rated Load: 1000w(LED)

MICROWAVE SENSOR



SKU	Model	Unit Color	Box Qty
15031	VT-8084-B	Black	50

Sensor Type: Microwave
 Detection Angle: 180°
 Voltage: AC:220-240V,50/60Hz
 Detection Distance: 5-15m
 Ambient Light: <3-2000LUX (adjustable)
 Body Type: PC+Glass
 IP Rating: IP20
 Dimension: 95x50x95mm
 Time Delay: Min.10sec±3sec, Max. 12min±1min
 Rated Load: 300w(LED)

MICROWAVE SENSOR



SKU	Model	Unit Color	Box Qty
15021	VT-8084-W	White	50

Sensor Type: Microwave
 Detection Angle: 180°
 Voltage: AC:220-240V,50/60Hz
 Detection Distance: 5-15m
 Ambient Light: <3-2000LUX (adjustable)
 Body Type: PC+Glass
 IP Rating: IP65
 Dimension: 95x50x95mm
 Time Delay: Min.10sec±3sec, Max. 12min±1min
 Rated Load: 300w(LED)

MICROWAVE SENSOR-IP65



SKU	Model	Unit Color	Box Qty
5571	VT-8036-W	White	100

Sensor Type: Microwave
 Detection Angle: 180°
 Voltage: AC:220-240V,50/60Hz
 Detection Distance: 5m/10m
 Ambient Light: <25-2000LUX
 Body Type: Plastic
 IP Rating: IP65
 Dimension: 115x35x25mm
 Time Delay: Min. 10sec±3sec, Max. 15min±2min
 Rated Load: Max 200W(LED)


MICROWAVE SENSOR-IP65



SKU	Model	Unit Color	Box Qty
5572	VT-8036-B	Black	100

Sensor Type: Microwave
 Detection Angle: 180°
 Voltage: AC:220-240V,50/60Hz
 Detection Distance: 5m/10m
 Ambient Light: <25-2000LUX
 Body Type: Plastic
 IP Rating: IP65
 Dimension: 115x35x25mm
 Time Delay: Min. 10sec±3sec, Max. 15min±2min
 Rated Load: Max 200W(LED)


INFRARED SENSOR-MOVING HEAD



SKU	Model	Unit Color	Box Qty
5091	VT-8030	White	50

Sensor Type: Infrared
 Detection Angle: 360°
 Voltage: AC:220-240V,50/60Hz
 Detection Distance: Max. 8m(<24°C)
 Ambient Light: <3-2000LUX(adjustable)
 Body Type: PC
 IP Rating: IP20
 Dimension: 98x73x82mm
 Time Delay: Min. 10sec±3sec, Max. 15min±2min
 Rated Load: Max 400W(LED)


INFRARED SENSOR



SKU	Model	Unit Color	Box Qty
4968	VT-8004	White	50

Sensor Type: Infrared
 Detection Angle: 360°
 Voltage: AC:220-240V,50/60Hz
 Detection Distance: Max. 12m(<24°C)
 Ambient Light: <3-2000LUX(adjustable)
 Body Type: PC
 IP Rating: IP20
 Dimension: Ø88x55mm
 Time Delay: Min. 10sec±3sec, Max. 15min±2min
 Rated Load: Max 300W(LED)

INFRARED SENSOR-E27



SKU	Model	Unit Color	Box Qty
4982	VT-8005	White	50

Sensor Type: Infrared
 Detection Angle: 360°
 Voltage: AC:110-240V,50/60Hz
 Detection Distance: Max. 6m(<24°C)
 Ambient Light: <3-2000LUX(adjustable)
 Body Type: Plastic
 IP Rating: IP20
 Dimension: 55.5x116.5mm
 Time Delay: Min. 10sec±3sec, Max. 5min±1min
 Rated Load: Max 60W(LED)

INFRARED SENSOR-IP44




SKU	Model	Unit Color	Box Qty
1354	VT-8048	White	50

Sensor Type: Infrared
 Detection Angle: 180°
 Voltage: AC:220-240V,50/60Hz
 Detection Distance: Max. 12m(<24°C)
 Ambient Light: <3-2000LUX(adjustable)
 Body Type: PC
 IP Rating: IP44
 Dimension: 86.4x86.4x60.4mm
 Time Delay: Min. 10sec±3sec, Max. 7min±2min
 Rated Load: Max 300W(LED)X20

INFRARED SENSOR



SKU	Model	Box Qty
1355	VT-8049	50




Sensor Type: Infrared
 Detection Angle: 360°
 Voltage: AC:220-240V,50/60Hz
 Detection Distance: Max. 12m(<24°C)
 Ambient Light: <3-2000LUX(adjustable)
 Body Type: PC
 IP Rating: IP20
 Dimension: 88x55mm
 Time Delay: Min. 10sec±3sec, Max. 15min±2min
 Rated Load: Max 300W(LED)

INFRARED SENSOR



SKU	Model	Box Qty
1356	VT-8051	50



Sensor Type: Infrared
 Detection Angle: 360°
 Voltage: AC:220-240V,50/60Hz
 Detection Distance: Max. 6m(<24°C)
 Ambient Light: <3-2000LUX(adjustable)
 Body Type: PC
 IP Rating: IP20
 Dimension: 76x75.6mm
 Time Delay: Min. 10sec±3sec, Max. 15min±2min
 Rated Load: Max 300W(LED)

DAY LIGHT SENSOR - 1-10V



SKU	Model	Box Qty
1369	VT-8059	100


Sensor Type: Day Light
 Detection Angle: 360°
 Voltage: DC:1-10V
 Body Type: PC
 IP Rating: IP20

Daylight Sensor supplies a simple and effective solution for daylight harvesting. Connecting to 1-10V Power source and using with LED dimmable driver.
 The illumination level of lamps will get darker when ambient light gets brighter.
 When daylight is insufficient, the lamp will be in 100% illumination level, and turns to 1% level when daylight is sufficient, then gradually back to 100% level when it is getting darker.

INFRARED-HAND GESTURE DETECTION



SKU	Model	Box Qty
5084	VT-8025	100




Sensor Type: Infrared
 Detection Angle: 30°
 Voltage: AC:110-240V,50/60Hz
 Detection Distance: 5cm/6cm(<24°C)
 Body Type: Plastic
 IP Rating: IP20
 Dimension: 35.5x78.2x20.6mm
 Rated Load: Max 200W(LED)

INFRARED-DOOR DETECTION



SKU	Model	Box Qty
5085	VT-8026	100




Sensor Type: Infrared
 Detection Angle: 30°
 Voltage: AC:110-240V,50/60Hz
 Detection Distance: 5cm/6cm(<24°C)
 Body Type: Plastic
 IP Rating: IP20
 Dimension: 35.5x78.2x18.7mm
 Rated Load: Max 200W(LED)

MICROWAVE SENSOR



SKU	Model	Box Qty
5078	VT-8018	100




Sensor Type: Microwave
 Detection Angle: 180° / 360°
 Voltage: AC:220-240V,50/60Hz
 Detection Distance: 1-8m(radius) adjustable
 Ambient Light: <3-2000LUX(adjustable)
 Body Type: Plastic
 IP Rating: IP20
 Dimension: 37x25x61.5mm
 Time Delay: Min. 10sec±3sec, Max. 12min±1min
 Rated Load: Max 300W(LED)

PHOTOCELL SENSOR-IP44



SKU	Model	Box Qty
5081	VT-8019	100




Sensor Type: Photocell
 Detection Angle: 360°
 Voltage: AC:220-240V,50Hz
 Ambient Light: <5-15LUX(adjustable)
 Body Type: Plastic
 IP Rating: IP44
 Dimension: 35.5x46x44.1mm
 Time Delay: 5 sec to 8 min (adjustable)
 Rated Load: Max 500W(LED)

INFRARED SENSOR





SKU	Model	Box Qty
5082	VT-8022	100



Sensor Type: Infrared
 Detection Angle: 120°/360°
 Voltage: AC:220-240V,50/60Hz
 Detection Distance: 3/6m(<24°C)
 Ambient Light: 10LUX/2000LUX(choice)
 Body Type: Plastic
 IP Rating: IP65
 Dimension: 36.8x25.5x55.4mm
 Time Delay: 5s,30s,1min,3min,5min,8min(choice)
 Rated Load: Max 400W(LED)


MICROWAVE SENSOR

SKU	Model	Unit Color	Box Qty
1446	VT-8077	White	100



Sensor Type: Microwave
 Detection Angle: 360°
 Voltage: AC:220-240V,50/60Hz
 Detection Distance: 1-8m(radius) Adjustable
 Ambient Light: 0<3-2000LUX(Adjustable)
 Body Type: Plastic
 IP Rating: IP20
 Dimension: 80.7x42.1x43.8mm
 Time Delay: Min. 10sec±3sec, Max.12min±1min
 Rated Load: Max 300W(LED)

MICROWAVE SENSOR



SKU	Model	Unit Color	Box Qty
5083	VT-8023	White	100

Sensor Type: Microwave
 Detection Angle: 180°
 Voltage: AC:220-240V,50/60Hz
 Detection Distance: 5m-15m(adjustable)
 Ambient Light: <3-2000LUX(adjustable)
 Body Type: Plastic
 IP Rating: IP20
 Dimension: 80x80x32mm
 Time Delay: 10 sec to 12 min (adjustable)
 Rated Load: Max 300W(LED)

PHOTOCELL SENSOR-IP65



SKU	Model	Unit Color	Box Qty
23423	VT-81007	White	50

Sensor Type: Photocell
 Voltage: AC:220-240V,50/60Hz
 Ambient Light: <3-500LUX(adjustable)
 IP Rating: IP65
 Dimension: 70x108.8mm

INFRARED-DOOR DETECTION



SKU	Model	Unit Color	Box Qty
23428	VT-81012	White	100

Sensor Type: Infrared
 Voltage: AC:220-240V,50/60Hz
 Detection Distance: 5-6 Meters
 IP Rating: IP20
 Dimension: 90x40.2x16.8mm
 Rated Load: Max 200W(LED)



OUTDOOR LIGHTS & FITTINGS

Transform the exteriors of a Building or a Garden into a Beautiful piece of Architecture. Simultaneously help navigate obstacles at night, prevent accidents and provide security.

RECHARGEABLE FLAME WORK CAMPING LIGHT



Battery Type	3.7V 2000mAh
Charging Time	2.5 hr
Working Time	6-8 hr



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23337 - 2700K+6500K WARM WHITE+WHITE	VT-9903D	3W LED+2W Flame Light	230	147x100x207mm	20

RECHARGEABLE TORCH LIGHT



Battery Type	3.7V 2000mAh
Charging Time	4.5 hr
Working Time	



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23338	VT-9910	10W	1000	35x175x195mm	24

RECHARGEABLE HEADLIGHT WITH BELT



Battery Type	3.7V 750mAh
Charging Time	2.5 hr
Working Time	4-27 hr



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23339	VT-9902	3W	190	68x31x45mm	100

RECHARGEABLE SMD+COB SILICON HEADLIGHT WITH BELT



Battery Type	3.7V 550mAh
Charging Time	2.5 hr
Working Time	2-5 hr




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23340	VT-9901	3W SMD+5W COB	470	605x46x27mm	80

NEW UNDERGROUND LIGHT



Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	24°
CRI	>80




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
24219 - 3000K WARM WHITE 24220 - 4000K DAY WHITE	VT-84106	6W	387	50x100mm	20

UNDERGROUND LIGHT



Voltage/Frequency	DC:12V
Beam Angle	90°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
211463 - 3000K WARM WHITE	VT-1141-N	0.5W	37	Ø26X82mm	100

UNDERGROUND LIGHT



Voltage/Frequency	DC:12V
Beam Angle	90°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
211464 - 6500K WHITE	VT-1151-N	1W	50	Ø48X82mm	100



UNDERGROUND LIGHT

Voltage/Frequency	DC:12V
Beam Angle	180°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
211465 - 3000K WARM WHITE 211467 - 6400K WHITE	VT-1161-W-N	1W	50	Ø60X93mm	50



UNDERGROUND LIGHT

Voltage/Frequency	DC:12V
Beam Angle	90°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
1468 - 6500K WHITE	VT-1161-B	1W	10	Ø60X93mm	50
211466 - 3000K WARM WHITE 211468 - 6400K WHITE	VT-1161-B-N	1W	50	Ø60X93mm	50



UNDERGROUND LIGHT

Voltage/Frequency	DC:12V
Beam Angle	90°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
1471 - 6500K WHITE	VT-1171-W	1W	10	Ø60X93mm	50
211469 - 3000K WARM WHITE 211471 - 6400K WHITE	VT-1171-W-N	1W	50	Ø60X93mm	50



UNDERGROUND LIGHT

Voltage/Frequency	DC:12V
Beam Angle	180°
PF	>0.4
CRI	>80




SKU	Model	Watts	Lumens	Size(mm)	Box Qty
211470 - 3000K WARM WHITE 211472 - 6400K WHITE	VT-1171-B-N	1W	50	Ø60X93mm	50

POOL LIGHTS-PAR56



Voltage/Frequency AC/DC:12V
Beam Angle 120°



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
8024 - 6500K WHITE	VT-12118	18W	2000	178x110mm	18
8025 - 6500K WHITE	VT-12125	25W	2850	178x110mm	18
8026 - 6500K WHITE	VT-12135	35W	4100	178x110mm	18

POOL LIGHTS-PAR56



Voltage/Frequency AC/DC:12V,50Hz
Beam Angle 120°
CRI >80



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
217556 - 3000K WARM WHITE 217555 - 6500K WHITE	VT-1258-N	8W	800	178x110mm	18
217560 - 3000K WARM WHITE 217559 - 6500K WHITE	VT-1262-N	12W	1260	178x110mm	18

POOL LIGHTS-PAR56-RGB



Voltage/Frequency AC/DC:12V,50Hz
Beam Angle 120°
CRI >80



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
217558 - RGB	VT-1268-N	8W	800	178x110mm	18
217562 - RGB	VT-1263-N	12W	1260	178x110mm	18

WALL FITTINGS-E27



SKU	Model	Box Qty
93573	VT-967	10

Material: PC
Holder: 2xE27
IP Rating: IP44
Dimension: 130x100x228mm



WALL FITTINGS-E27



SKU	Model	Box Qty
93574	VT-968	10

Material: PC
Holder: 2xE27
IP Rating: IP44
Dimension: 150x91x228mm



NEW WALL FITTING



SKU	Model
24306	VT-10174PIR

Material: Aluminium
Holder: GU10
IP Rating: IP44
Dimension: 68x108x162mm



NEW WALL FITTING



SKU	Model	Box Qty
24166	VT-10174	24

Material: Aluminium
Holder: GU10
IP Rating: IP44
Dimension: 86x100x137mm



NEW UP-DOWN WALL FITTING



SKU	Model
24307	VT-10175PIR

Material: Aluminium
Holder: 2xGU10
IP Rating: IP44
Dimension: 68x108x238mm



NEW UP-DOWN WALL FITTING



SKU	Model	Box Qty
24167	VT-10175	12

Material: Aluminium
Holder: 2xGU10
IP Rating: IP44
Dimension: 86x100x194mm



UP-DOWN WALL FITTING



SKU	Model	Box Qty
2970	VT-11015-W	20

Material: Aluminium
Holder: 2xGU10
IP Rating: IP54
Dimension: 65x95.8x160mm



UP-DOWN WALL FITTING



SKU	Model	Box Qty
2971	VT-11015-B	20

Material: Aluminium
Holder: 2xGU10
IP Rating: IP54
Dimension: 65x95.8x160mm



WALL FITTING



SKU	Model	Box Qty
7502	VT-7621PIR	24

Material: Stainless Steel
Holder: GU10
IP Rating: IP44
Dimension: 110x67x163mm



UP-DOWN WALL FITTING



SKU	Model	Box Qty
7503	VT-7622PIR	12

Material: Stainless Steel
Holder: 2XGU10
IP Rating: IP44
Dimension: 110x67x220mm



WALL FITTING



SKU	Model	Box Qty
7501	VT-7621	24

Material: Stainless Steel
Holder: GU10
IP Rating: IP44
Dimension: 93x85x118mm

UP-DOWN WALL FITTING



SKU	Model	Box Qty
7500	VT-7622	16

Material: Stainless Steel
Holder: 2XGU10
IP Rating: IP44
Dimension: 93x85x163mm



WALL FITTING



SKU	Model	Box Qty
7505	VT-7631	24

Material: Stainless Steel
Holder: GU10
IP Rating: IP44
Dimension: 110x60x125mm

UP-DOWN WALL FITTING



SKU	Model	Box Qty
7504	VT-7632	12

Material: Stainless Steel
Holder: 2XGU10
IP Rating: IP44
Dimension: 110x60x178mm



WALL FITTING



SKU	Model	Box Qty
7506	VT-7641	24

Material: Stainless Steel
Holder: GU10
IP Rating: IP44
Dimension: 105x76x118mm

WALL FITTING



SKU	Model	Box Qty
7508	VT-7651RD	24

Material: Aluminium
Holder: GU10
IP Rating: IP44
Dimension: 92x68x80mm

UP-DOWN WALL FITTING



SKU	Model	Box Qty
7509	VT-7652RD	16

Material: Aluminium
Holder: 2XGU10
IP Rating: IP44
Dimension: 92x68x150mm



WALL FITTING



SKU	Model	Box Qty
7510	VT-7651SQ	24

Material: Aluminium
Holder: GU10
IP Rating: IP44
Dimension: 92x68x80mm

NEW WALL FITTING



SKU	Model
24314	VT-10186

Material: Stainless Steel
Holder: GU10
IP Rating: IP44
Dimension: 60x88x160mm



NEW UP-DOWN WALL FITTING



SKU	Model
24315	VT-10187

Material: Stainless Steel
Holder: 2XGU10
IP Rating: IP44
Dimension: 60x88x314mm



UP-DOWN WALL FITTING



SKU	Model	Box Qty
7511	VT-7652SQ	16

Material: Aluminium
Holder: 2XGU10
IP Rating: IP44
Dimension: 92x68x150mm



UP-DOWN WALL FITTING



SKU	Model	Box Qty
7512	VT-7662	12

Material: Stainless Steel
Holder: 2XGU10
IP Rating: IP44
Dimension: 85x87x250mm



UP-DOWN WALL FITTING



SKU	Model	Box Qty
7569	VT-7622-B	16

Material: Stainless Steel
Holder: 2XGU10
IP Rating: IP44
Dimension: 93x85x163mm



WALL FITTING



SKU	Model	Box Qty
7539	VT-7651SQ-W	24

Material: Aluminium
Holder: GU10
IP Rating: IP44
Dimension: 92x68x80mm

WALL FITTING



SKU	Model	Box Qty
7540	VT-7651RD-W	24

Material: Aluminium
Holder: GU10
IP Rating: IP44
Dimension: 92x68x80mm

UP-DOWN WALL FITTING



SKU	Model	Box Qty
7541	VT-7652SQ-W	16

Material: Aluminium
Holder: 2XGU10
IP Rating: IP44
Dimension: 92x68x150mm



UP-DOWN WALL FITTING



SKU	Model	Box Qty
7542	VT-7652RD-W	16

Material: Aluminium
Holder: 2xGU10
IP Rating: IP44
Dimension: 92x68x80mm



UP-DOWN WALL FITTING



SKU	Model	Box Qty
7543	VT-7662-W	12

Material: Stainless Steel
Holder: 2XGU10
IP Rating: IP44
Dimension: 85x87x250mm



UP-DOWN WALL FITTING



SKU	Model	Box Qty
7570	VT-7622-W	16

Material: Stainless Steel
Holder: 2XGU10
IP Rating: IP44
Dimension: 93x85x163mm



NEW GARDEN BOLLARD FITTING



SKU	Model
24308	VT-10176

Material: Aluminium
Holder: GU10
IP Rating: IP44
Dimension: 105x125x500mm



NEW GARDEN BOLLARD FITTING



SKU	Model
24309	VT-10177

Material: Aluminium
Holder: GU10
IP Rating: IP44
Dimension: 105x125x800mm



NEW GARDEN BOLLARD FITTING WITH SOCKET



SKU	Model
24310	VT-10178

Material: Aluminium
Holder: GU10
IP Rating: IP44
Dimension: 105x125x800mm



NEW **GARDEN BOLLARD FITTING**



SKU	Model
24316	VT-10188

Material: Stainless Steel
Holder: GU10
IP Rating: IP44
Dimension: 100x100x800mm



NEW **GARDEN SPIKE BLACK-IP65**



SKU	Model	Box Qty
24227	VT-44005-B	50

Material: Aluminium
Holder: GU10
IP Rating: IP65
Dimension: 56x90x285mm



NEW **GARDEN SPIKE BLACK-IP65**



SKU	Model	Box Qty
24228	VT-44005-W	50

Material: Aluminium
Holder: GU10
IP Rating: IP65
Dimension: 56x90x285mm



WALL FITTING



SKU	Model	Box Qty
7553	VT-7611	24

Material: Aluminium
Holder: GU10
IP Rating: IP44
Dimension: 100x66x92mm



WALL FITTING



SKU	Model	Box Qty
7554	VT-7612	6

Material: Aluminium
Holder: GU10
IP Rating: IP44
Dimension: 1170x50mm



WALL FITTING



SKU	Model	Box Qty
8626	VT-841	24

Material: Aluminium+Glass
Holder: GU10
IP Rating: IP44
Dimension: 63x99x120mm



UP-DOWN WALL FITTING



SKU	Model	Box Qty
8627	VT-842	24

Material: Aluminium+Glass
Holder: GU10
IP Rating: IP44
Dimension: 63x99x170mm



SENSOR UP-DOWN WALL FITTING



SKU	Model	Box Qty
5157	VT-7632S	12

Material: Stainless Steel
Holder: 2XGU10
IP Rating: IP44
Dimension: 60x110x215mm



UNDERGROUND FITTINGS-MR16



SKU	Model	Box Qty
8567	VT-7678-1	12

Material: Stainless Steel
Holder: MR16
IP Rating: IP67
Dimension: D:87x128mm



UNDERGROUND FITTINGS-MR16



SKU	Model	Box Qty
8568	VT-7678-2	12

Material: Stainless Steel
Holder: MR16
IP Rating: IP67
Dimension: D:87x128mm



UNDERGROUND FITTINGS-MR16



SKU	Model	Box Qty
8566	VT-7678-3	12

Material: Stainless Steel
Holder: MR16
IP Rating: IP67
Dimension: D:87x128mm



UNDERGROUND FITTINGS



SKU	Model
10374	VT-1127RD

Material: Stainless Steel
Holder: GU10
IP Rating: IP67
Dimension: 80x102mm



UNDERGROUND FITTINGS



SKU	Model
10375	VT-1127SQ

Material: Stainless Steel
Holder: GU10
IP Rating: IP67
Dimension: 80x80x102mm



UNDERGROUND FITTINGS



SKU	Model	Box Qty
7515	VT-7677RD	24

Material: Stainless Steel
Holder: GU10
IP Rating: IP65
Dimension: 110x110x120mm



UNDERGROUND FITTINGS



SKU	Model	Box Qty
7516	VT-7677SQ	24

Material: Stainless Steel
Holder: GU10
IP Rating: IP65
Dimension: 110x110x120mm



GARDEN SPIKE



SKU	Model	Box Qty
7517	VT-769	12

Material: Aluminium
Holder: GU10
IP Rating: IP44
Dimension: 95x95x335mm



GARDEN SPIKE BLACK-IP65



SKU	Model
10372	VT-1119

Material: Aluminium
Holder: GU10
IP Rating: IP65
Dimension: 75x88x245mm



GARDEN SPIKE BLACK-IP65



SKU	Model
10373	VT-1126

Material: Aluminium
Holder: GU10
IP Rating: IP65
Dimension: 75x106x245mm



GARDEN SPIKE BLACK-IP65



SKU	Model	Box Qty
7571	VT-7701	20

Material: Aluminium
Holder: GU10
IP Rating: IP65
Dimension: 100x92x270mm



GARDEN SPIKE BLACK-IP65



SKU	Model	Box Qty
7572	VT-7704	20

Material: Aluminium
Holder: GU10
IP Rating: IP65
Dimension: 100x130x270mm



V-TAC
Meaningful Innovation.



GARDEN LIGHTS & FITTINGS

V-TAC presents an elegant series of garden lighting, makes your garden glow in style when the sun goes down. Step outside with our wide range of contemporary outdoor lighting and decorate your pathways, walls, floors, and ceilings with our modern designs.

2IN1 BOLLARD LAMPS



Voltage/Frequency	AC:220-240V, 50/60Hz
Beam Angle	24°
PF	>0.5
CRI	>90



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
6836 - 3000K WARM WHITE 6837 - 4000K DAY WHITE	VT-11107-W	6W	620	White	120x180x1025mm	10
6838 - 3000K WARM WHITE 6839 - 4000K DAY WHITE	VT-11107-B	6W	620	Black	120x180x1025mm	10

NEW BOLLARD LAMPS-ADJUSTABLE HEAD



Voltage/Frequency	AC:220-240V, 50/60Hz
Beam Angle	90°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10475 - 3000K WARM WHITE 23051 - 4000K DAY WHITE	VT-1187-B	4W	390	Black	129x159x1000mm	4
10476 - 3000K WARM WHITE 23052 - 4000K DAY WHITE	VT-1187-W	4W	390	White	129x159x1000mm	4

NEW GARDEN LIGHT-2PC PACK



Voltage/Frequency	DC:24V
Beam Angle	360°
PF	
CRI	>80



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
24286 - 3000K WARM WHITE	VT-84042	3W	300	228x1170mm	2



GARDEN LIGHT 2IN1 (LAMP POST + SPIKE)



Voltage/Frequency	AC:220-240V, 50/60Hz
Beam Angle	100°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
20316 3000K WARM WHITE 20317 4000K DAY WHITE 20318 6400K WHITE	VT-907	7W	420	200x714mm	20



2IN1 BOLLARD LAMP



Voltage/Frequency	AC:220-240V, 50/60Hz
Beam Angle	180°
CRI	>90



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23021 - 3000K WARM WHITE 10426 - 4000K DAY WHITE	VT-1160	12W	1135	150x800mm	10



NEW GARDEN SPIKE LIGHT-DOUBLE HEAD



Voltage/Frequency	DC:24V
Beam Angle	30°
CRI	>80



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
24229 - 4000K DAY WHITE	VT-44044	4W	315	822x65x68mm	

NEW GARDEN SPIKE LIGHT



Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	40°
CRI	>80



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
24004 - 3000K WARM WHITE 24005 - 4000K DAY WHITE	VT-80070	10W	880	248x78x100mm	20

NEW GARDEN SPIKE LIGHT



Voltage/Frequency	DC:24V
Beam Angle	30°
CRI	>80



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
24006 - 3000K WARM WHITE 24007 - 4000K DAY WHITE	VT-10182-Round	2W	60	192x66x22mm	100
24008 - 3000K WARM WHITE 24009 - 4000K DAY WHITE	VT-10182-Square	2W	60	192x66x22mm	100

NEW BOLLARD LAMP



Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	360°
CRI	>80



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
24313 - 3000K WARM WHITE	VT-10181	24W	3400	60x800mm	

BOLLARD LAMPS



Voltage/Frequency	AC:100-240V 50/60Hz
Beam Angle	300°
PF	>0.9
CRI	>80



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
5155 - 4000K DAY WHITE	VT-909	9W	500	200x80x300mm	8

GARDEN LIGHT



Voltage/Frequency	AC:220-240V, 50/60Hz
Beam Angle	100°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23053 - 4000K DAY WHITE	VT-10121	120W	9800	380x380x120mm	1

GARDEN SPIKE LIGHT



Voltage/Frequency	AC:100-240V,50/60Hz
Beam Angle	200°
PF	>0.6
CRI	>80



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
7546 - GREEN	VT-857-B	12W	720	Black	73x255mm	50
217544 - 3000K WARM WHITE 217545 - 4000K DAY WHITE	VT-857-B-N	12W	3000K - 880lm 4000K - 875lm	Black	73x255mm	50
7549 - GREEN	VT-857-W	12W	720	White	73x255mm	50
217547 - 3000K WARM WHITE 217548 - 4000K DAY WHITE	VT-857-W-N	12W	3000K - 920lm 4000K - 970lm	White	73x255mm	50
7552 - GREEN	VT-857-G	12W	720	Grey	73x255mm	50
217550 - 3000K WARM WHITE 217551 - 4000K DAY WHITE	VT-857-G-N	12W	3000K - 875lm 4000K - 930lm	Grey	73x255mm	50

NEW WALL LAMPS E27



SKU	Model	Box Qty
24087	VT-81050	10
Material: Aluminium+Glass		
Max.Watts: 60W		
Holder: E27		
IP Rating: IP44		
Dimension: 120x145x265mm		



NEW WALL LAMPS E27



SKU	Model	Box Qty
24088	VT-81040	10
Material: Aluminium+Glass		
Max.Watts: 60W		
Holder: E27		
IP Rating: IP44		
Dimension: 135x100x230mm		



GARDEN SPIKE



SKU	Model	Box Qty
7518	VT-770	8
Material: Stainless Steel		
Max.Watts: 35w		
Holder: GU10		
IP Rating: IP44		
Dimension: 60x60x420mm		


WALL FITTINGS-E27



SKU	Model	Box Qty
10470	VT-1183	6
Material: Plastic+Stainless Steel		
Max.Watts: 18W		
Holder: E27		
IP Rating: IP44		
Dimension: 400x76mm		



WALL FITTINGS-E27



SKU	Model	Box Qty
8623	VT-832	12
Material: Stainless Steel+PC		
Max.Watts: 60W		
Holder: E27		
IP Rating: IP44		
Dimension: 76x375mm		



WALL FITTINGS-E27



SKU	Model	Box Qty
8624	VT-833	12
Material: Stainless Steel+PC		
Max.Watts: 60W		
Holder: E27		
IP Rating: IP44		
Dimension: 76x140x335mm		

BOLLARD LAMPS



SKU	Model	Box Qty
10471	VT-1184	4
Material: Plastic+Stainless Steel		
Max.Watts: 18W		
Holder: E27		
IP Rating: IP44		
Dimension: 76x119x450mm		




BOLLARD LAMPS



SKU	Model	Box Qty
10472	VT-1185	4
Material: Plastic+Stainless Steel		
Max.Watts: 18W		
Holder: E27		
IP Rating: IP44		
Dimension: 76x119x1000mm		



BOLLARD LAMP




SKU	Model	Box Qty
8625	VT-838-S80	6

Material: Stainless Steel+PC Diffuser
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 76x110x450mm



BOLLARD LAMPS



SKU	Model	Box Qty
8962	VT-838-S110	6

Material: Stainless Steel+PC Diffuser
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 76x110x1100mm



BOLLARD LAMPS




SKU	Model
23061	VT-1195

Material: Aluminium+Iron+Glass
Max.Watts: 60W
Holder: E27
IP Rating: IP65
Dimension: 155x155x790mm




BOLLARD LAMPS



SKU	Model	Box Qty
8978	VT-838-B80	6

Material: Stainless Steel+PC Diffuser
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 76x110x450mm


BOLLARD LAMPS



SKU	Model	Box Qty
8594	VT-838-B110	6

Material: Stainless Steel+PC Diffuser
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 76x110x1100mm


BOLLARD LAMPS



SKU	Model	Box Qty
8959	VT-838-G45	6

Material: Stainless Steel+PC Diffuser
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 76x110x450mm


BOLLARD LAMPS



SKU	Model	Box Qty
8961	VT-838-G80	6

Material: Stainless Steel+PC Diffuser
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 76x110x800mm

BOLLARD LAMPS



SKU	Model	Box Qty
8963	VT-838-G110	6

Material: Stainless Steel+PC Diffuser
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 76x110x1100mm

BOLLARD LAMPS GU10




SKU	Model	Box Qty
7564	VT-7614	4

Material: Aluminium+clear PC diffuser
Max.Watts: 35W
Holder: GU10
IP Rating: IP54
Dimension: 80x80x500mm



BOLLARD LAMPS GU10



SKU	Model	Box Qty
7565	VT-7615	4

Material: Aluminium+clear PC diffuser
Max.Watts: 35W
Holder: GU10
IP Rating: IP54
Dimension: 80x80x800mm



WALL FITTINGS GU10



SKU	Model	Box Qty
7566	VT-7616	6

Material: Aluminium+opal PC diffuser
Max.Watts: 35W
Holder: GU10
IP Rating: IP54
Dimension: 121x80x220mm



BOLLARD LAMPS GU10




SKU	Model	Box Qty
7567	VT-7617	4

Material: Aluminium+opal PC diffuser
Max.Watts: 35W
Holder: GU10
IP Rating: IP54
Dimension: 80x500mm



BOLLARD LAMPS GU10



SKU	Model	Box Qty
7568	VT-7618	4

Material: Aluminium+opal PC diffuser
Max.Watts: 35W
Holder: GU10
IP Rating: IP54
Dimension: 80x800mm



BOLLARD LAMPS WITH SENSOR



SKU v	Model	Box Qty
8984	VT-838-BS80	6

Material: Stainless Steel+PC Diffuser
Max.Watts: 60w
Detection Angle: 100°
Detection Range: 2-8M
Ambient Light: 2-200Lux
Time Delay: 5sec to 5min
Holder: E27
IP Rating: IP44
Dimension: 76x110x800mm



BOLLARD LAMPS WITH SENSOR



SKU v	Model	Box Qty
8983	VT-838-BST10	6

Material: Stainless Steel+PC Diffuser
Max.Watts: 60w
Detection Angle: 100°
Detection Range: 2-8M
Ambient Light: 2-200Lux
Time Delay: 5sec to 5min
Holder: E27
IP Rating: IP44
Dimension: 76x110x1100mm



BOLLARD LAMPS WITH SENSOR




SKU v	Model	Box Qty
8964	VT-838-SE45	6

Material: Stainless Steel+PC Diffuser
Max.Watts: 60W
Detection Angle: 100°
Detection Range: 2-8M
Ambient Light: 2-200Lux
Time Delay: 5sec to 5min
Holder: E27
IP Rating: IP44
Dimension: 76x110x450mm



BOLLARD LAMPS WITH SENSOR




SKU v	Model	Box Qty
8960	VT-838-SS80	6
Material:	Stainless Steel+PC Diffuser	
Max.Watts:	60W	
Detection Angle:	100°	
Detection Range:	2-8M	
Ambient Light:	2-200Lux	
Time Delay:	5sec to 5min	
Holder:	E27	
IP Rating:	IP44	
Dimension:	76x110x800mm	

BOLLARD LAMPS WITH SENSOR



SKU v	Model	Box Qty
8967	VT-838-SE110	6
Material:	Stainless Steel+PC Diffuser	
Max.Watts:	60W	
Detection Angle:	100°	
Detection Range:	2-8M	
Ambient Light:	2-200Lux	
Time Delay:	5sec to 5min	
Holder:	E27	
IP Rating:	IP44	
Dimension:	76x110x1100mm	

BOLLARD LAMPS WITH SENSOR




SKU v	Model	Box Qty
8965	VT-838-GS45	6
Material:	Stainless Steel+PC Diffuser	
Max.Watts:	60W	
Detection Angle:	100°	
Detection Range:	2-8M	
Ambient Light:	2-200Lux	
Time Delay:	5sec to 5min	
Holder:	E27	
IP Rating:	IP44	
Dimension:	76x110x450mm	

BOLLARD LAMPS WITH SENSOR



SKU v	Model	Box Qty
8966	VT-838-GS80	6
Material:	Stainless Steel+PC Diffuser	
Max.Watts:	60W	
Detection Angle:	100°	
Detection Range:	2-8M	
Ambient Light:	2-200Lux	
Time Delay:	5sec to 5min	
Holder:	E27	
IP Rating:	IP44	
Dimension:	76x110x800mm	

BOLLARD LAMPS WITH SENSOR




SKU v	Model	Box Qty
8968	VT-838-GS110	6
Material:	Stainless Steel+PC Diffuser	
Max.Watts:	60W	
Detection Angle:	100°	
Detection Range:	2-8M	
Ambient Light:	2-200Lux	
Time Delay:	5sec to 5min	
Holder:	E27	
IP Rating:	IP44	
Dimension:	76x110x1100mm	

BOLLARD LAMPS WITH SENSOR AND SOCKET



SKU v	Model	Box Qty
8979	VT-838-BSS60	6
Material:	Stainless Steel+PC Diffuser	
Max.Watts:	60w	
Detection Angle:	100°	
Detection Range:	2-8M	
Ambient Light:	2-200Lux	
Time Delay:	5sec to 5min	
Holder:	E27	
IP Rating:	IP44	
Dimension:	76x110x600mm	

BOLLARD LAMPS WITH SENSOR AND SOCKET



SKU v	Model	Box Qty
8976	VT-838-GS60	6
Material:	Stainless Steel+PC Diffuser	
Max.Watts:	60W	
Detection Angle:	100°	
Detection Range:	2-8M	
Ambient Light:	2-200Lux	
Time Delay:	5sec to 5min	
Holder:	E27	
IP Rating:	IP44	
Dimension:	76x110x600mm	

BOLLARD LAMPS WITH SENSOR AND SOCKET



SKU v	Model	Box Qty
8977	VT-838-SS60	6
Material:	Stainless Steel+PC Diffuser	
Max.Watts:	60W	
Detection Angle:	100°	
Detection Range:	2-8M	
Ambient Light:	2-200Lux	
Time Delay:	5sec to 5min	
Holder:	E27	
IP Rating:	IP44	
Dimension:	76x110x600mm	

WALL LAMPS E14



SKU	Model
10561	VT-1190

Material: Iron
Max.Watts: 30W
Holder: E14
IP Rating: IP65
Dimension: 200x168x350mm




WALL LAMP



SKU	Model	Box Qty
8517	VT-837-B	10

Material: Aluminium+Clear Glass
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 113x236x113mm




WALL LAMP



SKU	Model	Box Qty
7513	VT-7670	12

Material: Stainless Steel+PC
Max.Watts: 14W
Holder: E27
IP Rating: IP44
Dimension: 250x90x100mm




WALL LAMP



SKU	Model	Box Qty
7077	VT-754-MW	10

Material: Aluminium+Glass
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 245x180x93mm




WALL LAMP



SKU	Model	Box Qty
8628	VT-835	6

Material: Stainless Steel+PC
Max.Watts: 40W
Holder: E27
IP Rating: IP44
Dimension: 148x165x245mm



WALL LAMP



SKU	Model	Box Qty
10422	VT-1158	20

Material: Aluminium+Iron+Glass
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 250x305x340mm



WALL LAMP



SKU	Model	Box Qty
7519	VT-760-B	12

Material: Aluminium+Glass
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 225x400x148mm




WALL LAMP



SKU	Model	Box Qty
7520	VT-760-W	12

Material: Aluminium+Glass
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 225x400x148mm



WALL LAMP



SKU	Model	Box Qty
10420	VT-1150	8
Material:	Aluminium+Iron+Plastic	
Max.Watts:	60W	
Holder:	E27	
IP Rating:	IP44	
Dimension:	200x280x260mm	



WALL LAMP



SKU	Model	Box Qty
11823	VT-1223	8
Material:	Aluminium+Plastic	
Max.Watts:	60W	
Holder:	E27	
IP Rating:	IP44	
Dimension:	200x325x250mm	



WALL LAMP



SKU	Model	Box Qty
11824	VT-1224	8
Material:	Aluminium+Plastic	
Max.Watts:	60W	
Holder:	E27	
IP Rating:	IP44	
Dimension:	200x240x365mm	



WALL LAMP




SKU	Model	Box Qty
7521	VT-761-B	8
Material:	Aluminium+Glass	
Max.Watts:	60W	
Holder:	E27	
IP Rating:	IP44	
Dimension:	245x445x185mm	



WALL LAMP



SKU	Model	Box Qty
7522	VT-761-W	8
Material:	Aluminium+Glass	
Max.Watts:	60W	
Holder:	E27	
IP Rating:	IP44	
Dimension:	245x445x185mm	



WALL LAMP



SKU	Model
23060	VT-1194
Material:	Aluminium+Plastic
Max.Watts:	60W
Holder:	E27
IP Rating:	IP54
Dimension:	170x220x215mm



WALL LAMP



SKU	Model	Box Qty
10417	VT-1149-B	20
Material:	Aluminium+Iron+Plastic	
Max.Watts:	60W	
Holder:	E27	
IP Rating:	IP44	
Dimension:	93x116x234mm	



WALL LAMP



SKU	Model	Box Qty
23020	VT-1149-W	8
Material:	Aluminium+Iron+Plastic	
Max.Watts:	60W	
Holder:	E27	
IP Rating:	IP44	
Dimension:	93x116x234mm	




WALL LAMP



SKU	Model	Box Qty
8686	VT-843	10

Material: Aluminium+Glass
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 235x225mm




WALL LAMP



SKU	Model	Box Qty
7068	VT-750-B	10

Material: Aluminium+Glass
Max.Watts: 40W
Holder: E27
IP Rating: IP44
Dimension: 208x360x170mm



CEILING LAMP



SKU	Model	Box Qty
11825	VT-1226	8

Material: Aluminium+Plastic
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 200x870mm




CEILING LAMP



SKU	Model	Box Qty
7072	VT-752-B	10

Material: Aluminium+Glass
Max.Watts: 40W
Holder: E27
IP Rating: IP44
Dimension: 170x840mm




CEILING LAMP



SKU	Model	Box Qty
7073	VT-752-W	10

Material: Aluminium+Glass
Max.Watts: 40W
Holder: E27
IP Rating: IP44
Dimension: 170x840mm




CEILING LAMP



SKU	Model	Box Qty
7058	VT-735	10

Material: Aluminium+Plastic
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 170x740mm




STAND LAMP



SKU	Model	Box Qty
7059	VT-736	10

Material: Aluminium+Glass
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 170x600mm



CEILING LAMP




SKU	Model	Box Qty
7529	VT-850	8

Material: Aluminium+PC
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 250x890mm



POLE LAMP



SKU	Model	Box Qty
8629	VT-839	6
Material:	Stainless Steel+PC	
Max.Watts:	40w	
Holder:	E27	
IP Rating:	IP44	
Dimension:	Ø148X800mm	



POLE LAMP



SKU	Model	Box Qty
10421	VT-1157	1
Material:	Aluminium+Iron+Plastic	
Max.Watts:	60W	
Holder:	E27	
IP Rating:	IP44	
Dimension:	200x360x1050mm	



POLE LAMP



SKU	Model	Box Qty
10423	VT-1159	8
Material:	Aluminium+Iron+Glass	
Max.Watts:	60W	
Holder:	E27	
IP Rating:	IP44	
Dimension:	250x975mm	



POLE LAMP



SKU	Model	Box Qty
11827	VT-1231	8
Material:	Aluminium+Plastic	
Max.Watts:	60W	
Holder:	E27	
IP Rating:	IP44	
Dimension:	250x970mm	



POLE LAMP



SKU	Model	Box Qty
7530	VT-851	1
Material:	Aluminium+PC	
Max.Watts:	60W	
Holder:	E27	
IP Rating:	IP44	
Dimension:	250x1110mm	



STAND LAMP



SKU	Model	Box Qty
11826	VT-1230	8
Material:	Aluminium+Plastic	
Max.Watts:	60W	
Holder:	E27	
IP Rating:	IP44	
Dimension:	200x330mm	



STAND LAMP




SKU	Model	Box Qty
23353	VT-7657	1
Material:	Iron	
Max.Watts:	60W	
Holder:	E27	
IP Rating:	IP65	
Dimension:	230x230x365mm	




STAND LAMP



SKU	Model	Box Qty
7057	VT-734	10
Material:	Aluminium+PC	
Max.Watts:	60W	
Holder:	E27	
IP Rating:	IP44	
Dimension:	170x290mm	



POLE LAMP



SKU	Model	Box Qty
8687	VT-845	10

Material: Aluminium+Glass
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 175x950mm



POLE LAMP



SKU	Model	Box Qty
8688	VT-847	1

Material: Aluminium+Glass
Max.Watts: 60Wx2
Holder: E27
IP Rating: IP44
Dimension: 522x2320mm



STAND LAMP



SKU	Model	Box Qty
11828	VT-1232	1

Material: Aluminium+Plastic
Max.Watts: 60Wx2
Holder: E27
IP Rating: IP44
Dimension: 515x1990mm



STAND LAMP



SKU	Model	Box Qty
7061	VT-738	1

Material: Aluminium+Glass
Max.Watts: 60Wx2
Holder: E27
IP Rating: IP44
Dimension: 480x1410mm

STAND LAMP



SKU	Model	Box Qty
7062	VT-739	1

Material: Aluminium+Glass
Max.Watts: 60Wx2
Holder: E27
IP Rating: IP44
Dimension: 500x1990mm

STAND LAMP



SKU	Model	Box Qty
7063	VT-740	1

Material: Aluminium+Glass
Max.Watts: 60Wx3
Holder: E27
IP Rating: IP44
Dimension: 500x1990mm

V-TAC
Meaningful Innovation.



DECORATIVE LIGHTS

Offering cutting edge designs as per your mood. From warm to bright task lighting, Our selection of mirror lights, LED pendant lights, and chandeliers will light up any decor.

LED PENDANTS



AC:220-240V,50/60Hz

120° Beam Angle

>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
7992 - 3000K WARM WHITE	VT-7794-G	8.5W	850	100x1620mm	Light Grey	10
7993 - 3000K WARM WHITE	VT-7794-W	8.5W	850	100x1620mm	White	10
7994 - 3000K WARM WHITE	VT-7794-B	8.5W	850	100x1620mm	Brown	10

PENDANT LIGHT-ADJUSTABLE HEIGHT-TOUCH ON/OFF



AC:220-240V,50/60Hz

120° Beam Angle

>80 CRI

20,000 hr lifespan

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
7995 - 3000K WARM WHITE	VT-7795-G	8.5W	850	100x1600mm	Light Grey	10
7996 - 3000K WARM WHITE	VT-7795-W	8.5W	850	100x1600mm	White	10
7997 - 3000K WARM WHITE	VT-7795-B	8.5W	850	100x1600mm	Brown	10

LED PENDANTS



AC:220-240V,50/60Hz

120° Beam Angle

>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
7998 - 3000K WARM WHITE	VT-7796-B	8.5W	850	120x1620mm	Black	10
7999 - 3000K WARM WHITE	VT-7796-W	8.5W	850	120x1620mm	White	10
8000 - 3000K WARM WHITE	VT-7796-CG	8.5W	850	120x1620mm	Champagne Gold	10

PENDANT LIGHT-ADJUSTABLE HEIGHT-TOUCH ON/OFF



AC:220-240V,50/60Hz

120° Beam Angle

>80 CRI

20,000 hr lifespan

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
8001 - 3000K WARM WHITE	VT-7797-B	8.5W	850	120x1600mm	Black	10
8002 - 3000K WARM WHITE	VT-7797-W	8.5W	850	120x1600mm	White	10
8003 - 3000K WARM WHITE	VT-7797-CG	8.5W	850	120x1600mm	Champagne Gold	10

LED PENDANTS



AC:220-240V,50/60Hz

120° Beam Angle

>80 CRI

Metal Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
10084 - 3000K WARM WHITE 10083 - 4000K DAY WHITE	VT-7832-B	9W	1000	300x1400mm	Black
10086 - 3000K WARM WHITE 10085 - 4000K DAY WHITE	VT-7832-BG	9W	1000	300x1400mm	Black+Gold

LED PENDANTS-ADJUSTABLE UP DOWN FUNCTION



AC:220-240V,50/60Hz

120° Beam Angle

>80 CRI

Metal Body

20,000 hr lifespan

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Unit Color
23101 - 3000K WARM WHITE	VT-7832M-WB	9W	1000	300x1370mm	White+Black
23102 - 3000K WARM WHITE	VT-7832M-W	9W	1000	300x1370mm	White
23103 - 3000K WARM WHITE	VT-7832M-WG	9W	1000	300x1370mm	White+Grey

LED PENDANTS



AC:220-240V,50/60Hz

120° Beam Angle

>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
10078 - 3000K WARM WHITE 10077 - 4000K DAY WHITE	VT-7830-B	9W	1000	100x1230mm	Black
10080 - 3000K WARM WHITE 10079 - 4000K DAY WHITE	VT-7830-W	9W	1000	100x1230mm	White

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

120° Beam Angle

>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
10046 - 3000K WARM WHITE 10045 - 4000K DAY WHITE	VT-7821-B	24W	3000	800x200x1040mm	Black
10048 - 3000K WARM WHITE 10047 - 4000K DAY WHITE	VT-7821-W	24W	3000	800x200x1040mm	White

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

120° Beam Angle

>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
10074 - 3000K WARM WHITE 10091 - 4000K DAY WHITE	VT-7829-W	13W	1500	100x70x1530mm	White
10076 - 3000K WARM WHITE 10075 - 4000K DAY WHITE	VT-7829-B	13W	1500	100x70x1530mm	Black

DESIGNER SOFT LIGHTS



AC:220-240V, 50Hz

>80 CRI

Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
14998 - 3000K WARM WHITE 14999 - 4000K DAY WHITE	VT-7917-B	12W	1300	280x1960mm	Black	10
15000 - 3000K WARM WHITE 15338 - 4000K DAY WHITE	VT-7917-W	12W	1300	280x1960mm	White	10

NEW LED PENDANTS



AC:220-240V,50Hz

280° Beam Angle


>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24129 - 3000K WARM WHITE	VT-89023	3x10W	3600	120x150x250mm	White+Brushed Nickel	4

NEW LED PENDANTS



AC:220-240V,50Hz

280° Beam Angle

>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24134 - 3000K WARM WHITE	VT-89026-SBG	2x5W	1200	150x200x1770mm	Sandy Black+Gold	6

NEW LED PENDANTS



AC:220-240V,50Hz

280° Beam Angle

>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24135 - 3000K WARM WHITE	VT-89026-SWG	2x5W	1200	150x200x1770mm	Sandy White+Gold	6

NEW LED PENDANTS



AC:220-240V,50Hz

40° Beam Angle

>80 CRI

Aluminium Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24232 - 3000K WARM WHITE	VT-89009	9W	900	1130x80x80mm	White	20

NEW LED PENDANTS



AC:220-240V,50Hz

113° Beam Angle

>80 CRI

Aluminium+Iron Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24233 - 3IN1	VT-89112	12W	1215	1396x150x150mm	White	20

NEW LED PENDANTS



AC:220-240V,50/60Hz

360° Beam Angle

>80 CRI

Metal+Glass Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24283 - 3000K WARM WHITE	VT-84038	20W	1900	180x170x1800mm	Smoke	1
24282 - 3000K WARM WHITE	VT-84037	20W	1900	230x226x1800mm	Smoke	1

NEW LED PENDANTS



AC:220-240V,50/60Hz

360° Beam Angle

>80 CRI

Metal+Glass Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24284 - 3000K WARM WHITE	VT-84039	8W	1100	150x500x1870mm	Amber+White	1

NEW LED PENDANTS



AC:220-240V,50/60Hz

360° Beam Angle

>80 CRI

Metal+Glass Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24285 - 3000K WARM WHITE	VT-84041	10W	1300	128x580x1600mm	Smoke+Amber+White	1

DESIGNER SOFT LIGHTS



AC:220-240V,50/60Hz

360° Beam Angle

>80 CRI

Metal+Glass Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23381 - 3000K WARM WHITE	VT-7991	5W	600	55x1390mm	White	8

DESIGNER SOFT LIGHTS



AC:220-240V,50/60Hz

360° Beam Angle

>80 CRI

Metal+Glass Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23382 - 3000K WARM WHITE	VT-7992	10W	1300	1000x1400mm	White	8

LED PENDANTS



AC:220-240V,50/60Hz

180° Beam Angle

>80 CRI

Metal+Glass Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23378 - 3000K WARM WHITE	VT-7988	6W	750	330x1350mm	Amber	6

LED PENDANTS



AC:220-240V,50/60Hz

180° Beam Angle

>80 CRI

Metal+Glass Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23379 - 3000K WARM WHITE	VT-7989	6W	750	230x1440mm	Amber	6

LED PENDANTS



AC:220-240V,50/60Hz

360° Beam Angle

>80 CRI

Steel+Acrylic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23409 - 3000K WARM WHITE	VT-10114	5W	450	200x1950mm	Clear Glass	4

LED PENDANTS



AC:220-240V,50Hz

120° Beam Angle

>80 CRI

Metal Finish Body

30,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3936 - 3000K WARM WHITE	VT-7444-G	7W	400	Ø250xH190mm	Gold	8

LED PENDANTS



AC:220-240V,50Hz

120° Beam Angle

>80 CRI

Metal Finish Body

30,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3937 - 3000K WARM WHITE 3931 - 4000K DAY WHITE	VT-7444-WH	7W	400	Ø250xH190mm	White	8

LED PENDANTS



AC:220-240V,50Hz

120° Beam Angle

>80 CRI

Metal Finish Body

30,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3938 - 3000K WARM WHITE 3932 - 4000K DAY WHITE	VT-7666-G	7W	400	Ø340xH190mm	Gold	4

LED PENDANTS



AC:220-240V,50Hz

120° Beam Angle

>80 CRI

Metal Finish Body

30,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3939 - 3000K WARM WHITE 3933 - 4000K DAY WHITE	VT-7666-WH	7W	400	Ø340xH190mm	White	4

LED PENDANTS



AC:220-240V,50Hz

120° Beam Angle

>80 CRI

Metal Finish Body

30,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3934 - 3000K WARM WHITE 3928 - 4000K DAY WHITE	VT-7333-G	7W	400	Ø120xH190mm	Gold	20

LED PENDANTS



AC:220-240V,50/60Hz

120° Beam Angle

>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
10082 - 3000K WARM WHITE 10081 - 4000K DAY WHITE	VT-7831	9W	1000	200x1300	Black

LED PENDANTS-TRIAC DIMMABLE



AC:220-240V, 50/60Hz

>80 CRI

Steel+PMMA Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6903 - 3000K WARM WHITE 6904 - 4000K DAY WHITE	VT-7755	48W	5000	485x1030	White	5

LED PENDANTS-TRIAC DIMMABLE



AC:220-240V, 50/60Hz

>80 CRI

Steel+PS Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6962 - 4000K DAY WHITE	VT-7793-W	90W	11000	1000x1000	White	1

LED PENDANTS



AC:220-240V, 50Hz

>80 CRI

Steel+PMMA Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6931 - 4000K DAY WHITE	VT-7765	12W	1280	240x500	Black	5

LED PENDANTS



AC:220-240V, 50/60Hz

180° Beam Angle

>80 CRI

Metal+Wood Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23363 - 3000K WARM WHITE	VT-7973	18W	2100	400x1400mm	Wood+White	5

LED PENDANTS



AC:220-240V, 50/60Hz

180° Beam Angle

>80 CRI


Metal+Wood Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23364 - 3000K WARM WHITE	VT-7974	25W	2800	500x1400mm	Wood+White	5

LED PENDANTS



AC:220-240V, 50Hz

120° Beam Angle

>80 CRI

Metal+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23431 - 3000K WARM WHITE 23432 - 4000K DAY WHITE	VT-10126	45W	5500	620x1200mm	Brush Gold	1

LED PENDANTS



AC:220-240V, 50/60Hz

120° Beam Angle

>80 CRI


Metal+Acrylic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
23099 - 3000K WARM WHITE	VT-7581	25W	3000	500x1220	White

LED PENDANTS



AC:100-240V,50Hz

120° Beam Angle

>80 CRI

Steel+PC Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
3874 - 3000K WARM WHITE	VT-40-1	40W	2800	400X210X1000mm	1

LED PENDANTS-COLOR CHANGING



AC:220-240V,50Hz

120° Beam Angle

>80 CRI

PC Body

30,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
213959 -3IN1	VT-7605-N	36W	3900	600x2000mm	White	1

LED PENDANTS-TRIAC DIMMABLE



AC:220-240V

120° Beam Angle

>80 CRI

PC + Iron Body

30,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
40011 - 3000K WARM WHITE	VT-7390	72W	6500	ø390x2000mm	White	1

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

180° Beam Angle

>80 CRI


Metal Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23372 - 3000K WARM WHITE	VT-7982	65W	7000	600x1070mm	Champagne Grey	10

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

180° Beam Angle

>80 CRI

Metal Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23368 - 3000K WARM WHITE	VT-7978	15W	1600	1200x120x1150mm	Wood+Black	6

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

360° Beam Angle

>80 CRI

Metal+Wood Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23369 - 3000K WARM WHITE	VT-7979	10W	1300	600x1310mm	Wood	5

NEW DESIGNER SOFT LIGHTS



AC:220-240V, 50Hz

360° Beam Angle

>80 CRI

Metal+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24289 - 4000K DAY WHITE	VT-84045	25W	3250	400x600mm	Sandy Black	4

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

180° Beam Angle

>80 CRI

Metal Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23370 - 3000K WARM WHITE	VT-7980	30W	3350	560x1200mm	Gold+Black	1

DESIGNER SOFT LIGHTS CCT 3IN1



AC:220-240V, 50/60Hz

270° Beam Angle

>80 CRI

Metal Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23373 - 3IN1	VT-7983	40W	4800	600x1220mm	Black	5

DESIGNER SOFT LIGHTS CCT 3IN1



AC:220-240V, 50/60Hz

270° Beam Angle

>80 CRI

Metal Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23374 - 3IN1	VT-7984	40W	4800	600x1160mm	Black	6

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

120° Beam Angle

>80 CRI

Metal Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23434 - 3000K WARM WHITE 23435 - 4000K DAY WHITE	VT-10124	12W	1500	400x160x1650mm	Black	1
23436 - 3000K WARM WHITE 23437 - 4000K DAY WHITE	VT-10125	16W	2000	500x160x1700mm	Black	1

LED PENDANTS-TRIAC DIMMABLE



AC:220-240V, 50/60Hz

>80 CRI

Steel+PS Body

20,000 hr lifespan

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6957 - 4000K DAY WHITE	VT-7760-B	50W	6100	600x1000	Black	5
6958 - 4000K DAY WHITE	VT-7760-W	50W	6100	600x1000	White	5
6959 - 4000K DAY WHITE	VT-7760-C	50W	6100	600x1000	Corten	5

LED PENDANTS-TRIAC DIMMABLE



AC:180-240V,50/60Hz

120° Beam Angle

>80 CRI

Iron+Acrylic Body

30,000 hr lifespan

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3992 -3000K WARM WHITE	VT-25-1-W	20W	1500	450mm	White	1
3993 -3000K WARM WHITE	VT-25-1-B	20W	1500	450mm	Black	1
3994 -3000K WARM WHITE	VT-25-1-C	20W	1500	450mm	Coffee	1

LED PENDANTS-TRIAC DIMMABLE



AC:220-240V,50Hz

120° Beam Angle

>80 CRI

Iron+Acrylic Body

25,000 hr lifespan

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3996 -3000K WARM WHITE	VT-32-1-B	30W	2250	600mm	Black	1
3997 -3000K WARM WHITE	VT-32-1-C	30W	2250	600mm	Coffee	1

LED PENDANTS



AC:220-240V, 50/60Hz

120° Beam Angle

>80 CRI

Metal+Acrylic Body

20,000 hr lifespan

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Unit Color
23098 - 3000K WARM WHITE	VT-7580	20W	2400	425x1100	Coffee
23097 - 3000K WARM WHITE	VT-7579	30W	3600	625x1100	Coffee

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

120° Beam Angle

>80 CRI


20,000 hr lifespan

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Unit Color
10044 - 3000K WARM WHITE 10043 - 4000K DAY WHITE	VT-7820	38W	4560	974x260x1100	Black

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

120° Beam Angle

>80 CRI

20,000 hr lifespan

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Unit Color
10052 - 3000K WARM WHITE 10051 - 4000K DAY WHITE	VT-7823	19W	2160	400x1080	Black

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

120° Beam Angle

>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
10054 - 3000K WARM WHITE 10053 - 4000K DAY WHITE	VT-7824	57W	6840	1510x910x1080	Black

DESIGNER SOFT LIGHTS



AC:220-240V,50Hz

120° Beam Angle

>80 CRI

Aluminium+Acrylic Body

25,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3986 - 3000K WARM WHITE	VT-101-2-W	115W	1510	600/400	White	1
213986 - 3000K WARM WHITE	VT-101-2-W-N	113W	6300	600x1200mm	White	1
213987 - 3000K WARM WHITE	VT-101-2-B-N	113W	6300	600x1200mm	Black	1
213988 - 3000K WARM WHITE	VT-101-2-C-N	113W	6300	600x1200mm	Coffee	1

DESIGNER SOFT LIGHTS



AC:180-240V,50/60Hz

120° Beam Angle

>80 CRI

Aluminium+Acrylic Body

25,000 hr lifespan

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
213989 - 3000K WARM WHITE	VT-82-3-W-N	86W	4550	600x1200mm	White	1
213990 - 3000K WARM WHITE	VT-82-3-B-N	86W	4550	600x1200mm	Black	1
213991 - 3000K WARM WHITE	VT-82-3-C-N	86W	4550	600x1200mm	Coffee	1

DESIGNER SOFT LIGHTS



AC:220-240V, 50Hz

>80 CRI

Aluminium+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15345 - 3000K WARM WHITE	VT-7924	46W	4900	800x1660	Black	1

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

120° Beam Angle

>80 CRI

Metal+Acrylic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
23096 - 3000K WARM WHITE	VT-7578	50W	5850	625x1100	Coffee

DESIGNER SOFT LIGHTS-TRIAC DIMMABLE



AC:220-240V, 50Hz

>80 CRI

Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
14986 - 3000K WARM WHITE 14987 - 4000K DAY WHITE	VT-7908	48W	5150	840x1200	White	1

DESIGNER SOFT LIGHTS-TRIAC DIMMABLE



AC:220-240V, 50Hz

>80 CRI

Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
14988 - 3000K WARM WHITE 14989 - 4000K DAY WHITE	VT-7909	48W	5150	600x1230	White	5

DESIGNER SOFT LIGHTS-TRIAC DIMMABLE



AC:220-240V, 50Hz

>80 CRI


Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
14992 - 3000K WARM WHITE 14993 - 4000K DAY WHITE	VT-7914	48W	5150	1160x1180	White	1

DESIGNER SOFT LIGHTS-TRIAC DIMMABLE



AC:220-240V, 50Hz

>80 CRI

Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
14996 - 3000K WARM WHITE 14997 - 4000K DAY WHITE	VT-7916	48W	5150	900x1200	White	1

DESIGNER SOFT LIGHTS



AC:220-240V, 50Hz

>80 CRI

Aluminium+Steel+Silicone

Body

20,000 hr lifespan

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15340 - 3000K WARM WHITE	VT-7919	49W	5220	700x1200	Black	1

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

180° Beam Angle

>80 CRI

20,000 hr lifespan

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
8012 - 3000K WARM WHITE	VT-7799-B	20W	2540	500x1000	Black	5
8013 - 3000K WARM WHITE	VT-7799-W	20W	2540	500x1000	White	5
8014 - 3000K WARM WHITE	VT-7799-PG	20W	2540	500x1000	Paint Gold	5

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

270° Beam Angle

>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
8010 - 3000K WARM WHITE	VT-7798-B	24W	3240	720x300	Black	1
8011 - 3000K WARM WHITE	VT-7798-CG	24W	3240	720x300	Champagne Gold	1

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

180° Beam Angle


>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
8020 - 3000K WARM WHITE	VT-7817-B	18W	2260	700x1000	Black
8021 - 3000K WARM WHITE	VT-7817-PG	18W	2260	700x1000	Paint Gold

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

270° Beam Angle

>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
8022 - 3000K WARM WHITE	VT-7818-B	16W	1820	860x300	Black	5
8023 - 3000K WARM WHITE	VT-7818-PG	16W	1820	860x300	Paint Gold	5

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

180° Beam Angle

>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
8017 - 3000K WARM WHITE	VT-7816-B	32W	3880	600x1000	Black	5
8018 - 3000K WARM WHITE	VT-7816-W	32W	3880	600x1000	White	5
8019 - 3000K WARM WHITE	VT-7816-PG	32W	3880	600x1000	Paint Gold	5

DESIGNER SOFT LIGHTS-TRIAC DIMMABLE



AC:220-240V, 50Hz

>80 CRI

Steel+Aluminum+PC Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6906 - 3000K WARM WHITE	VT-7756	45W	4470	1140x160x1580	Black	1

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

>80 CRI

Aluminum+Steel+Silicone


Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6933 - 4000K DAY WHITE	VT-7766	30W	3200	890x250	Black	1

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

>80 CRI


Aluminum+Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6935 - 4000K DAY WHITE	VT-7767	15W	1500	915x215	Black	1

DESIGNER SOFT LIGHTS



AC:220-240V, 50Hz

>80 CRI


Aluminum+Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6937 - 4000K DAY WHITE	VT-7768	12W	1280	915x1000	Black	1

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

>80 CRI

Aluminum+Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6939 - 4000K DAY WHITE	VT-7769	12W	1200	905x1000	Black	1

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

>80 CRI

Aluminum+Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6941 - 4000K DAY WHITE	VT-7770	24W	2500	1525x1000	Black	1

DESIGNER SOFT LIGHTS



AC:220-240V, 50Hz

>80 CRI

Aluminum+Steel+Acrylic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6943 - 4000K DAY WHITE	VT-7771	23W	2130	1230x1100	Black	1

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

120° Beam Angle

>80 CRI

Wood+PVC Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
23100 - 4000K DAY WHITE	VT-7532	12W	1440	800x1100	Wood

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

120° Beam Angle

>80 CRI

Wood Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23365 - 3000K WARM WHITE	VT-7975	10W	1250	900x1200mm	Wood	10

DESIGNER BEND GLASS HANGING PENDANT



AC:220-240V,50Hz

120° Beam Angle

>80 CRI

Stainless Steel+Metal+Glass Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3898 - 4000K DAY WHITE	VT-7020	18W	1350	985x55x800mm	Chrome+Glass	6

DESIGNER SLEEK PENDANT CHROME



AC:220-240V,50Hz

120° Beam Angle

>80 CRI

Stainless Steel+Metal+PMMA Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3892 - 4000K DAY WHITE	VT-7036	36W	2700	1820x55x800mm	Chrome	12

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

120° Beam Angle

>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
10060 - 3000K WARM WHITE 10088 - 4000K DAY WHITE	VT-7827	19W	2160	800x1150	Black

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

120° Beam Angle

>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
10050 - 3000K WARM WHITE 10049 - 4000K DAY WHITE	VT-7822	30W	3450	1200x120x1150	White

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

120° Beam Angle

>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
10056 - 3000K WARM WHITE 10055 - 4000K DAY WHITE	VT-7825	24W	2760	790x200x1080	White

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

360° Beam Angle

>80 CRI


Metal Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23375 - 3000K WARM WHITE	VT-7985	12W	1440	1660x120x120mm	Brown	10

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

120° Beam Angle

>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
10087 - 3000K WARM WHITE 10057 - 4000K DAY WHITE	VT-7826	20W	2500	1000x600x475	Black+Brass

DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz

120° Beam Angle

>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
10090 - 3000K WARM WHITE 10089 - 4000K DAY WHITE	VT-7828	32W	4000	430x370x1120	White+Wood

DESIGNER SOFT LIGHTS



AC:220-240V, 50Hz

>80 CRI


Steel Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15339 - 3000K WARM WHITE	VT-7918	28W	2700	1020x1210	Gold	1

DESIGNER SOFT LIGHTS



AC:220-240V, 50Hz

>80 CRI

Aluminium+Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15341 - 3000K WARM WHITE	VT-7920	46W	4900	500x1500	Gold	1

DESIGNER SOFT LIGHTS



AC:220-240V, 50Hz

>80 CRI


Steel+Acrylic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15343 - 3000K WARM WHITE	VT-7922	42W	4480	970x840	Gold	1

DESIGNER SOFT LIGHTS



AC:220-240V, 50Hz

>80 CRI

Aluminium+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15344 - 3000K WARM WHITE	VT-7923	45W	4800	1200x1580	Black	1

DESIGNER SERIES SURFACE LIGHT



AC:220-240V,50Hz

>80 CRI

Steel+Acrylic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15346 - 3000K WARM WHITE	VT-7925	49W	5220	600x105	Black	1

LED CEILING LIGHTS



AC:220-240V

120° Beam Angle

>80 CRI

PC + Iron Body

30,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
40061 - 3000K WARM WHITE	VT-7503	40W	3100	ø500x215mm	White	1

DESIGNER SERIES COLOR CHANGING



AC:220-240V,50/60Hz

120° Beam Angle

>80 CRI

PC+Iron Body

30,000 hr lifespan

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
213970 -3IN1	VT-7309-N	25W	2500	300x300x80mm	White	1
213971 -3IN1	VT-7463-N	40W	4000	460x460x95mm	White	1

DESIGNER SERIES COLOR CHANGING



AC:220-240V,50/60Hz

120° Beam Angle

>80 CRI

PC+Iron Body

30,000 hr lifespan

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
213966 -3IN1	VT-7308-N	20W	2150	300x85mm	White	1
213967 -3IN1	VT-7462-N	45W	4050	460x100mm	White	1
213969 -3IN1	VT-7752-N	78W	8500	750x130mm	White	1

DESIGNER SERIES SURFACE LIGHT



AC:220-240V,50Hz
 >80 CRI
 Aluminum+Steel+PMMA Body
 20,000 hr lifespan
 IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6986 - 4000K DAY WHITE	VT-7779B-RD	18W	1280	350x62	Black	5
6988 - 4000K DAY WHITE	VT-7780B-RD	24W	2500	450x62	Black	5
6908 - 4000K DAY WHITE	VT-7757B-RD	38W	4050	400x62	Black	5
6911 - 4000K DAY WHITE	VT-7758B-RD	42W TRIAC Dimmable	4400	500x62	Black	5

DESIGNER SERIES SURFACE LIGHT



AC:220-240V,50Hz
 >80 CRI
 Aluminum+Steel+PMMA Body
 20,000 hr lifespan
 IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6990 - 4000K DAY WHITE	VT-7781B-SQ	18W	1490	350x350x62	Black	3
6992 - 4000K DAY WHITE	VT-7782B-SQ	24W	2450	450x450x62	Black	5
6914 - 4000K DAY WHITE	VT-7757B-SQ	38W	4000	400x400x62	Black	5
6917 - 4000K DAY WHITE	VT-7758B-SQ	48W TRIAC Dimmable	4480	500x500x62	Black	5

DESIGNER SERIES SURFACE LIGHT



AC:220-240V,50Hz
 >80 CRI
 Aluminum+Steel+PMMA Body
 20,000 hr lifespan
 IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6987 - 4000K DAY WHITE	VT-7779W-RD	18W	1280	350x62	White	5
6989 - 4000K DAY WHITE	VT-7780W-RD	24W	2500	450x62	White	5
6909 - 4000K DAY WHITE	VT-7757W-RD	38W	4050	400x62	White	5
6912 - 4000K DAY WHITE	VT-7758W-RD	42W TRIAC Dimmable	4400	500x62	White	5

DESIGNER SERIES SURFACE LIGHT



AC:220-240V,50Hz
 >80 CRI
 Aluminum+Steel+PMMA Body
 20,000 hr lifespan
 IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6991 - 4000K DAY WHITE	VT-7781W-SQ	18W	1490	350x350x62	White	5
6993 - 4000K DAY WHITE	VT-7782W-SQ	24W	2450	450x450x62	White	5
6915 - 4000K DAY WHITE	VT-7757W-SQ	38W	4000	400x400x62	White	5
6918 - 4000K DAY WHITE	VT-7758W-SQ	48W TRIAC Dimmable	4480	500x500x62	White	5

NEW DESIGNER SERIES SURFACE LIGHT



AC:220-260V, 50Hz

120° Beam Angle

>80 CRI

Metal+Acrylic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24188 - 3IN1	VT-84023-B	48W	5760	450x110mm	Black	4
24189 - 3IN1	VT-84023-W	48W	5760	450x110mm	White	4
24190 - 3IN1	VT-84023-G	48W	5760	450x110mm	Gold	4
24191 - 3IN1	VT-84036-B	63W	7200	550x120mm	Black	4
24192 - 3IN1	VT-84036-W	63W	7200	550x120mm	White	4
24193 - 3IN1	VT-84036-G	63W	7200	550x120mm	Gold	4

NEW DESIGNER SERIES SURFACE LIGHT



AC:220-260V, 50Hz

120° Beam Angle

>80 CRI

Metal+Acrylic Body

20,000 hr lifespan

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24185 - 3IN1	VT-84020-BG	48W	5760	500x80mm	Black+Grey	4
24186 - 3IN1	VT-84020-BWG	48W	5760	500x80mm	Black+Wood Grain	4
24187 - 3IN1	VT-84020-WWG	48W	5760	500x80mm	White+Wood Grain	4

NEW DESIGNER SERIES SURFACE LIGHT



AC:220-240V, 50/60Hz

120° Beam Angle

>80 CRI

Plastic Body

20,000 hr lifespan

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24202 - 3IN1	VT-85033-BL	30W/60W/30W	6000	495x72.2mm	Black	5
24203 - 3IN1	VT-85033-BR	30W/60W/30W	6000	495x72.2mm	Brown	5
24204 - 3IN1	VT-85033-GR	30W/60W/30W	6000	495x72.2mm	Grey	5

NEW DESIGNER SERIES SURFACE LIGHT



AC:220-265V, 50/60Hz

160° Beam Angle

>80 CRI

Aluminium+Acrylic Body

20,000 hr lifespan

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24139 - 3IN1	VT-7737	36W	3240	390x35mm	White	6
24140 - 3IN1	VT-7738	36W	2880	410x30mm	Wooden Painting	6

NEW DESIGNER SERIES SURFACE LIGHT



AC:220-265V, 50/60Hz

270° Beam Angle

>80 CRI

Metal+Silica Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24136 - 3IN1	VT-7736	50W	4000	505x50mm	White+Black	5

NEW DESIGNER SERIES SURFACE LIGHT



AC:220-265V, 50/60Hz

160° Beam Angle

>80 CRI

Plastic+Acrylic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24137 - 3IN1	VT-7748	55W	4480	485x70mm	White	5

NEW DESIGNER SERIES SURFACE LIGHT



AC:220-265V, 50/60Hz

270° Beam Angle

>80 CRI

Metal+Acrylic+Silica Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24138 - 3IN1	VT-7747	60W	4800	500x420x70mm	White	5

NEW DESIGNER SERIES SURFACE LIGHT



AC:220-240V, 50/60Hz

120° Beam Angle

>80 CRI

Plastic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24194 - 3IN1	VT-85030-DB	30W/60W/30W	6000	495x67.6mm	Dark Brown	5

NEW DESIGNER SERIES SURFACE LIGHT



AC:220-240V, 50/60Hz

120° Beam Angle

>80 CRI

Plastic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24195 - 3IN1	VT-85030-G	30W/60W/30W	6000	495x67.6mm	Gold	5

NEW DESIGNER SERIES SURFACE LIGHT



AC:220-240V, 50/60Hz

120° Beam Angle

>80 CRI

Plastic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24196 - 3IN1	VT-85036-DB	30W/60W/30W	6000	491x80.1mm	White+Brown	5

NEW DESIGNER SERIES SURFACE LIGHT



AC:220-240V, 50/60Hz

120° Beam Angle

>80 CRI

Plastic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24197 - 3IN1	VT-85031-B	30W/60W/30W	6000	480x57.6mm	White+Black	5

NEW DESIGNER SERIES SURFACE LIGHT



AC:220-240V, 50/60Hz

120° Beam Angle

>80 CRI

Plastic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24198 - 3IN1	VT-85031-DB	30W/60W/30W	6000	480x57.6mm	White+Brown	5

NEW DESIGNER SERIES SURFACE LIGHT



AC:220-240V, 50/60Hz

120° Beam Angle

>80 CRI

Plastic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24199 - 3IN1	VT-85031-G	30W/60W/30W	6000	480x57.6mm	Grey	5

NEW DESIGNER SERIES SURFACE LIGHT



AC:220-240V, 50/60Hz

120° Beam Angle

>80 CRI

Plastic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24205 - 3IN1	VT-85034-DB	30W/60W/30W	6000	486x67.1mm	White+ Wooden Finsih	5

NEW DESIGNER SERIES SURFACE LIGHT



AC:220-240V, 50/60Hz

120° Beam Angle

>80 CRI

Plastic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24206 - 3IN1	VT-85034-WF	30W/60W/30W	6000	486x67.1mm	White+ Wooden Finsih	5

NEW DESIGNER SERIES SURFACE LIGHT



AC:220-240V, 50/60Hz

120° Beam Angle

>80 CRI

Plastic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24200 - 3IN1	VT-85035	20W/40W/20W	4000	391x63.6mm	White+ Wooden Finsih	5
24201 - 3IN1	VT-85045	30W/60W/30W	6000	493x67.6mm	White+ Wooden Finsih	5

NEW DESIGNER SERIES SURFACE LIGHT



AC:220-240V, 50Hz
 280° Beam Angle
 >80 CRI
 Metal+Aluminium+Acrylic Body
 20,000 hr lifespan
 IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24119 - 3000K WARM WHITE	VT-89013	3X6W	2160	460x410x210mm	Matt Black	1

NEW DESIGNER SERIES SURFACE LIGHT



AC:220-240V, 50Hz
 280° Beam Angle
 >80 CRI
 Metal+Aluminium+Acrylic Body
 20,000 hr lifespan
 IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24120 - 3000K WARM WHITE	VT-89012	2X6W	1440	585x82x211mm	Matt Black	4

NEW DESIGNER SERIES SURFACE LIGHT



AC:220-240V, 50Hz
 280° Beam Angle
 >80 CRI
 Metal+Aluminium+Acrylic Body
 20,000 hr lifespan
 IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24121 - 3000K WARM WHITE	VT-89015	3X6W	2160	685x82x211mm	Matt Black	4

NEW DESIGNER SERIES SURFACE LIGHT-
REMOTE CONTROL



AC:220-265V, 50/60Hz

180° Beam Angle

>80 CRI

Acrylic+Metal Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24174 - 3IN1	VT-84035	70W	5600	500x500x43mm	White	5

NEW DESIGNER SERIES SURFACE LIGHT-
REMOTE CONTROL



AC:220-265V, 50/60Hz

180° Beam Angle

>80 CRI

Acrylic+Metal Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24175 - 3IN1	VT-84050	100W	8000	510x75mm	White	5

NEW DESIGNER SERIES SURFACE LIGHT-
REMOTE CONTROL



AC:220-265V, 50/60Hz

180° Beam Angle

>80 CRI

Acrylic+Metal Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24176 - 3IN1	VT-84040	80W	6400	500x450x67mm	White	5

NEW DESIGNER SERIES SURFACE LIGHT-
REMOTE CONTROL



AC:220-265V, 50/60Hz

180° Beam Angle

>80 CRI

Metal+Acrylic +Silica Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24177 - 3IN1	VT-84030	60W	5400	495x495x60mm	White	5

NEW DESIGNER SERIES SURFACE LIGHT-
REMOTE CONTROL



AC:220-265V, 50/60Hz

180° Beam Angle

>80 CRI

Metal+Plastic +Silica Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24178 - 3IN1	VT-84033	60W	5400	495x495x60mm	White+Black	5

NEW DESIGNER SERIES SURFACE LIGHT-
REMOTE CONTROL



AC:220-265V, 50/60Hz

180° Beam Angle

>80 CRI


Metal+Acrylic +Plastic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24182 - 3IN1	VT-84031	50W	4000	550x70mm	Grey	5

**NEW DESIGNER SERIES SURFACE LIGHT-
REMOTE CONTROL**



AC:220-265V, 50/60Hz

180° Beam Angle

>80 CRI

Metal+Acrylic +Plastic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24184 - 3IN1	VT-84032	50W	4000	550x70mm	Grey	5

NEW DESIGNER SERIES SURFACE LIGHT



AC:220-265V, 50/60Hz

270° Beam Angle

>80 CRI

Metal+Silica Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24179 - 3IN1	VT-84025RD	70W	4000	495x480x65mm	Black	5

NEW DESIGNER SERIES SURFACE LIGHT



AC:220-265V, 50/60Hz

270° Beam Angle

>80 CRI

Metal+Silica Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24180 - 3IN1	VT-84025SQ	70W	4000	485x485x65mm	Black	5

**SMART DECORATIVE CEILING LAMP-
3IN1-REMOTE CONTROL**



AC:220-240V,50Hz

>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15358 - 3IN1	VT-7960	95W	9900	520x500	White	5

**SMART DECORATIVE CEILING LAMP-
3IN1-REMOTE CONTROL**



AC:220-240V,50Hz

>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15357 - 3IN1	VT-7959	120W	12800	500x500	White	5

**SMART DECORATIVE CEILING LAMP-
3IN1-REMOTE CONTROL**



AC:220-240V,50Hz


>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15359 - 3IN1	VT-7961	125W	13100	500x500	White	5

**SMART DECORATIVE CEILING LAMP-3IN1-
REMOTE CONTROL**



AC:220-240V,50Hz

>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15360 - 3IN1	VT-7962	130W	13600	620x620	White	5

**SMART DECORATIVE CEILING LAMP-3IN1-
REMOTE CONTROL**



AC:220-240V,50Hz

>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15356 - 3IN1	VT-7958	150W	15500	510x510	White	5

**DESIGNER SERIES SURFACE LIGHT-
REMOTE CONTROL**



AC:220-240V,50Hz

>80 CRI

Steel+Acrylic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23394 - 3IN1	VT-7717	45W	3900	600x400x100mm	White	4

**DESIGNER SERIES SURFACE LIGHT-
REMOTE CONTROL**



AC:220-240V,50Hz

>80 CRI


Steel+Acrylic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23395 - 3IN1	VT-7718	70W	6000	585x390x120mm	White	4

**DESIGNER SERIES SURFACE LIGHT-
REMOTE CONTROL**



AC:220-240V,50Hz

>80 CRI

Steel+Acrylic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23397 - 3IN1	VT-7734	75W	6500	495x495x55mm	White	4

**DESIGNER SERIES SURFACE LIGHT-
REMOTE CONTROL**



AC:220-240V,50Hz

>80 CRI

Steel+Acrylic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23396 - 3IN1	VT-7719	77W	6700	495x495x55mm	White	4

DESIGNER SERIES SURFACE LIGHT



AC:220-240V,50/60Hz

>80 CRI

Metal Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
23371 - 3000K WARM WHITE	VT-7981	36W	4150	840x600x290mm	Gold+Black	1

DESIGNER SERIES SURFACE LIGHT



AC:220-240V,50Hz

>80 CRI

Aluminum+Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6994 - 4000K DAY WHITE	VT-7783B	24W	2560	310x60mm	Black	5
6920 - 4000K DAY WHITE	VT-7761B	38W	4050	465x60mm	Black	5

DESIGNER SERIES SURFACE LIGHT



AC:220-240V,50Hz

>80 CRI

Aluminum+Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6995 - 4000K DAY WHITE	VT-7783W	24W	2560	310x60mm	White	5
6921 - 4000K DAY WHITE	VT-7761W	38W	4050	465x60mm	White	5

DESIGNER SERIES SURFACE LIGHT



AC:220-240V,50Hz

>80 CRI

Aluminum+Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6996 - 4000K DAY WHITE	VT-7784B	24W	2560	250x160mm	Black	5
6923 - 4000K DAY WHITE	VT-7762B	54W TRIAC Dimmable	5330	530x200mm	Black	4

DESIGNER SERIES SURFACE LIGHT



AC:220-240V,50Hz

>80 CRI

Aluminum+Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6997 - 4000K DAY WHITE	VT-7784W	24W	2560	250x160mm	White	5
6924 - 4000K DAY WHITE	VT-7762W	54W TRIAC Dimmable	5330	530x200mm	White	4

DESIGNER SERIES SURFACE LIGHT



AC:220-240V,50Hz

>80 CRI

Aluminum+Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6926 - 4000K DAY WHITE	VT-7763B	20W	2130	250x130mm	Black	5

DESIGNER SERIES SURFACE LIGHT



AC:220-240V,50Hz

>80 CRI

Aluminum+Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6927 - 4000K DAY WHITE	VT-7763W	20W	2130	250x130mm	White	5
6998 - 4000K DAY WHITE	VT-7785W	24W	2560	310x115mm	White	1
6929 - 4000K DAY WHITE	VT-7764W	43W	4580	520x165mm	White	1

DESIGNER SERIES SURFACE LIGHT



AC:220-240V,50Hz

>80 CRI

Aluminum+Steel+Acrylic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
7000 - 3000K WARM WHITE	VT-7787	20W	2130	450x300x105mm	Black	5

DESIGNER SERIES SURFACE LIGHT



AC:220-240V,50Hz

>80 CRI

Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
7001 - 3000K WARM WHITE	VT-7788	12W	1280	945x60mm	Black	5

DESIGNER SERIES SURFACE LIGHT



AC:220-240V,50Hz

>80 CRI


Aluminum+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
7002 - 3000K WARM WHITE	VT-7789	24W	2560	525x185x80mm	Black	5

DESIGNER SERIES SURFACE LIGHT



AC:220-240V,50/60Hz

>80 CRI

Aluminum+Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
7003 - 3000K WARM WHITE	VT-7790	24W	2500	125x445mm	Black	4

DESIGNER SERIES SURFACE LIGHT



AC:220-240V,50Hz

>80 CRI

Aluminum+Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
7004 - 3000K WARM WHITE	VT-7791	24W	2560	610x120x360mm	Black	4

DESIGNER SERIES SURFACE LIGHT



AC:220-240V,50Hz

>80 CRI

Aluminum+Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
7005 - 3000K WARM WHITE	VT-7792	20W	2130	460x410x125mm	Black	4

DESIGNER SERIES SURFACE LIGHT



AC:220-240V,50Hz

>80 CRI


Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
14990 - 3000K WARM WHITE 14991 - 4000K DAY WHITE	VT-7911	48W TRIAC Dimmable	5150	620x100mm	Black	5

DESIGNER SERIES SURFACE LIGHT



AC:220-240V,50Hz

>80 CRI

Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
14994 - 3000K WARM WHITE 14995 - 4000K DAY WHITE	VT-7915	38W	4100	880x870x105mm	Black	1

DESIGNER SERIES SURFACE LIGHT



AC:220-240V,50Hz

>80 CRI


Aluminum+Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15342 - 3000K WARM WHITE	VT-7921	46W	4900	645x550x420mm	Black	1

DESIGNER SERIES SURFACE LIGHT



AC:220-240V,50Hz

>80 CRI

Aluminum+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15347 - 3000K WARM WHITE	VT-7926	47W	5010	905x670x100mm	Black	1

DESIGNER SERIES SURFACE LIGHT



AC:220-240V,50Hz

>80 CRI


Steel+PMMA Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
14984 - 3000K WARM WHITE 14985 - 4000K DAY WHITE	VT-7907	37W	4000	495mm	White	4

DESIGNER SERIES SURFACE LIGHT-TWO FRAME



AC:220-240V,50Hz

>80 CRI

Aluminum+Steel+Acrylic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
7006 - 3000K WARM WHITE	VT-7786	14W	1490	340x95x160mm	Satin Nickel	5

CEILING CRYSTAL LAMP FITTING-E14



AC:220-240V,50/60Hz

Crystal Body

IP20 Rating

2 Years Warranty

SKU	Model	Holder	Size(mm)	Unit Color	Box Qty
23359	VT-7969	5xE14	400x240mm	Chrome	1

CEILING CRYSTAL LAMP FITTING-E14



AC:220-240V,50/60Hz

Crystal Body

IP20 Rating

2 Years Warranty

SKU	Model	Holder	Size(mm)	Unit Color	Box Qty
23360	VT-7970	9xE14	600x290mm	Chrome	1

STEEL CANOPY-SURFACE-3 HOLES-RED COPPER



SKU: **15349**
Material: Steel
Unit Color: Red Copper
Dimension: 300x25mm
Box Qty: 10

STEEL CANOPY-SURFACE-3 HOLES-MATT WHITE



SKU: **15350**
Material: Steel
Unit Color: Matt White
Dimension: 300x25mm
Box Qty: 10

STEEL CANOPY-SURFACE-4 HOLES-RED COPPER



SKU: **15351**
Material: Steel
Unit Color: Red Copper
Dimension: 300x25mm
Box Qty: 10

STEEL CANOPY-SURFACE-4 HOLES-MATT WHITE



SKU: **15352**
Material: Steel
Unit Color: Matt White
Dimension: 300x25mm
Box Qty: 10

MAGNETISM CANOPY-SURFACE-8 HOLES-MATT WHITE



SKU: **15355**
Material: Steel
Unit Color: Matt White
Dimension: 150x36mm
Box Qty: 20

STEEL CANOPY-SURFACE-3 HOLES-MATT WHITE



SKU: **15353**
Material: Steel
Unit Color: Matt White
Dimension: 800x70x43mm
Box Qty: 10

STEEL CANOPY-SURFACE-9 HOLES-MATT WHITE



SKU: **15354**
Material: Steel
Unit Color: Matt White
Dimension: 800x600x20mm
Box Qty: 2

MIRROR LIGHTS



AC:200-240V,50/60Hz

17W=120°/35-42W=110° Beam Angle

>80 CRI

IP44 Rating



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
40441 - 6400K WHITE	VT-8505	17W	600	H:500xW:390xT:35mm	1
2140451 - 6400K WHITE	VT-8700-N	35W	95	H:700xW:500xT:35mm	1
2140471 - 6400K WHITE	VT-8800-N	42W	100	H:800xW:600xT:35mm	1

MIRROR LIGHTS TOUCH SWITCH



AC:200-240V,50/60Hz

120° Beam Angle

>80 CRI

IP44 Rating



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
2140491 - 3IN1	VT-8602-N	25W	85	D:600x35mm	1

DESIGNER WALL LIGHTS



AC:220-240V, 50Hz

>80 CRI

Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15348 - 3000K WARM WHITE	VT-7927	37W	3940	340x460mm	Gold	1

DESIGNER WALL LIGHTS



AC:220-240V, 50Hz

>80 CRI

Aluminium+Steel+Silicone


Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
14981 - 3000K WARM WHITE 14980 - 4000K DAY WHITE	VT-7906-B	14W	1500	250x180mm	Black	10
14983 - 3000K WARM WHITE 14982 - 4000K DAY WHITE	VT-7906-W	14W	1500	250x180mm	White	10

LED MIRROR LIGHTS



AC:220-240V, 50/60Hz

180° Beam Angle

>80 CRI


Aluminium Body

20,000 hr lifespan

IP65 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
405811 - 3000K WARM WHITE 405821 - 4000K DAY WHITE	VT-7022-W	10W	1530	610x100x75mm	White	10
405831 - 3000K WARM WHITE 405841 - 4000K DAY WHITE	VT-7022-B	10W	1530	610x100x75mm	Black	10

LED PICTURE/MIRROR LAMP



AC:220-240V,50Hz

120° Beam Angle

>80 CRI

Metal+PMMA Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
213985 - 3000K WARM WHITE 213894 - 4000K DAY WHITE	VT-7008-N	9W	3000K-550 4000K-580	500x55x185mm	Chrome	12

LED PICTURE/MIRROR LAMP



AC:220-240V,50Hz

120° Beam Angle

>80 CRI

Stainless Steel+Aluminium+PMMA Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
213984 - 3000K WARM WHITE 213900 - 4000K DAY WHITE	VT-7009CH-N	9W	3000K-380 4000K-420	455x45x190mm	Chrome	11

NEW DESIGNER WALL LIGHTS



AC:220-240V, 50Hz

280° Beam Angle

>80 CRI

Metal+Aluminium+Acrylic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24122 - 3000K WARM WHITE	VT-89016	6W	720	211x82x147mm	Matt Black	12

NEW DESIGNER WALL LIGHTS



AC:220-240V, 50Hz

280° Beam Angle

>80 CRI

Ceramic+Metal+Acrylic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24128 - 3000K WARM WHITE	VT-89021	10W	1200	190x120x430mm	White+Brushed Nickel	4

NEW DESIGNER WALL LIGHTS



AC:220-240V, 50Hz

280° Beam Angle

>80 CRI

Metal+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
24290 - 4000K DAY WHITE	VT-84046	22W	2860	300x110mm	Sandy Black	4

LED PICTURE/MIRROR LAMP



AC:220-240V,50Hz
120° Beam Angle
>80 CRI
Stainless Steel+Metal+PMMA Body
20,000 hr lifespan
IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3893 - 4000K DAY WHITE	VT-7037	36W	2700	940x120x60mm	Chrome	6

DESIGNER BEND SERIES CHROME



AC:220-240V,50Hz
120° Beam Angle
>80 CRI
Stainless Steel+Metal+Glass Body
20,000 hr lifespan
IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3899 - 4000K DAY WHITE	VT-7038	36W	2700	985x120x75mm	Chrome	6

DESIGNER SERIES TRIAC DIMMABLE



AC:220-240V,50Hz
120° Beam Angle
>80 CRI
PC Body
30,000 hr lifespan
IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3980 -3000K WARM WHITE	VT-7027	18W	1200	ø125x2500mm	White	1
3981 -3000K WARM WHITE	VT-7050	32W	2100	ø125x2900mm	White	1

WALL LAMP TRIAC DIMMABLE



AC:220-240V,50/60Hz

120° Beam Angle

>80 CRI

PC+Iron Body

30,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3974 - 3000K WARM WHITE	VT-7025	18W	1200	ø125x530mm	White	1

TABLE LAMP TOUCH DIMMABLE



AC:220-240V,50Hz

120° Beam Angle

>80 CRI

PC Body

30,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3975 3000K WARM WHITE	VT-7026	18W	1200	130x480mm	White	1

DESIGNER TABLE LAMP



AC:220-240V,50Hz

1.5m Wire

Metal Body

IP20 Rating

5 Years Warranty

SKU	Model	Holder	Size(mm)	Unit Color	Box Qty
40331	VT-7412	E27	150x420mm	Red Bronze	4

DESIGNER FLOOR LAMPS



AC:220-240V,50Hz

1.8m Wire


Fabric+Metal Body

IP20 Rating

5 Years Warranty

SKU	Model	Holder	Size(mm)	Unit Color	Box Qty
40411	VT-7913	E27	450x285x1620mm	Ivory+Black-Round	1

OVAL BALL LIGHT




Lithium Battery 1000mAh
AC:100-240V,50Hz
LLDPE Body
50,000 hr lifespan

IP67 Rating
200x200x140mm Size
White Unit Color

SKU	Model	Watts	Lumens	Box Qty
40141 - RGB	VT-7801	1W	18	8

STONE LIGHT



Lithium Battery 1000mAh
AC:100-240V,50Hz
LLDPE Body
50,000 hr lifespan

IP67 Rating
280x210x170mm Size
White Unit Color

SKU	Model	Watts	Lumens	Box Qty
40151 - RGB	VT-7802	1W	18	8

POT LIGHT



Lithium Battery 1000mAh
AC:100-240V,50Hz
LLDPE Body
50,000 hr lifespan

IP54 Rating
280x280x290mm Size
White Unit Color

SKU	Model	Watts	Lumens	Box Qty
40181 - RGB	VT-7805	1W	18	1

POT LIGHT



Lithium Battery 2000mAh
AC:100-240V,50Hz
LLDPE Body
50,000 hr lifespan

IP54 Rating
355x355x325mm Size
White Unit Color

SKU	Model	Watts	Lumens	Box Qty
40211 - RGB	VT-7808	1.5W	54	1

ICE BUCKET LIGHT



Lithium Battery 2000mAh
AC:100-240V,50Hz
LLDPE Body
50,000 hr lifespan

IP54 Rating
290x330x350mm Size
White Unit Color

SKU	Model	Watts	Lumens	Box Qty
40191 - RGB	VT-7806	1.5W	54	1

BALL LIGHT



Lithium Battery 3600mAh
AC:100-240V,50Hz
LLDPE Body
50,000 hr lifespan

IP54 Rating
500x500x260mm Size
White Unit Color

SKU	Model	Watts	Lumens	Box Qty
40221 - RGB	VT-7809	6W	108	1

STOOL LIGHT



Lithium Battery 2000mAh
AC:100-240V,50Hz
LLDPE Body
50,000 hr lifespan

IP54 Rating
400x400x360mm Size
White Unit Color

SKU	Model	Watts	Lumens	Box Qty
40231 - RGB	VT-7810	3W	54	1

TABLE LIGHT



Lithium Battery 3600mAh
AC:100-240V,50Hz
LLDPE Body
50,000 hr lifespan

IP54 Rating
720x720x580mm Size
White Unit Color


SKU	Model	Watts	Lumens	Box Qty
40251 - RGB	VT-7812	6W	108	1

V-TAC
Meaningful Innovation.



LED Table & Floor Lamps

Most cozy & favorite corners always deserve comfortable lighting conditions. To cater to this need, we bring you an exclusive range of LED table lamps. Elegantly designed with a touch of class, these lamps deliver sufficient and smooth lighting, with unique and suitable functions for both task and ambient lighting.



NEW

DECORATIVE FLOOR LAMP




Watts:	10W	Material:	Ceramic+Metal+Acrylic
Lumens:	1200	Dimension:	250x180x1410
Beam Angel:	280°	IP Rating:	IP20
		Box Qty:	4

SKU	Model	Unit Color
24131 - 3000K WARM WHITE	VT-89024	White+Brushed Nickel

NEW


DECORATIVE FLOOR LAMP



Watts:	25W	Material:	Metal+Silicone
Lumens:	3250	Dimension:	300x250x1420
Beam Angel:	360°	IP Rating:	IP20
		Box Qty:	4

SKU	Model	Unit Color
24292 - 4000K DAY WHITE	VT-84048	Matt Black

**RECHARGEABLE & ADJUSTABLE FLOOR LAMP
-TOUCH CONTROL**



Watts:	4W
Lumens:	300
Beam Angle:	180°
Material:	Aluminium
Dimension:	140x1300
IP Rating:	IP54
Battery:	4400mAh
Cable Length:	1 Meter [Type C]
Charging Time:	6-8 Hours
Working Time:	6 Hours
Box Qty:	4



SKU	Model	Unit Color
7007 - 3000K WARM WHITE	VT-7544-W	White
7008 - 3000K WARM WHITE	VT-7544-C	Corten
7009 - 3000K WARM WHITE	VT-7544-B	Black



Watts:	3W
Lumens:	70
Beam Angle:	180°
Material:	Iron
Dimension:	105x390
IP Rating:	IP20
Battery:	4000mAh
Charging Time:	6-8 Hours
Working Time:	8-10 Hours
Box Qty:	12

RECHARGEABLE DESK LAMPS

SKU	Model	Unit Color
10187 - 3000K WARM WHITE 10188 - 4000K DAY WHITE	VT-7703-RB-G	Grey
10192 - 4000K DAY WHITE	VT-7703-RB-W	White
10194 - 4000K DAY WHITE	VT-7703-RB-B	Black



Watts:	2W
Lumens:	200
Beam Angle:	180°
Material:	Aluminium
Dimension:	Ø78.5x386
IP Rating:	IP54
Battery:	4400mA
Charging Time:	6-8 Hours
Working Time:	8-10 Hours
Box Qty:	12

TABLE LAMP WITH WIRELESS CHARGER AND TOUCH BUTTON

SKU	Model	Unit Color
7651 - 3000K WARM WHITE	VT-7522-W	White
7652 - 3000K WARM WHITE	VT-7522-B	Black
7653 - 3000K WARM WHITE	VT-7522-G	Grey
7654 - 3000K WARM WHITE	VT-7522-C	Corten



Watts:	1.5W
Lumens:	150
Beam Angle:	180°
Material:	Aluminium
Dimension:	70x275mm
IP Rating:	IP54
Battery:	1900mAh
Cable Length:	1 Meter [Type C]
Charing Time:	3 Hours
Working Time:	8-10 Hours
Box Qty:	20

TABLE LAMP WITH WIRELESS CHARGER AND TOUCH BUTTON

SKU	Model	Unit Color
23445 - 3000K WARM WHITE	VT-7997-W	White
23446 - 3000K WARM WHITE	VT-7997-C	Corten
23447 - 3000K WARM WHITE	VT-7997-B	Black

RECHARGEABLE TABLE LAMP WITH TOUCH CONTROL



Watts:	2W
Lumens:	200
Beam Angle:	180°
Material:	Aluminium
Dimension:	Ø108x325
IP Rating:	IP54
Battery:	4400mAh
Cable Length:	1 Meter [Type C]
Charging Time:	6-8 Hours
Working Time:	8-10 Hours
Box Qty:	12 Pc

SKU	Model	Unit Color
7689 - 3000K WARM WHITE	VT-7562-W	White
6821 - 3000K WARM WHITE	VT-7562-C	Corten
7690 - 3000K WARM WHITE	VT-7562-B	Black


RECHARGEABLE TABLE LAMP WITH TOUCH CONTROL



Watts:	2W
Lumens:	200
Beam Angle:	180°
Material:	Aluminium
Dimension:	Ø108x366
IP Rating:	IP54
Battery:	4400mAh
Cable Length:	1 Meter [Type C]
Charging Time:	6-8 Hours
Working Time:	8-10 Hours
Box Qty:	12 Pc

SKU	Model	Unit Color
7691 - 3000K WARM WHITE	VT-7563-W	Black

2IN1 SOLAR AND USB CHARGING MAGNETIC TABLE LAMPS CCT



Watts:	5W
Lumens:	400
Beam Angle:	60°
Material:	Metal+ABS+PC
Dimension:	352x120
IP Rating:	IP65
Battery:	3600mAh
Cable Length:	1 Meter [Type C]
Charing Time:	3-4 Hours
Working Time:	5-24 Hours
Box Qty:	10 Pc

SKU	Model	Unit Color
23412 - 3IN1	VT-10116-W	White
23413 - 3IN1	VT-10116-B	Black



Watts:	1W
Lumens:	120
Material:	Metal
Dimension:	420x305
IP Rating:	IP44
Battery:	Lin-ion 18650, 3.7V, 4000mAh
Charing Time:	8-10 Hours
Working Time:	12 Hours
Box Qty:	1 Pc

SOLAR DESIGNER TABLE LAMP-CCT

SKU	Model	Unit Color
23383 - 3000K+6000K WARM WHITE+WHITE	VT-7993-B	Black
23384 - 3000K+6000K WARM WHITE+WHITE	VT-7993-G	Grey



Watts:	0.5W
Lumens:	21
Material:	Metal
Dimension:	120x220
IP Rating:	IP20
Battery:	Lin-ion 18650, 3.7V, 1200mAh
Charing Time:	6-8 Hours
Working Time:	10 Hours
Box Qty:	20 Pc

SOLAR DESIGNER TABLE LAMP WITH HANDLE

SKU	Model	Unit Color
23385 - 3000K WARM WHITE	VT-7994	Black

MAGNETIC UP/DOWN TABLE LAMP-RECHARGEABLE-TOUCH CONTROL



BATTERY RECHARGEABLE

TOUCH CONTROL
DIMMING + ON/OFF

3-IN-1
COLOR CHANGING
(3000K-4000K-6400K)

Watts:	3W
Lumens:	300
Beam Angle:	45°
Material:	Metal+ABS+PC
Dimension:	353x110mm
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charing Time:	2-3 Hours
Working Time:	4-15 Hours
Box Qty:	20

SKU	Model	Unit Color
23410 - 3IN1	VT-10115-W	White
23411 - 3IN1	VT-10115-B	Black

MAGNETIC TABLE LAMP-RECHARGEABLE



BATTERY RECHARGEABLE

TOUCH CONTROL
DIMMING + ON/OFF

Watts:	3W
Lumens:	300
Beam Angle:	120°
Material:	ABS+PC+Metal
Dimension:	130x350
IP Rating:	IP20
Battery:	1500mAh
Cable Length:	1 Meter [Type C]
Charing Time:	2-3 Hours
Working Time:	2-3 Hours
Box Qty:	

SKU	Model	Unit Color
23041 - 4000K DAY WHITE	VT-7413-W	White
23043 - 4000K DAY WHITE	VT-7413-R	Red
23042 - 4000K DAY WHITE	VT-7413-B	Black

RECHARGEABLE TABLE LAMP WITH TOUCH CONTROL



BATTERY RECHARGEABLE

TOUCH CONTROL
DIMMING + ON/OFF

Watts:	3W
Lumens:	100
Beam Angle:	180°
Material:	Metal
Dimension:	120x360
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	4 Hours
Working Time:	4-6 Hours

SKU	Model	Unit Color
23092 - 3000K WARM WHITE	VT-7574-W	White
23093 - 3000K WARM WHITE	VT-7574-B	Black



Watts:	1W
Lumens:	100
Beam Angle:	300°
Material:	Metal+Acrylic
Dimension:	150x300
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	2-3 Hours
Working Time:	6-8 Hours
Box Qty:	10

RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL

SKU	Model	Unit Color
7940 - 3000K WARM WHITE	VT-1049-B	Black
7941 - 3000K WARM WHITE	VT-1049-W	White
7942 - 3000K WARM WHITE	VT-1049-V	Blue
7943 - 3000K WARM WHITE	VT-1049-CG	Champagne Gold
7944 - 3000K WARM WHITE	VT-1049-G	Grey
7945 - 3000K WARM WHITE	VT-1049-SB	Sand Brown



RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL-3IN1



Watts:	2W
Lumens:	100
Beam Angle:	300°
Material:	Metal+Glass
Dimension:	140x300
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	2-3 Hours
Working Time:	6-8 Hours
Box Qty:	10

SKU	Model	Unit Color
7988 - 3IN1	VT-1056-BT	Black+Transparent



RECHARGEABLE TABLE LAMP WITH TOUCH CONTROL-3IN1



BATTERY RECHARGEABLE

TOUCH CONTROL
DIMMING + ON/OFF

3-IN-1
COLOR CHANGING
(3000K-4000K-6400K)

Watts:	2.7W
Lumens:	110
Beam Angle:	180°
Material:	Iron
Dimension:	105x340
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charing Time:	4-5 Hours
Working Time:	3-4 Hours
Box Qty:	10 Pc

SKU	Model	Unit Color
23354 - 3IN1	VT-7967-BR	Brown
23355 - 3IN1	VT-7967-W	White
23356 - 3IN1	VT-7967-B	Black



RECHARGEABLE TABLE LAMP WITH TOUCH CONTROL-3IN1



BATTERY RECHARGEABLE

TOUCH CONTROL
DIMMING + ON/OFF

3-IN-1
COLOR CHANGING
(3000K-4000K-6400K)

Watts:	1.5W
Lumens:	150
Beam Angle:	100°
Material:	Plastic+Metal
Dimension:	Ø130x372
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	4 Hours
Working Time:	4-6 Hours
Box Qty:	10 Pc

SKU	Model	Unit Color
10324 - 3IN1	VT-1034-W	White
10330 - 3IN1	VT-1034-B	Black



RECHARGEABLE TABLE LAMP WITH TOUCH CONTROL-3IN1



BATTERY RECHARGEABLE


TOUCH CONTROL
DIMMING + ON/OFF

3-IN-1
COLOR CHANGING
(3000K-4000K-6400K)

Watts:	1.5W
Lumens:	150
Beam Angle:	100°
Material:	Plastic+Metal
Dimension:	Ø115x370
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	4 Hours
Working Time:	4-6 Hours
Box Qty:	10 Pc

SKU	Model	Unit Color
10326 - 3IN1	VT-1028-W	White
10325 - 3IN1	VT-1028-B	Black

RECHARGEABLE TABLE LAMP WITH TOUCH CONTROL-3IN1



BATTERY RECHARGEABLE

TOUCH CONTROL
DIMMING + ON/OFF

3-IN-1
COLOR CHANGING
(3000K-4000K-6400K)

Watts:	1.6W
Lumens:	130
Beam Angle:	120°
Material:	Metal
Dimension:	105x295
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	3.5-4.5 Hours
Working Time:	6-8 Hours
Box Qty:	20 Pc

SKU	Model	Unit Color
10329 - 3IN1	VT-1073-W	White
10328 - 3IN1	VT-1073-B	Black

RECHARGEABLE TABLE LAMP WITH TOUCH CONTROL-3IN1



BATTERY RECHARGEABLE

TOUCH CONTROL
DIMMING + ON/OFF

3-IN-1
COLOR CHANGING
(3000K-4000K-6400K)

Watts:	1W
Lumens:	40
Beam Angle:	180°
Material:	Metal
Dimension:	95x225
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	3-4 Hours
Working Time:	7-9 Hours

SKU	Model	Unit Color
10569 - 3IN1	VT-7566-W	White
10568 - 3IN1	VT-7566-B	Black

RECHARGEABLE TABLE LAMP WITH TOUCH CONTROL-3IN1



BATTERY RECHARGEABLE

TOUCH CONTROL
DIMMING + ON/OFF

3-IN-1
COLOR CHANGING
(3000K-4000K-6400K)

Watts:	3W
Lumens:	210
Beam Angle:	120°
Material:	Metal+Acrylic
Dimension:	120x255
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	4-6 Hours
Working Time:	6-8 Hours

SKU	Model	Unit Color
10571 - 3IN1	VT-7567-W	White+Transparent
10570 - 3IN1	VT-7567-B	Black+Transparent

RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL-3IN1



BATTERY RECHARGEABLE

TOUCH CONTROL
DIMMING + ON/OFF

3-IN-1
COLOR CHANGING
(3000K-4000K-6400K)

Watts:	1W
Lumens:	55
Beam Angle:	120°
Material:	Metal
Dimension:	120x220
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	2-3 Hours
Working Time:	6-8 Hours
Box Qty:	20

SKU	Model	Unit Color
7895 - 3IN1	VT-1041-B	Black
7896 - 3IN1	VT-1041-W	White
7897 - 3IN1	VT-1041-CG	Champagne Gold

RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL-3IN1



BATTERY RECHARGEABLE

TOUCH CONTROL
DIMMING + ON/OFF

3-IN-1
COLOR CHANGING
(3000K-4000K-6400K)

Watts:	3W
Lumens:	200
Beam Angle:	120°
Material:	Metal
Dimension:	150x250
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	2-3 Hours
Working Time:	6-8 Hours
Box Qty:	10

SKU	Model	Unit Color
7898 - 3IN1	VT-1047-B	Black
7899 - 3IN1	VT-1047-W	White
7937 - 3IN1	VT-1047-CG	Champagne Gold

RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL-3IN1



BATTERY RECHARGEABLE

TOUCH CONTROL
DIMMING + ON/OFF

3-IN-1
COLOR CHANGING
(3000K-4000K-6400K)

Watts:	1W
Lumens:	55
Beam Angle:	180°
Material:	Metal+Acrylic
Dimension:	135x265
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	2-3 Hours
Working Time:	6-8 Hours
Box Qty:	10

SKU	Model	Unit Color
7938 - 3IN1	VT-1048-FG	French Gold
7939 - 3IN1	VT-1048-CH	Chrome



Watts:	3W
Lumens:	240
Beam Angle:	100°
Material:	Leather Cloak+Metal
Dimension:	200x330mm
IP Rating:	IP20
Battery:	4000mAh
Cable Length:	1 Meter [Type C]
Charing Time:	3-4 Hours
Working Time:	5-24 Hours
Box Qty:	6

RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL-3IN1

SKU	Model	Unit Color
23414 - 3IN1	VT-10117-BL	Blue
23415 - 3IN1	VT-10117-Y	Yellow
23416 - 3IN1	VT-10117-BR	Brown
23417 - 3IN1	VT-10117-B	Black



Watts:	3W
Lumens:	200
Beam Angle:	120°
Material:	Metal
Dimension:	180x240
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charing Time:	2-3 Hours
Working Time:	6-8 Hours
Box Qty:	10

RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL-3IN1

SKU	Model	Unit Color
7947 - 3IN1	VT-1051-B	Black
7948 - 3IN1	VT-1051-W	White
7949 - 3IN1	VT-1051-G	Grey

RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL-3IN1



BATTERY RECHARGEABLE

TOUCH CONTROL
DIMMING + ON/OFF

3-IN-1
COLOR CHANGING
(3000K-4000K-6400K)

Watts:	3W
Lumens:	200
Beam Angle:	120°
Material:	Metal
Dimension:	115x300
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	2-3 Hours
Working Time:	6-8 Hours
Box Qty:	10

SKU	Model	Unit Color
7985 - 3IN1	VT-1052-B	Black
7986 - 3IN1	VT-1052-W	White
7987 - 3IN1	VT-1052-G	Grey

RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL-3IN1



BATTERY RECHARGEABLE

TOUCH CONTROL
DIMMING + ON/OFF

3-IN-1
COLOR CHANGING
(3000K-4000K-6400K)

Watts:	1.5W
Lumens:	150
Beam Angle:	180°
Material:	Aluminium
Dimension:	86x210
IP Rating:	IP54
Battery:	2200mAh
Cable Length:	1 Meter [Type C]
Charging Time:	2-3 Hours
Working Time:	6-8 Hours
Box Qty:	20

SKU	Model	Unit Color
10449 - 2700K+5700K WARM WHITE+WHITE	VT-1181-W	White
10450 - 2700K+5700K WARM WHITE+WHITE	VT-1181-B	Black

DESIGNER TABLE LAMP WITH TOUCH DIMMABLE



TOUCH DIMMING

Beam Angle:	120°
Material:	PC + Iron
Dimension:	ø200x335mm
IP Rating:	IP20

SKU	Model	Watts	Size(mm)	Box Qty
40071 - 3000K WARM WHITE	VT-7204	12w	ø200x335mm	6
40081 - 3000K WARM WHITE	VT-7353	25w	ø350x365mm	1

RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL-3IN1



BATTERY RECHARGEABLE

TOUCH CONTROL
DIMMING + ON/OFF

3-IN-1
COLOR CHANGING
(3000K-4000K-6400K)

Watts:	3W
Lumens:	200
Beam Angle:	120°
Material:	Metal
Dimension:	180x240
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	2-3 Hours
Working Time:	6-8 Hours
Box Qty:	10

SKU	Model	Unit Color
7946 - 3IN1	VT-1050-GB	Painted Gold+Black

TABLE LAMP WITH WOOD HANDLE-FABRIC




BATTERY RECHARGEABLE

Watts:	1.5W
Lumens:	100
Material:	Fabric+Wood
Dimension:	160x320
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	3-4 Hours
Working Time:	5-7 Hours

SKU	Model	Unit Color
23091 - 3000K WARM WHITE	VT-7570	Wood+Beige

TABLE LAMP-FABRIC



BATTERY RECHARGEABLE

Watts:	3W
Lumens:	110
Material:	Fabric+Wood
Dimension:	120x175
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	3-4 Hours
Working Time:	5-7 Hours

SKU	Model	Unit Color
23090 - 3000K WARM WHITE	VT-7569	Wood+Beige

RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL-3IN1



BATTERY RECHARGEABLE

TOUCH CONTROL
DIMMING + ON/OFF

3-IN-1
COLOR CHANGING
(3000K-4000K-6400K)

Watts:	1.5W
Lumens:	40
Beam Angle:	180°
Material:	Iron+Cloth Cover
Dimension:	140x280
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charing Time:	4-5 Hours
Working Time:	8-9 Hours
Box Qty:	10

SKU	Model	Unit Color
23357 - 3IN1	VT-7968-CG	Chrome+Green
23358 - 3IN1	VT-7968-CB	Chrome+Brown

RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL-3IN1



BATTERY RECHARGEABLE

TOUCH CONTROL
DIMMING + ON/OFF

3-IN-1
COLOR CHANGING
(3000K-4000K-6400K)

Watts:	2.4W
Lumens:	210
Beam Angle:	120°
Material:	Acrylic+Metal
Dimension:	130x295
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	2-3 Hours
Working Time:	6-8 Hours
Box Qty:	18

SKU	Model	Unit Color
10327 - 3IN1	VT-1033-NS	Sand Nickel

RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL-3IN1



BATTERY RECHARGEABLE

TOUCH CONTROL
DIMMING + ON/OFF

3-IN-1
COLOR CHANGING
(3000K-4000K-6400K)

Watts:	1W
Lumens:	50
Beam Angle:	180°
Material:	PS
Dimension:	160x250
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	2-3 Hours
Working Time:	6-8 Hours
Box Qty:	10

SKU	Model	Unit Color
7894 - 3IN1	VT-1040-T	Transparent

NEW



RECHARGEABLE TABLE LAMP WITH TOUCH CONTROL-3IN1



BATTERY RECHARGEABLE

TOUCH CONTROL
DIMMING + ON/OFF

3-IN-1
COLOR CHANGING
(3000K-4000K-6400K)

Watts:	3W
Lumens:	110
Beam Angel:	120°
Material:	Metal
Dimension:	80x370
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charing Time:	3-4 Hours
Working Time:	5-7 Hours
Box Qty:	20 Pc

SKU	Model	Unit Color
23683 - 3IN1	VT-75001-B	Black

NEW



RECHARGEABLE TABLE LAMP WITH TOUCH CONTROL-3IN1



BATTERY RECHARGEABLE

TOUCH CONTROL
DIMMING + ON/OFF

3-IN-1
COLOR CHANGING
(3000K-4000K-6400K)

Watts:	3W
Lumens:	110
Beam Angel:	120°
Material:	Metal
Dimension:	80x370
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charing Time:	3-4 Hours
Working Time:	5-7 Hours
Box Qty:	20 Pc

SKU	Model	Unit Color
23684 - 3IN1	VT-75001-W	White

NEW



RECHARGEABLE TABLE LAMP WITH TOUCH CONTROL-3IN1



BATTERY RECHARGEABLE

TOUCH CONTROL
DIMMING + ON/OFF

3-IN-1
COLOR CHANGING
(3000K-4000K-6400K)

Watts:	3W
Lumens:	110
Beam Angel:	120°
Material:	Metal+Acrylic
Dimension:	130x285
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charing Time:	3-4 Hours
Working Time:	5-7 Hours
Box Qty:	20 Pc

SKU	Model	Unit Color
23685 - 3IN1	VT-75002-B	Black

NEW



RECHARGEABLE TABLE LAMP WITH TOUCH CONTROL-3IN1



BATTERY RECHARGEABLE

TOUCH CONTROL DIMMING + ON/OFF

3-IN-1 COLOR CHANGING (3000K-4000K-6400K)

Watts:	3W
Lumens:	110
Beam Angel:	120°
Material:	Metal+Acrylic
Dimension:	130x285
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charing Time:	3-4 Hours
Working Time:	5-7 Hours
Box Qty:	20 Pc

SKU	Model	Unit Color
23686 - 3IN1	VT-75002-W	White

NEW



DECORATIVE TABLE LAMPS



Watts:	10W
Lumens:	1200
Beam Angel:	280°
Material:	Ceramic+Metal+Acrylic
Dimension:	160x120x440
IP Rating:	IP20
Box Qty:	4

SKU	Model	Unit Color
24130 - 3000K WARM WHITE	VT-89022	White+Brushed Nickel

NEW



DECORATIVE TABLE LAMPS



Watts:	25W
Lumens:	3250
Beam Angel:	360°
Material:	Metal+Silicone
Dimension:	300x150x470
IP Rating:	IP20
Box Qty:	4

SKU	Model	Unit Color
24291 - 4000K DAY WHITE	VT-84047	Matt Black



RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL



Watts:	3W
Lumens:	310
Beam Angle:	120°
Material:	Metal+Acrylic
Dimension:	106x370
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	3-4 Hours
Working Time:	3-4 Hours

SKU	Model	Unit Color
23094 - 3000K WARM WHITE	VT-7576-B	Black
23095 - 3000K WARM WHITE	VT-7576-W	White




TABLE LAMPS



Watts:	5W
Lumens:	500
Beam Angle:	60°
Material:	Iron
Dimension:	150x445
IP Rating:	IP20
Box Qty:	4

SKU	Model	Unit Color
10345 - 3000K WARM WHITE	VT-7506-B	Black
10346 - 3000K WARM WHITE	VT-7506-W	White



HANGING LAMP



Watts:	5W
Lumens:	500
Beam Angle:	60°
Material:	Iron
Dimension:	100x2000
IP Rating:	IP20
Box Qty:	10

SKU	Model	Unit Color
10341 - 3000K WARM WHITE	VT-7508-B	Black
10342 - 3000K WARM WHITE	VT-7508-W	White

RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL-3IN1



BATTERY RECHARGEABLE

TOUCH CONTROL
DIMMING + ON/OFF

3-IN-1
COLOR CHANGING
(3000K-4000K-6400K)

Watts:	1W
Lumens:	55
Beam Angle:	180°
Material:	Metal+Acrylic
Dimension:	120x225
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	2-3 Hours
Working Time:	6-8 Hours
Box Qty:	10

SKU	Model	Unit Color
7989 - 3IN1	VT-1057-FG	French Gold
7990 - 3IN1	VT-1057-CH	Chrome
7991 - 3IN1	VT-1057-AB	Antique Bronze

CANDLE TABLE LAMP WITH TOUCH CONTROL



BATTERY RECHARGEABLE

Watts:	1W
Lumens:	40
Material:	Metal
Dimension:	85x130
IP Rating:	IP20
Battery:	2400mAh
Cable Length:	1 Meter [Type C]
Charging Time:	4-6 Hours
Working Time:	7-9 Hours

SKU	Model	Unit Color
10566 - 3000K WARM WHITE	VT-7564-CA	Champagne Gold+Amber Glass
10567 - 3000K WARM WHITE	VT-7564-BS	Black Lamp+Smoky Glass

TABLE TOP FLAMELESS CANDLE LAMP



SKU	Model	Size
10572 - 2700K WARM WHITE	VT-7568-110	53x110
10573 - 2700K WARM WHITE	VT-7568-125	53x125
10574 - 2700K WARM WHITE	VT-7568-150	53x150
10575 - 2700K WARM WHITE	VT-7568-175	53x175
10576 - 2700K WARM WHITE	VT-7568-200	53x200

- 2xAA Battery Included
- On/Off Switch
- No Smoke/No Wax Spills
- IP20
- 2 Years Warranty

AA BATTERIES

DESIGNER AMBER TABLE LAMP



Watts:	7W
Lumens:	700
Beam Angle:	180°
Material:	Metal+Glass
Dimension:	180x475
IP Rating:	IP20
Box Qty:	6

SKU	Model	Unit Color
23380 - 3000K WARM WHITE	VT-7990	Amber



Watts:	20W
Lumens:	1840
Material:	Silicone+Aluminium
Dimension:	210x350
Voltage:	AC:100-240V,50/60Hz
CRI:	>80
Box Qty:	20

LED TABLE LAMP WITH EU PLUG CORD+SWITCH

SKU	Model	Unit Color
2140311 - 3000K WARM WHITE	VT-7312-B-N	Black
2140321 - 3000K WARM WHITE	VT-7312-W-N	White

TABLE LAMPS-SLIM



Watts:	6.5W
Lumens:	110
Material:	PC-Rubber Finish
Voltage:	DC:12V,1A
CRI:	>80
Box Qty:	10

SKU	Model	Unit Color
8520 3I N 1	VT-1037	White



TABLE MIRROR LIGHTS



3X
MAGNIFYING

AA
BATTERIES

CORDLESS

Watts:	3w
Lumens:	30
Material:	Plastic
Dimension:	135x205x325mm
Voltage:	DC:5V
CRI:	>80
Box Qty:	20

SKU	Model	Unit Color
6629	VT-7572	Chrome



SUCTION MIRROR LIGHTS



10X
MAGNIFYING

AA
BATTERIES

CORDLESS

Watts:	3.2w
Lumens:	30
Material:	Plastic
Dimension:	162x80x192mm
Voltage:	DC:4.5V
CRI:	>80
Box Qty:	36

SKU	Model	Unit Color
6630	VT-7573	Black



HANGING LAMP



Watts:	7W
Lumens:	360
Material:	PC+Metal
Dimension:	Ø150x151x1241
Voltage:	AC:100-240V,50/60Hz
CRI:	>80
Box Qty:	9

SKU	Model	Unit Color
8504 - 4000K DAY WHITE	VT-1036-P	Chrome+Purple
8505 - 4000K DAY WHITE	VT-1036-W	Chrome+White
8506 - 4000K DAY WHITE	VT-1036-B	Chrome+Blue

TABLE LAMPS+SPEAKER



Watts:	2*3W
Dimension:	Ø92x218
Voltage:	DC:5V
Box Qty:	12

SKU	Model	Unit Color
8571	VT-6211-R	Red

TABLE LAMPS-BANKER BAKELITE-E27



Material:	Glass+Metal
Dimension:	260x180x360
Box Qty:	6

SKU	Model	Unit Color
3912	VT-7151-GR	Green
3913	VT-7151-B	Blue
3914	VT-7151-GD	Yellow

FLOOR LAMP-E27



Material:	Marble+Metal
Dimension:	380x280x275
Voltage:	AC: 220-240V,50/60Hz
Box Qty:	1 Pc

SKU	Model	Unit Color
8565	VT-7451	Ivory
8564	VT-7451-B	Black


V-TAC
Meaningful Innovation.



DECORATIVE PENDANTS

Includes all mounting hardware for quick and easy installation; compatible with A60, Candle, ST64, and Globe bulb series, with vintage filament bulbs recommended (sold separately). Available in a variety of stylish shapes, materials, and sizes.


STRING LIGHTS



SKU	Model	Box Qty
8974	VT-717S	1Pc

IP Rating: IP65
 Holder Type: E27
 Max Watts: 60W x6
 Lampshade: Black ø250mm (Galvanized Iron)
 Bulb Holder: Brushed Brown Bronze ø49mm (Aluminium)
 Cable: Black (H05RN-F-3×1mm²)
 L/S Wireguard: Black ø256mm (Galvanized Iron)
 Catenary Length: 3M Total Length (6 Luminaires at 50cm spacing)


STRING LIGHTS



SKU	Model	Box Qty
8975	VT-717BS	1Pc

IP Rating: IP65
 Holder Type: E27
 Max Watts: 60W x6
 Lampshade: Natural ø250mm (Galvanized Iron)
 Bulb Holder: Rose Gold ø49mm (Aluminium)
 Cable: Black (H05RN-F-3×1mm²)
 L/S Wireguard: Rose Gold ø256mm (Galvanized Iron)
 Catenary Length: 3M Total Length (6 Luminaires at 50cm spacing)

STRING LIGHTS




SKU	Model	Box Qty
8971	VT-720S	1Pc

IP Rating: IP65
 Holder Type: E27
 Max Watts: 60W x6
 Globe: Clear ø150mm (PMMA)
 Bulb Holder: Brushed Brown Bronze ø49mm (Aluminium)
 Cable: Black (H05RN-F-3×1mm²)
 Catenary Length: 3M Total Length (6 Luminaires at 50cm spacing)


WALL LAMP

SKU	Model	Box Qty
8973	VT-720R	4




- IP Rating: IP65
- Holder Type: E27
- Max Watts: 60W
- Lampshade: Natural ø250mm (Galvanized Iron)
- Bulb Holder: Rose Gold ø49mm (Aluminium)
- Cable: Black (H05RN-F-3×0.75mm²)
- Wall Lamp Arm: Natural ø14mm (Galvanized Iron)
- Wall Mount: Rose Gold ø130mm (Galvanized Iron)
- L/S Wire Guard: Rose Gold ø256mm (Galvanized Iron)

DESIGNER PENDANT-HEMP ROPE




SKU	Model	Material:	Holder:	Dimension:	Box Qty:
23361	VT-7971	Hem Rope	E27	600x1525mm	5

DESIGNER PENDANT-HEMP ROPE




SKU	Model	Material:	Holder:	Dimension:	Box Qty:
23362	VT-7972	Hem Rope	E27	800x1535mm	4

WOODEN PENDANT



SKU	Model	Material:	Holder:	Dimension:	Box Qty:
23366	VT-7976	Wood	E27	300x300mm	3

WOODEN PENDANT




SKU	Model	Material:	Holder:	Dimension:	Box Qty:
23367	VT-7977	Wood	E27	260x260x1200mm	1

RATTAN FLOOR LAMP



SKU	Model	Material:	Rattan Finish
40571	VT-3100	Holder:	E27
		Dimension:	Ø300xH940mm
		Box Qty:	1

TRANSPARENT GLASS METAL SERIES



SKU	Model	Material:	Glass+Metal
3865	VT-7302	Holder:	E27
		Dimension:	300x280x1000mm
		Box Qty:	8

DIAMOND CUT GLASS BLACK




SKU	Model	Material:	Glass+Metal
3880	VT-7350-HB	Holder:	E27
		Dimension:	330x260x1000mm
		Box Qty:	8

MODERN BLACK GLASS PENDANT



SKU	Model	Material:	Glass+Metal
3885	VT-7281-BG	Holder:	E27
		Dimension:	285x440x1000mm
		Box Qty:	4

DESIGNER GLASS TRANSPARENT



SKU	Model	Material:	Glass
3881	VT-7305	Holder:	E27
		Dimension:	Ø270x1280mm
		Box Qty:	4

GLASS METAL SERIES

NEW



SKU	Model	Material:	Glass+Metal
24124	VT-89018	Holder:	G9
		Dimension:	450x120x134mm
		Box Qty:	1

GLASS METAL SERIES

NEW



SKU	Model	Material:	Glass+Metal
24125	VT-89019	Holder:	G9
		Dimension:	600x120x140mm
		Box Qty:	1

GLASS METAL SERIES



SKU	Model	Material:	Glass+Metal
3730	VT-7210	Holder:	E27
		Dimension:	245x230x110mm
		Box Qty:	8

GLASS METAL SERIES

NEW



SKU	Model	Material:	Glass+Aluminium+Metal
24132	VT-89025-SM	Holder:	E27
		Dimension:	300x100x400mm
		Box Qty:	1


TRANSPARENT GLASS METAL SERIES



SKU	Model	Material:	Glass+Metal
3735	VT-7140-T	Holder:	E27
		Dimension:	140x240x1130mm
		Box Qty:	8


GLASS METAL SERIES

NEW




SKU	Model	Material:	Glass+Aluminium+Metal
24133	VT-89025-SE	Holder:	E27
		Dimension:	300x100x400mm
		Box Qty:	1

TRANSPARENT GLASS METAL SERIES




SKU	Model	Material:	Glass+Metal
3738	VT-7185	Holder:	E27
		Dimension:	180x230x1110mm
		Box Qty:	12

AMBER GLASS METAL SERIES




SKU	Model	Material:	Glass+Metal
3732	VT-7150-AG	Holder:	E27
		Dimension:	145x160x1050mm
		Box Qty:	12

3D GLASS BLACK CANOPY




SKU	Model	Material:	Glass
40121	VT-7206	Holder:	E27
		Dimension:	ø200x100x1070mm
		Box Qty:	8

TRANSPARENT GLASS PENDANT




SKU	Model	Material:	Glass+Metal
3727	VT-7220-T	Holder:	E27
		Dimension:	220x280x1150mm
		Box Qty:	8

3D GLASS BLACK CANOPY




SKU	Model	Material:	Glass
40131	VT-7256	Holder:	E27
		Dimension:	ø250x100x1110mm
		Box Qty:	8

3D GLASS BLACK CANOPY




SKU	Model	Material:	Glass
40111	VT-7152	Holder:	E27
		Dimension:	ø150x100x1020mm
		Box Qty:	8

ALUMINIUM SHADE WHITE




SKU	Model	Material:	Aluminium
3729	VT-7422-WH	Holder:	E27
		Dimension:	230x310x1150mm
		Box Qty:	8

MESH METAL GREY



SKU	Model	Material:	Metal
3822	VT-7200-MG	Holder:	E27
		Dimension:	200x270x1300mm
		Box Qty:	8


MESH METAL GOLD



SKU	Model	Material:	Metal
3821	VT-7200-CG	Holder:	E27
		Dimension:	200x270x1300mm
		Box Qty:	8

METAL SERIES


NEW



SKU	Model	Material:	Fabric+Metal
24114	VT-89010-M	Holder:	E27
		Dimension:	420x120x500mm
		Box Qty:	1

METAL SERIES


NEW



SKU	Model	Material:	Fabric+Metal
24115	VT-89010-MB	Holder:	E27
		Dimension:	420x120x500mm
		Box Qty:	1

METAL SERIES


NEW



SKU	Model	Material:	Fabric+Metal
24116	VT-89011-M	Holder:	E27
		Dimension:	400x120x350mm
		Box Qty:	1

METAL SERIES


NEW



SKU	Model	Material:	Fabric+Metal
24117	VT-89011-MB	Holder:	E27
		Dimension:	400x120x350mm
		Box Qty:	1

METAL SERIES


NEW



SKU	Model	Material:	Metal+Aluminum
24118	VT-89014	Holder:	GU10
		Dimension:	400x120x480mm
		Box Qty:	1

METAL SERIES


NEW



SKU	Model	Material:	Ceramic+Metal
24127	VT-89020-W	Holder:	E27
		Dimension:	280x218x1880mm
		Box Qty:	1


METAL SERIES

NEW



SKU	Model	Material:	Metal+Aluminum
24123	VT-89017	Holder:	2XE27
		Dimension:	230x150x317mm
		Box Qty:	6


CAN SHAPE WHITEPENDANT



SKU	Model	Material:	Metal
3829	VT-7132-MW	Holder:	E27
		Dimension:	130x220x1300mm
		Box Qty:	10


METAL SERIES

NEW



SKU	Model	Material:	Ceramic+Metal
24126	VT-89020-B	Holder:	E27
		Dimension:	280x218x1880mm
		Box Qty:	1

MESH METAL GLOBE



SKU	Model	Material:	Metal
3859	VT-7332	Holder:	E27
		Dimension:	Ø290x1000x1340mm
		Box Qty:	8

COPPER SERIES ROSE GOLD



SKU	Model	Material:	Iron+ copper paint
3710	VT-8300	Holder:	E27
		Dimension:	Ø300
		Box Qty:	4

COPPER SERIES ROSE GOLD




SKU	Model	Material:	Iron+ Copper Paint
3715	VT-8230	Holder:	E27
		Dimension:	Ø230mm
		Box Qty:	4

COPPER SERIES ROSE GOLD



SKU	Model	Material:	Iron+ copper paint
3711	VT-8220	Holder:	E27
		Dimension:	Ø220
		Box Qty:	4

MARBLE SERIES-G9




SKU	Model	Material:	Marble
23376	VT-7986	Holder:	G9
		Dimension:	100x1200mm
		Box Qty:	1

COPPER SERIES ROSE GOLD




SKU	Model	Material:	Iron+ Copper Paint
3714	VT-8170	Holder:	E27
		Dimension:	Ø170mm
		Box Qty:	8

MARBLE SERIES-G9




SKU	Model	Material:	Marble
23377	VT-7987	Holder:	G9
		Dimension:	100x1200mm
		Box Qty:	1

CONCRETE LAMPSHADE




SKU	Model	Material:	Concrete
3853	VT-7202	Holder:	E27
		Dimension:	180x160x1100mm
		Box Qty:	4

GEOMETRIC SERIES GOLD CANOPY




SKU	Model	Material:	Metal
3837	VT-7321-CG	Holder:	E27
		Dimension:	320x320x1350mm
		Box Qty:	10

CONCRETE TABLE LAMP




SKU	Model	Material:	Concrete
3851	VT-7160	Holder:	E27
		Dimension:	160x150x2000mm
		Box Qty:	4

MODERN WOODEN TOP WHITE




SKU	Model	Material:	Aluminium+Wood
3756	VT-7425-WH	Holder:	E27
		Dimension:	250x200x1100mm
		Box Qty:	8

CONCRETE TABLE LAMP



SKU	Model	Material:	Concrete
3852	VT-7171	Holder:	E27
		Dimension:	180x130x2000mm
		Box Qty:	8

WOODEN TOP IRON WHITE




SKU	Model	Material:	Iron+Wooden Top
3761	VT-7525-WH	Holder:	E27
		Dimension:	250x400x1200mm
		Box Qty:	8

WOODEN TOP IRON WHITE




SKU	Model	Material:	Iron+Wooden Top
3765	VT-7545-WH	Holder:	E27
		Dimension:	350x300x1100mm
		Box Qty:	8

PENDANT ALUMINIUM SHADE PINK




SKU	Model	Material:	Plastic+Aluminium
3923	VT-7100-P	Holder:	E14
		Dimension:	180x100x1200mm
		Box Qty:	12

PENDANT ALUMINIUM SHADE WHITE



SKU	Model	Material:	Plastic+Aluminium
3920	VT-7100-WH	Holder:	E14
		Dimension:	180x100x1200mm
		Box Qty:	12

PENDANT ALUMINIUM SHADE RED



SKU	Model	Material:	Plastic+Aluminium
3924	VT-7100-R	Holder:	E14
		Dimension:	180x100x1200mm
		Box Qty:	12

PENDANT ALUMINIUM SHADE BLACK



SKU	Model	Material:	Plastic+Aluminium
3921	VT-7100-B	Holder:	E14
		Dimension:	180x100x1200mm
		Box Qty:	12

PENDANT ALUMINIUM SHADE BLUE




SKU	Model	Material:	Plastic+Aluminium
3925	VT-7100-BL	Holder:	E14
		Dimension:	180x100x1200mm
		Box Qty:	12

METAL PLATE ROSE GOLD




SKU	Model	Material:	Metal
3751	VT-7777-RG	Holder:	E27
		Dimension:	300x90x1000mm
		Box Qty:	20

PRISM WHITE PENDANT




SKU	Model	Material:	Metal
3948	VT-7310-W	Holder:	E27
		Dimension:	310x180mm
		Box Qty:	4

PRISM BLUE PENDANT




SKU	Model	Material:	Metal
3946	VT-7310-B	Holder:	E27
		Dimension:	310x180mm
		Box Qty:	4

PRISM WOODEN YELLOW



SKU	Model	Material:	Metal
3950	VT-7323-Y	Holder:	E27
		Dimension:	320x270mm
		Box Qty:	4

PRISM YELLOW PENDANT



SKU	Model	Material:	Metal
3947	VT-7310-Y	Holder:	E27
		Dimension:	310x180mm
		Box Qty:	4

CONE PRISM WHITE



SKU	Model	Material:	Metal
3952	VT-7255-W	Holder:	E27
		Dimension:	250x255mm
		Box Qty:	4

CONE PRISM BLUE



SKU:	Model:	Material:	Metal
3953	VT-7255-B	Holder:	E27
		Dimension:	250x255mm
		Box Qty:	4



Model: VT-7778-BL
SKU: 3722
Material: Wooden
Dimension: 73x102x1000mm
Color: Blue Wire
Box Qty: 50



Model: VT-7778-R
SKU: 3723
Material: Wooden
Dimension: 73x102x1000mm
Color: Red Wire
Box Qty: 50



Model: VT-7778-PR
SKU: 3724
Material: Wooden
Dimension: 73x102x1000mm
Color: Purple Wire
Box Qty: 50



Model: VT-7778-GN
SKU: 3725
Material: Wooden
Dimension: 73x102x1000mm
Color: Green Wire
Box Qty: 50



Model: VT-7998-GN
SKU: 3805
Material: Porcelain
Dimension: Ø105x750mm
Color: Green
Box Qty: 60



Model: VT-7998-BL
SKU: 3806
Material: Porcelain
Dimension: Ø105x750mm
Color: Blue
Box Qty: 60



Model: VT-7998-R
SKU: 3807
Material: Porcelain
Dimension: Ø105x750mm
Color: Red
Box Qty: 60



Model: VT-7998-GY
SKU: 3808
Material: Porcelain
Dimension: Ø105x750mm
Color: Grey
Box Qty: 60



Model: VT-7998Y
SKU: 3809
Material: Porcelain
Dimension: Ø105x750mm
Color: Yellow
Box Qty: 60



Model: VT-7998-BR
SKU: 3810
Material: Porcelain
Dimension: Ø105x750mm
Color: Brown
Box Qty: 60



Model: VT-799-GN
SKU: 3797
Material: Porcelain
Dimension: Ø47x64mm
Color: Green
Box Qty: 100



Model: VT-799-BL
SKU: 3798
Material: Porcelain
Dimension: Ø47x64mm
Color: Blue
Box Qty: 100



Model: VT-799-R
SKU: 3799
Material: Porcelain
Dimension: Ø47x64mm
Color: Red
Box Qty: 100



Model: VT-799-GY
SKU: 3800
Material: Porcelain
Dimension: Ø47x64mm
Color: Grey
Box Qty: 100



Model: VT-799-Y
SKU: 3801
Material: Porcelain
Dimension: Ø47x64mm
Color: Yellow
Box Qty: 100



Model: VT-799-BR
SKU: 3802
Material: Porcelain
Dimension: Ø47x64mm
Color: Brown
Box Qty: 100



Model: VT-7668-GN
SKU: **3742**
Material: Concrete
Dimension: 50x95x1050mm
Color: Green
Box Qty: 40



Model: VT-7668-R
SKU: **3743**
Material: Concrete
Dimension: 50x95x1050mm
Color: Red
Box Qty: 40



Model: VT-7338-O
SKU: **3788**
Material: Chrome
Dimension: Ø39x1000mm
Color: Orange Wire
Box Qty: 40



Model: VT-7338-PK
SKU: **3789**
Material: Chrome
Dimension: Ø39x1000mm
Color: Pink Wire
Box Qty: 1



Model: VT-7668-BL
SKU: **3744**
Material: Concrete
Dimension: 50x95x1050mm
Color: Blue
Box Qty: 40



Model: VT-7668-Y
SKU: **3745**
Material: Concrete
Dimension: 50x95x1050mm
Color: Yellow
Box Qty: 40



Model: VT-7338-PE
SKU: **3790**
Material: Chrome
Dimension: Ø39x1000mm
Color: Purple Wire
Box Qty: 40



Model: VT-7338-R
SKU: **3791**
Material: Chrome
Dimension: Ø39x1000mm
Color: Red Wire
Box Qty: 40



Model: VT-7668-BR
SKU: **3749**
Material: Concrete
Dimension: 50x95x1050mm
Color: Brown
Box Qty: 40



Model: VT-7668-BE
SKU: **3750**
Material: Concrete
Dimension: 50x95x1050mm
Color: Beige
Box Qty: 40



Model: VT-7338-RR
SKU: **3792**
Material: Chrome
Dimension: Ø39x1000mm
Color: Rose Red Wire
Box Qty: 40



Model: VT-7338-Y
SKU: **3793**
Material: Chrome
Dimension: Ø39x1000mm
Color: Yellow Wire
Box Qty: 40



Model: VT-7448
SKU: **3777**
Material: Chrome
Dimension: Ø39x1000mm
Color: Rose Gold Set
Box Qty: 40



Model: VT-7338-BL
SKU: **3783**
Material: Chrome
Dimension: Ø39x1000mm
Color: Blue Wire
Box Qty: 40



Model: VT-7338-BE
SKU: **3794**
Material: Chrome
Dimension: Ø39x1000mm
Color: Beige Wire
Box Qty: 40



Model: VT-7228-PN
SKU: **3479**
Material: Silicone
Dimension: Ø40x1000mm
Color: Pink
Box Qty: 100



Model: VT-7338-GN
SKU: **3785**
Material: Chrome
Dimension: Ø39x1000mm
Color: Green Wire
Box Qty: 40



Model: VT-7338-LB
SKU: **3787**
Material: Chrome
Dimension: Ø39x1000mm
Color: Light Blue Wire
Box Qty: 40



SKU	Model	Unit Color	Dimension	Box Qty
3482	VT-7228-LB	Light Blue	Ø40x1000mm	100
3483	VT-7228-PE	Purple	Ø40x1000mm	100
3484	VT-7228-O	Orange	Ø40x1000mm	100
3485	VT-7228-Y	Yellow	Ø40x1000mm	100

V-TAC
Meaningful Innovation.




LED DISPLAY SCREEN

VTAC LED's Display screen series perfectly designed for the best video output and display of images and information. Offering Display color of 281 trillions(synchronized). The perfect product for advertising and marketing.

P3 INDOOR LED DISPLAY SCREEN


SKU	Box Qty
11109	6



Pixel pitch	3mm	Brightness	≥1100 CD/M2
Panel size	L192xH192xT13mm	Working environment temperature	-10 to +40°C
Physical density	111111/M2	Working environment humidity	10%~70% RH
Pixel configuration	1,1,1(R,G,B)	Display working voltage	AC46~4HZ,220V±15%/110V±15%
Driving method	1/16 Constant current	Color temperature	8500K-11500K
LED Chip Type	SMD2121	Gray scale/color	≥16.7M color
Display resolution	4096(64x64)dots	Input signal	RF\ S-Video\ RGB etc
Module weight	0.35Kg	Control system	PCTV nonlinearity card, DVI Display card, Linsn control system
Module port	HUB75-B	Mean free error time	>5000-hour
Module working voltage	5VDC	hour lifespan	100000-hour
Power	30W	Steel box weight	40 Kg/M2
Viewing angle	120 Degrees	Steel box size	L576Xh768x80mm
Option distance	3-45M		
Driving device	5020		
Every square meter module	27.13 PCS		
Maximum power	1000 W/M2		
Frame Frequency	60Hz		
Refresh frequency	400-800 Hz/S		

P4 INDOOR LED DISPLAY SCREEN

SKU	Box Qty
11079	6



Screen Parameter

Pixel Density	62500dots/sqm
Brightness	1100nits
Optimum View Distance	more than 5m
Gray Scale	16bits
Display Color	281 trillions(synchronized)
Operation Power	AC 220V-240V/ 50/60Hz
Power Consumption	300W/cabinet
Control Mode	Synchronized
Refresh Frequency	400-700HZ
Surport Signal Input	S-Video,RGBHV,YUV etc.
Control Distance	UTP140M,SINGLE MODE FIBER
Life Span(50% Brightness)	15KM
IP(Front)	100000hrs
Control System	IP40 PCTV nonlinearity card, DVI display card Linsn control system

- **Plug & Play**
- **Ideal For Renting Purpose**
- **Portable Moving For Events**

LED Cabinet Parameter


Cabinet Size(L*h*d)	512*512*85mm
Cabinet Resolution	128*128
Module Quantity Each Cabinet	2*4=8
Power Consumption	300w/cabinet
Cabinet Material	Iron
Cabinet Weight	8kg/cabine

LED Module Parameter

Pixel Pitch	4mm
Led Specification	SMD2121
Led Configuration	SMD 3 in 1
Module Size	256*128mm
Module Resolution	64*32=2048dot
Drive Method	1/16 scan constant current
Drive IC	SM16106
Power Consumption	25-30W

P5 INDOOR LED FINISHED CABINET

SKU	Box Qty
11077	6



Screen Parameter

Pixel Density:	40000dots/sqm
Brightness:	1800nits
Optimum View Distance:	more than 5m
Gray Scale:	16bits
Display Color:	281 trillions(synchronized)
Operation Power:	220V-240V
Max Power Consumption:	750W/sqm
Control Mode:	Synchronized
Refresh Frequency:	400-700HZ
Fram Frequency:	60HZ
Support Signal Input:	S-Video,RGBHV,YUV etc.
Control Distance:	UTP140M,SINGLE MODE FIBER
Life Span(50% Brightness):	15KM
IP(Front/rear):	100000hrs IP20

LED Cabinet Parameter


Cabinet Size(L*h*d):	640*640mm
Cabinet Resolution:	128*128
Module Quantity Each Cabinet:	2*4=8
Average Power Consumption:	300w/cabinet
Cabinet Material:	Iron
Cabinet Size:	8kg/cabinet

LED Module Parameter

Pixel Pitch	5mm
Led Specification	SMD3528
Led Configuration	SMD 3 in 1
Module Size	320*160mm
Module Resolution	64*32=2048dot
Drive Method	1/16 scan constant current
Drive IC	SM16106

OUTDOOR DISPLAY SCREEN

SKU	Box Qty
11078	6



Screen Parameter

Pixel Density	27777dots/sqm
Brightness	6500nits
Optimum View Distance	more than 6m
Gray Scale	16bits
Display Color	281 Trillions(synchronized)
Operation Power	220V-240V
Max Power Consumption	1350W/sqm
Control Mode	Synchronized
Refresh Frequency	400-800HZ
Fram Frequency	60HZ
Support Signal Input	S-Video,RGBHV,YUV etc.
Control Distance	Utp140m, Single Mode Fiber 15km
Operating Humidity	10%-90%
Life Span(50% Brightness)	100000hrs
IP(Front/rear)	IP65/IP45

LED Cabinet Parameter

Cabinet Size(L*h*d)	768*768mm
Cabinet Resolution	128*128
Module Quantity Each Cabinet	4*4=16
Average Power Consumption	800w/cabinet
Cabinet Material	Iron
Cabinet Size	25kg/cabinet

LED Module Parameter

Pixel Pitch	6mm
Led Specification	SMD3535
Led Configuration	SMD 3 in 1
Module Size	192*192mm
Module Resolution	32*32=1024dot
Drive Method	1/8 scan constant current
Drive IC	SM16106

COM700-MEDIA PLAYER


SKU

11088

- LED Display Player with Industrial PC
- One TS802 sending card inside
- Dual Display - Supports Max 1280*800
- Supports SD Memory Card/USB/HDMI Out/Internet
- USB and SD Card Memory Playing
- Compact and Easy to Install
- 7" Touch Screen with windows 10 Inside
- Size - 320*180*50mm
- Input - AC:120-260V
- 1 x Audio In
- 1 x Audio Out
- 1 x DVI In
- 1 x HDMI Out
- 4 USB Interface



Windows 10



SENDING BOX

SENDING CARD



SKU	Box Qty
500082	20

SKU	Box Qty
500081	20



SMART CAMERAS

V-TAC introduces its all-new extensive range of smart cameras – fully compatible with any smart device (mobile phones, tablets, or PCs) through Wi-Fi integration. These cameras offer detection alerts via email – all available in standard UK & EU plugs for compatibility.



SMART WIFI HD SOLAR ENERGY PTZ CAMERA

SKU	Model	Box Qty
11617	VT-11024-Black	6
11618	VT-11024-White	6



- 8W Solar Panel
- 18650 2600mAh Battery
- PTZ Camera WiFi with Monocrystalline Silicon Solar Panel
- 360° VR with PIR Detection with a lens angle of 95°
- Voice monitor and full color night vision
- Resolution: 2MP (1920x1080)
- Alarm Mode: Realtime calling or push message
- PTZ Angle: Horizontal 355°, Vertical 100°
- Voice Monitoring distance 20 Meters
- Local Storage TF Card Max 128GB(Not Included)
- PIR Sensor with Detection Distance 0-12 Meters
- 3.6mm Lens



SMART SWITCHES

Introducing next-generation self-powered wireless switches powered by an RF receiver for a truly hassle-free experience. Featuring push-touch buttons and remote control functionality, the design includes a no-screw panel surface, large buttons with indicator, smooth and quiet operation, and a responsive, tactile feel for easy ON/OFF control.



NEW MINI 1 LINE SWITCH 1 GANG

SKU	Model	Box Qty
23604	VT-5101	500



- Max Load-10A
- Switch Type-1 Gang
- 150W Max for LED Light
- 2.4Ghz Wireless Frequency
- 0.5W wireless consuming
- PC Body

- AC:100-240V, 50/60Hz
- PC+Aluminium Body
- 42.6x42.6x20mm



NEW MINI 1 LINE SWITCH 2 GANG

SKU	Model	Box Qty
23605	VT-5102	500



- Max Load-5A & 5A
- Switch Type-2 Gang
- 150W Max for LED Light
- 2.4Ghz Wireless Frequency
- 0.5W wireless consuming
- PC Body

- AC:100-240V, 50/60Hz
- PC+Aluminium Body
- 42.6x42.6x20mm



SMART SENSOR SWITCHES

SKU	Model	Box Qty
8460	VT-5131-1Gang 1Way	144
8461	VT-5132-2Gang 1Way	144
8462	VT-5133-3Gang 1Way	144

- Input Power: 2-3V(CR2032 Button Battery)
 Switch Lifetime: 30,000 times
 Body Type: PC
 Dimensions: 86x86x11mm
 Remote Distance: Outdoor >600m | Indoor >40m



REMOTE THREE GANG

SKU	Model	Box Qty
8463	VT-5143	364

- Input Power: 2-3V(CR2032 Button Battery)
 Switch Lifetime: 30,000 times
 Body Type: ABS
 Dimensions: 62x30x12mm
 Remote Distance: Outdoor >160m | Indoor >20m



RECEIVER

SKU	Model	Box Qty
8458	VT-5129	364

- Input Power: AC:180-240V
 Body Type: PC
 Dimensions: 39x23x22 mm
 Remote Distance: Outdoor >600m | Indoor >40m



WI-FI RECEIVER

SKU	Model	Box Qty
8459	VT-5130	196



- Input Power: AC:85-265V
 Body Type: PC
 Dimensions: 75x28x28.5 mm
 Remote Distance: Outdoor >500m | Indoor >40m

SOCKET EU GLASS PANEL



SKU	Model	Box Qty
8379	VT-5711-W	80

- Input Power: AC:200-250V,50Hz
 Switch Lifetime: >100,000 times
 Body Type: PC+Glass Finish
 Dimensions: 86x86mm



V-TAC
Meaningful Innovation.

SOCKETS AND ADAPTERS

Extensive variety of electrical accessories to power your devices with Italian, European sockets and adapters made from high-quality, modern components from V-TAC. Includes cable reels and sockets of different types and lengths, extension cords, travel adapters/converters, grounded counterparts, and more.

UNIVERSAL ADAPTOR WITH OVERLOAD PROTECTION WITH 2USB 2A

SKU	Box Qty
8704	48



Universal Adaptor

Input Current: 10A Input Power: AC:110-250V,50/60Hz
Output Current: 10A Body Type: PC+COPPER
Rated Load: 2500W Dimension: 95x50x40mm

UNIVERSAL ADAPTOR

SKU	Box Qty
8705	100



Universal Adaptor

Input Current: 10A Input Power: AC:110-250V,50/60Hz
Output Current: 10A Body Type: PC+COPPER
Rated Load: 2500W Dimension: 70x50x40mm

4WAYS SOCKET WITH USB(3G1.5MM2 X1.4M)

1.4M Wire

SKU	Box Qty
8800	40



Input Current: 16A Input Power: AC:230V
Rated Load: 3680W Body Type: PC
Color: White Dimension: 77X77X82.8mm

3WAYS SOCKET WITH USB(3G1.5MM2 X1.4M)

1.4M Wire

SKU	Box Qty
8799	40



Input Current: 16A Input Power: AC:230V
Rated Load: 3680W Body Type: PC
Color: White Dimension: 130X138.30x42mm

4 HOLES SOCKET WITH SWITCH

1.5M Wire

SKU	Box Qty
8770	40



LIGHT-UP SWITCH

Input Current: 16A Input Power: AC:250V,50/60Hz
Rated Load: 3680W Body Type: PP+COPPER
Color: White Dimension: 174x45x40mm

4 HOLES SOCKET WITH SWITCH

1.5M Wire

SKU	Box Qty
8771	40



LIGHT-UP SWITCH

Input Current: 16A Input Power: AC:250V,50/60Hz
Rated Load: 3680W Body Type: PP+COPPER
Color: Black Dimension: 174x45x40mm

8 HOLES SOCKET WITH SWITCH

1.5M Wire

SKU	Box Qty
8773	40



LIGHT-UP SWITCH

Input Current: 16A Input Power: AC:250V,50/60Hz
 Rated Load: 3680W Body Type: PP+COPPER
 Color: Black Dimension: 186x45x40mm

3WAYS SOCKET WITH 2USB

1.5M Wire

SKU	Box Qty
8776	40



2 USB PORT

Input Current: 16A Input Power: AC:250V,50/60Hz
 Rated Load: 3680W Body Type: PP+COPPER
 Color: Black Dimension: 178x45x40mm

3WAYS SOCKET WITH 2USB

1.5M Wire

SKU	Box Qty
8774	40



2 USB PORT

Input Current: 16A Input Power: AC:250V,50/60Hz
 Rated Load: 3680W Body Type: PP+COPPER
 Color: White Dimension: 178x45x40mm

3WAYS SOCKET WITH 2USB

5M Wire

SKU	Box Qty
8777	20



2 USB PORT

Input Current: 16A Input Power: AC:250V,50/60Hz
 Rated Load: 3680W Body Type: PP+COPPER
 Color: Black Dimension: 178x45x40mm

3WAYS SOCKET WITH 2USB

5M Wire

SKU	Box Qty
8775	20



2 USB PORT

Input Current: 16A Input Power: AC:250V,50/60Hz
 Rated Load: 3680W Body Type: PP+COPPER
 Color: White Dimension: 178x45x40mm

3 WAYS SOCKET

1.5M Wire

SKU	Box Qty
8754	40



Input Current: 16A Input Power: AC:250V,50/60Hz
 Rated Load: 3680W Body Type: PP+COPPER
 Color: White Dimension: 170x45x40mm

3WAYS SOCKET WITH SWITCH

1.5M Wire

SKU	Box Qty
8762	40



Input Current: 16A Input Power: AC:250V,50/60Hz
 Rated Load: 3680W Body Type: PP+COPPER
 Color: White Dimension: 174x45x40mm

5WAYS SOCKET WITH SWITCH

5M Wire

SKU	Box Qty
8767	20



Input Current: 16A Input Power: AC:250V,50/60Hz
 Rated Load: 3680W Body Type: PP+COPPER
 Color: White Dimension: 182x45x40mm

3WAYS SOCKET WITH SWITCH

5M Wire

SKU	Box Qty
8763	20



Input Current: 16A Input Power: AC:250V,50/60Hz
 Rated Load: 3680W Body Type: PP+COPPER
 Color: White Dimension: 174x45x40mm

4 WAYS SOCKET WITH LIGHTED SWITCH & 2 USB PORTS

1.4M Wire

SKU	Box Qty
8808	20



2
USB PORT

Input Current: 4x16A Input Power: AC:200-240V,50Hz
 Rated Load: 3680W Body Type: PC,PVC, COPPER
 Color: White Dimension: 307x46x42mm

4WAYS SOCKET WITH SWITCH

1.5M Wire

SKU	Box Qty
8764	40



Input Current: 16A Input Power: AC:250V,50/60Hz
 Rated Load: 3680W Body Type: PP+COPPER
 Color: White Dimension: 178x45x40mm

5 WAYS SOCKET WITH LIGHTED SWITCH & 2 USB PORTS

3M Wire

SKU	Box Qty
8807	20



2
USB PORT

Input Current: 5x16A Input Power: AC:200-240V,50Hz
 Rated Load: 3680W Body Type: PP,PVC, COPPER
 Color: White Dimension: 365x53x44mm

5 WAYS SAFE SOCKET WITH LIGHTED SWITCH

1.4M
Wire

SKU	Box Qty
8818	20



LIGHT-UP SWITCH

Input Current: 5x16A Input Power: AC:230V
Rated Load: 3680W Body Type: PP,PVC, COPPER
Color: White Dimension: 330x55x41mm

4 WAYS ADAPTER WITH EARTHING CONTACT

SKU	Box Qty
8785	100



Input Current: 16A Input Power: AC:250V, 16A
Rated Load: 3680W Body Type: PP Plastic+ Copper
Rated Load: 3680W Dimension: 91.2x49x78.1mm

2 WAYS ADAPTER WITH EARTHING CONTACT

SKU	Box Qty
8783	100



Input Current: 16A Input Power: AC:250V, 16A
Rated Load: 2300W Body Type: PP Plastic+ Copper
Rated Load: 2300W Dimension: 98x46x74.6mm

3 OUTLET POWER ADAPTER WITH EARTH CONTACT

SKU	Box Qty
8789	100



Input Current: 16A Input Power: AC:250V, 16A
Rated Load: 3680W Body Type: PP Plastic+ Copper
Rated Load: 3680W Dimension: 133.6x49.5x76.9mm

ADAPTER WITH 3 EURO-SOCKET

SKU	Box Qty
8784	100



Input Current: 16A Input Power: AC:250V, 16A
Rated Load: 3680W Body Type: PP Plastic+ Copper
Rated Load: 3680W Dimension: 93.1x48x75.3mm

ADAPTER WITH 2 SOCKET 2.5A, 1 SOCKET 16A WITH EARTHING CONTACT 16A

SKU	Box Qty
8804	200



Input Current: 16A Input Power: AC:230V
Rated Load: 3500W Body Type: PP
Rated Load: 3500W Dimension: 92x47.5x75mm

4 OUTLET ADAPTER 2.5A



SKU	Box Qty
8803	200

Input Current: 16A Input Power: AC:230V
 Rated Load: 2300W Body Type: PP
 Rated Load: 2300W Dimension: 83x47x72mm

CABLE REEL WITH 4 SOCKET

25M
Wire



SKU	Box Qty
8782	1

Input Current: 16A Input Power: AC:250V,50/60Hz
 Rated Load: 3500W Body Type: PP+COPPER
 Color: Black Dimension: 24X13X33mm

ADAPTER WITH 2 SOCKET 2.5A,1 SOCKET 16A WITH SWITCH & EARTHING CONTACT16A



SKU	Box Qty
8806	200

Input Current: 16A Input Power: AC:230V
 Rated Load: 3500W Body Type: PP
 Rated Load: 3500W Dimension: 95x70x74mm

2 WAYS GARDEN SPIKE SOCKET WITH MECHANICAL TIMER

3M
Wire



SKU	Box Qty
8811	8

Input Current: 2x16A Input Power: AC:230V
 Rated Load: 3500W Body Type: PP,RUBBER, COPPER
 Color: Green Dimension: 403x145x113mm

ADAPTER WITH 2 POLE SWITCH



SKU	Box Qty
8841	100

LIGHT-UP
SWITCH

Input Current: 16A Input Power: AC:250V
 Rated Load: 3500W Body Type: PP Body
 Rated Load: 3500W Dimension:

4 WAYS GARDEN SPIKE SOCKET-IP44

3M
Wire



SKU	Box Qty
8810	8

Input Current: 4x16A Input Power: AC:230V
 Rated Load: 3500W Body Type: PP,RUBBER, COPPER
 Color: Green Dimension: 403x145x113mm

WATERPROOF SAFE BOX-IP44

SKU	Box Qty
8819	40




Input Current: 16A Input Power: AC:230V
 Rated Load: NA Body Type: PP
 Rated Load: NA Dimension: 212x82x72mm

2 WAYS BOLLARD GARDEN SOCKET IP44

2 Way Socket

SKU	Box Qty
23402	8



Input Current: 16A Input Power: AC:220-240V,50Hz
 Rated Load: 3600W Body Type: Stainless Steel
 Color: Black Dimension: 70x70x230mm

EXTENSION CORD-1 WAY-16A-IP44

15M Wire

SKU	Box Qty
8816	8



Input Current: 16A Input Power: AC:230V
 Rated Load: 3500W Body Type: PVC, COPPER,PP
 Color: Orange+Black Dimension: 357x130x130mm

2 WAYS BOLLARD GARDEN SOCKET IP44 WITH G9 HOLDER

2 Way Socket

SKU	Box Qty
23403	8



Input Current: 16A Input Power: AC:220-240V,50Hz
 Rated Load: 3600W(11W Max for G9) Body Type: Stainless Steel
 Color: Black Dimension: 70x70x300mm

EXTENSION CORD-1 WAY-16A-IP44

30M Wire

SKU	Box Qty
8815	4



Input Current: 16A Input Power: AC:230V
 Rated Load: 3500W Body Type: PVC, COPPER,PP
 Color: Orange+Black Dimension: 473x128x150mm

2 WAYS GARDEN SOCKET IP44

2 Way Socket

SKU	Box Qty
8820	6



Input Current: 16A Input Power: AC:220-240V,50Hz
 Rated Load: 3680W Body Type: Stainless Steel
 Color: Dark Grey Dimension: 127x300mm

2 WAYS GARDEN SOCKET WITH LAMP IP44

**2 Way
Socket**



SKU	Box Qty
8822	4

Input Current: 16A Input Power: AC:220-240V,50Hz
Rated Load: 3680W Body Type: Stainless Steel+PC
Color: Dark Grey Dimension: 127x455mm

4 pos.10/16A bipasso/Schuko 250V~ Con interruttore luminoso Max.3500W Cavo HO5VV-F 3G1.0mm2x1.5m Con spina 16A 4P+T

**1.5M
Wire**



SKU	Box Qty
87111	40

Input Current: 16A Input Power:
Rated Load: 3500W Body Type:
Color: Black Dimension: 247x55mm

**LIGHT-UP
SWITCH**

6 pos.10/16A bipasso/Schuko 250V~ Con interruttore luminoso Max.3500W Cavo HO5VV-F 3G1.0mm2x1.5m Con spina 16A 2P+T

**1.5M
Wire**



SKU	Box Qty
87131	30

Input Current: 16A Input Power:
Rated Load: 3500W Body Type:
Color: Black Dimension: 326x55mm

**LIGHT-UP
SWITCH**

4 pos. 10/16A bipasso/Schuko 250V~ Con protezione sovratensioni e interruttore generale luminoso e 4 interruttori indipendenti Cavo HO5W-F 3G1.0mm2x1.5m

**1.5M
Wire**



SKU	Box Qty
87371	30

Input Current: 16A Input Power:
Rated Load: 3500W Body Type:
Color: Black Dimension: 224.5x73x40mm

**LIGHT-UP
SWITCH**

5 pos.10/16A bipasso/Schuko 250V~ Con interruttore luminoso Max.3500W Cavo HO5VV-F 3G1.0mm2x1.5m Con spina 16A 3P+T

**1.5M
Wire**



SKU	Box Qty
87121	30

Input Current: 16A Input Power:
Rated Load: 3500W Body Type:
Color: Black Dimension: 283.9x55mm

**LIGHT-UP
SWITCH**

Multipresa, 3 pos. 10/16A prese Bipasso Con attacco a parete

**1.5M
Wire**



SKU	Box Qty
8706	50

Input Current: 16A Input Power: AC:250V,50/60Hz
Rated Load: 3500W Body Type: PP+COPPER
Color: White Dimension: 115x47x22mm

Multipresa, 4 pos. 10/16A prese Bipasso
Con attacco a parete

1.5M
Wire

SKU	Box Qty
8707	50



Input Current: 16A Input Power: AC:250V,50/60Hz
Rated Load: 3500W Body Type: PP+COPPER
Color: White Dimension: 135x47x22mm

3 pos. con interruttore luminoso
10/16A Bipasso/schuko

1.5M
Wire

SKU	Box Qty
8710	50



Input Current: 16A Input Power: AC:250V,50/60Hz
Rated Load: 3500W Body Type: PP+COPPER
Color: White Dimension: 200x55x45mm

Multipresa, 5 pos. 10/16A prese Bipasso
Con attacco a parete

1.5M
Wire

SKU	Box Qty
8708	40



Input Current: 16A Input Power: AC:250V,50/60Hz
Rated Load: 3500W Body Type: PP+COPPER
Color: White Dimension: 155x47x22mm

4 POS. CON INTERRUOTORE LUMINOSO
10/16A BIPASSO/SCHUKO

1.5M
Wire

SKU	Box Qty
8711	40



Input Current: 16A Input Power: AC:250V,50/60Hz
Rated Load: 3500W Body Type: PP+COPPER
Color: White Dimension: 245x55x45mm

Multipresa, 6 pos. 10/16A prese Bipasso
Con attacco a parete

1.5M
Wire

SKU	Box Qty
8709	40



Input Current: 16A Input Power: AC:250V,50/60Hz
Rated Load: 3500W Body Type: PP+COPPER
Color: White Dimension: 170x47x22mm

5pos. con interruttore luminoso
10/16A Bipasso/schuko + con 2 connessioni
USB

1.5M
Wire

SKU	Box Qty
8715	30



Input Current: 16A Input Power: AC:250V,50/60Hz
Rated Load: 3500W Body Type: PP+COPPER
Color: White Dimension: 335x55x45mm

4 pos.10/16A Bipasso/schuko con protezione sovratensioni e interruttori luminoso

1.5M Wire



SKU	Box Qty
8748	40



Input Current: 16A Input Power: AC:250V,50/60Hz
Rated Load: 2500W Body Type: PP+COPPER
Color: White Dimension: 160x100x45mm

4 pos. Con interruttore luminoso10/16A Bipasso Con attacco a parete

1.5M Wire



SKU	Box Qty
8740	30



Input Current: 16A Input Power: AC:250V,50/60Hz
Rated Load: 3500W Body Type: PP+COPPER
Color: White Dimension: 160x50x30mm

6 pos.10/16A Bipasso/schuko con protezione sovratensioni e interruttori luminoso

1.5M Wire



SKU	Box Qty
8749	30



Input Current: 16A Input Power: AC:250V,50/60Hz
Rated Load: 2500W Body Type: PP+COPPER
Color: White Dimension: 200x100x45mm

6 pos. Con interruttore luminoso 10/16A Bipasso Con attacco a parete

1.5M Wire



SKU	Box Qty
8742	30



Input Current: 16A Input Power: AC:250V,50/60Hz
Rated Load: 3500W Body Type: PP+COPPER
Color: White Dimension: 200x50x30mm

6 prese 2p+t 10/16A Bipasso 3 prese 10/16A Bipasso/Schuko

1.5M Wire



SKU	Box Qty
8735	25



Input Current: 16A Input Power: AC:250V,50/60Hz
Rated Load: 3500W Body Type: PP+COPPER
Color: White Dimension: 195x47x45mm

4 prese Bipasso/Schuko Con protezione termica ripristinabile

10M Wire



SKU	Box Qty
8701	6

Input Current: 16A Input Power: AC:250V,50/60Hz
Rated Load: 2200W Body Type: ABS+PC+COPPER
Color: Black Dimension: 250x200x150mm

Prolunga, 1 via 10/16A presa italiana/Schuko con cavo VDE H05VV-F 3G1.5mm2 15m, con spina italiana 16A, con telaio portacavi

15M Wire

SKU	Box Qty
8834	8



Input Current: 10/16A Input Power: AC:230V
Rated Load: 2500W Body Type: PVC, COPPER,PP
Rated Load: 2500W Dimension: 357x130x130mm

Adattatore spina 16A 2 prese 2P+T 10/16A + 1 presa/Schuko con interruttore

SKU	Box Qty
8716	200



LIGHT-UP SWITCH

Input Current: 16A Input Power: AC:250V,50/60Hz
Rated Load: 1500W Body Type: PC+COPPER
Rated Load: 1500W Dimension: 85x75x50mm

Prolunga, 1 via 10/16A presa italiana/Schuko con cavo VDE H05VV-F 3G1.5mm2 30m, con spina italiana 16A, con telaio portacavi

30M Wire

SKU	Box Qty
8833	4



Input Current: 10/16A Input Power: AC:230V
Rated Load: 2500W Body Type: PVC, COPPER,PP
Rated Load: 2500W Dimension: 473x128x150mm

Adattatore rotante, Spina 10A 2 prese 2P+T 10/16A Bipasso+ 1 presa Bipasso/Schuko Con protezione de sovraccarico

SKU	Box Qty
8744	60



LIGHT-UP SWITCH

Input Current: 10A Input Power: AC:250V,50/60Hz
Rated Load: 1500W Body Type: PC+COPPER
Rated Load: 1500W Dimension: 80x75x48mm

Prolunga lineare spina 16A, 2p+T prese 10/16Aa

3M Wire

SKU	Box Qty
8731	50



Input Current: 16A Input Power: AC:250V,50/60Hz
Rated Load: 3500W Body Type: PC+COPPER
Color: White Dimension: 200x110x40mm

Adattatore Spina 10A 4 prese 10/16A Bipasso Con protezione de sovraccarico

SKU	Box Qty
8746	200



LIGHT-UP SWITCH

Input Current: 10A Input Power: AC:250V,50/60Hz
Rated Load: 1500W Body Type: PC+COPPER
Rated Load: 1500W Dimension: 95x70x70mm

**UNIVERSAL ADAPTOR
10A 250V~**



SKU	Box Qty
8747	200



Input Current: 10A Input Power: AC:250V,50/60Hz
 Rated Load: 1500W Body Type: PC+COPPER
 Rated Load: 1500W Dimension: 70x55x50mm

**Adattatore presa Italiana 1 via 10 / 16A,
con protezione contro le sovratensioni,
con spina Italiana da 16A**



SKU	Box Qty
8832	100

Input Current: 10/16A Input Power: AC:200-240V,50Hz
 Rated Load: 3680W Body Type: PC PP COPPER
 Rated Load: 3680W Dimension: 80x55x72mm

**Adattatore
2 vie 10 / 16A presa Italiana e
1 via 10 / 16A presa Italiano / Schuko con
interruttore due porte di ricarica USB 2.1A
spina italiana 16A**



SKU	Box Qty
8830	100



Input Current: 10/16A Input Power: AC:200-240V,50Hz
 Rated Load: 1500W Body Type: PC COPPER
 Rated Load: 1500W Dimension: 120x84x54mm

Spina 2p+t 10A



SKU	Box Qty
8717	200

Input Current: 10A Input Power: AC:250V,50/60Hz
 Rated Load: 1500W Body Type: PC+COPPER
 Rated Load: 1500W Dimension: 65x32x15mm

**Adattatore 3 vie 10 / 16A presa Italiana
con interruttore, con spina Italiana 16A**



SKU	Box Qty
8831	100



Input Current: 10/16A Input Power: AC:200-240V,50Hz
 Rated Load: 1500W Body Type: PC COPPER
 Rated Load: 1500W Dimension: 70x64x54mm

Spina 2p+t 10A



SKU	Box Qty
8719	200

Input Current: 10A Input Power: AC:250V,50/60Hz
 Rated Load: 1500W Body Type: PC+COPPER
 Rated Load: 1500W Dimension: 70x40x40mm

**Adattatore spina 16A
presa 2p+T 10A schuko**



SKU	Box Qty
8720	200

Input Current: 16A Input Power: AC:250V,50/60Hz
 Rated Load: 1500W Body Type: PC+COPPER
 Rated Load: 1500W Dimension: 75x40x40mm

**Adattatore spina 16A
2presa 10/ 16A Bipasso + 1 Bipasso/schuko**



SKU	Box Qty
8724	200

Input Current: 16A Input Power: AC:250V,50/60Hz
 Rated Load: 1500W Body Type: PC+COPPER
 Rated Load: 1500W Dimension: 75x50x40mm

**10A adattatore spina 10 A
3 prese 10 A**



SKU	Box Qty
8721	200

Input Current: 10A Input Power: AC:250V,50/60Hz
 Rated Load: 1500W Body Type: PC+COPPER
 Rated Load: 1500W Dimension: 60x50x48mm

**Adattatore spina 10A
4 prese 10A**



SKU	Box Qty
8725	200

Input Current: 10A Input Power: AC:250V,50/60Hz
 Rated Load: 1500W Body Type: PC+COPPER
 Rated Load: 1500W Dimension: 95x60x45mm

**Adattatore spina 10A
2presa 10/ 10A schuko**



SKU	Box Qty
8723	200

Input Current: 10A Input Power: AC:250V,50/60Hz
 Rated Load: 1500W Body Type: PC+COPPER
 Rated Load: 1500W Dimension: 75x50x40mm

Spina 2p+T 10A



SKU	Box Qty
8727	200

Input Current: 10A Input Power: AC:250V,50/60Hz
 Rated Load: 1500W Body Type: PC+COPPER
 Rated Load: 1500W Dimension: 65x35x25mm

**Prese 10A /16A Bipasso
2p+T**




SKU	Box Qty
8728	200

Input Current: 16A
Rated Load: 1500W
Rated Load: 1500W

Input Power: AC:250V,50/60Hz
Body Type: PC+COPPER
Dimension: 65x43x25mm

STAINLESS STEEL CABLE TIE



- Secure loose wires and components easily with no slipping
- Features locking mechanism
- Stainless steel cable tie of 304 Grade - Non-Rustable
- Comes in 100pcs/pack

SKU	Maximum Hold	Size	Box Qty
11188	60 Kgs	4.6x200mm	50
11189	60 Kgs	4.6x250mm	50
11190	60 Kgs	4.6x300mm	50
11191	60 Kgs	4.6x350mm	50

NYLON CABLE TIE BLACK



- High quality
- Easy to thread
- Suitable for a multitude of uses
- Comes in 100pcs/pack

SKU	Maximum Hold	Size	Box Qty
11160	8 Kgs	2.5x100mm	500
11162	8 Kgs	2.5x150mm	400
11164	8 Kgs	2.5x200mm	300
11166	18 Kgs	3.5x150mm	250
11168	18 Kgs	3.5x200mm	200
11169	18 Kgs	3.5x250mm	150
11170	18 Kgs	3.5x300mm	150
11172	22 Kgs	4.5x150mm	200
11174	22 Kgs	4.5x300mm	100
11176	22 Kgs	4.5x350mm	100
11177	22 Kgs	4.8x200mm	150
11178	23 Kgs	7.6x300mm	60

NYLON CABLE TIE WHITE



- High quality
- Easy to thread
- Suitable for a multitude of uses
- Comes in 100pcs/pack

SKU	Maximum Hold	Size	Box Qty
11159	8 Kgs	2.5x100mm	500
11161	8 Kgs	2.5x150mm	400
11163	8 Kgs	2.5x200mm	300
11165	18 Kgs	3.5x150mm	250
11167	18 Kgs	3.5x200mm	200
11171	22 Kgs	4.5x150mm	200
11175	22 Kgs	4.5x350mm	100
11173	22 Kgs	4.5x300mm	100



DECORATIVE CEILING FANS

Add a modern touch to your room with V-TAC's Ceiling Fans. Available with up to 3 speeds and in different sizes, these fans offer quiet, efficient, and wobble-free performance. Additionally, the fixtures feature integrated LEDs and come in several finishes to match any interior decor. Equipped with a pull chain and both forward and reverse function modes, V-TAC's ceiling fans are a modern twist on a classic design.

CEILING FAN DC MOTOR



SKU	Watts	Model	Box Qty
7919	35W	VT-6055-3-1	1



LIGHT KIT



3 ABS PLASTIC
BLADES



DC -POWER
MOTOR

- 52" (132CM) Decorative ceiling fan
- With forward and reverse function
- 3 ABS plastic blades
- DC powerful motor:153 × 15mm, 2.1kg
- Revolutions per minute:180±10 RPM
- Blade angle 13°
- 5 speeds and light remote control
- 15W 3IN1 CCT - 1500 Lumens
- Motor Power DC:220V,50HZ,35W (energy-saving)
- G.W.:7.2KG / N.W.:6.5KG

CEILING FAN DC MOTOR



SKU	Watts	Model	Box Qty
7920	35W	VT-6055-3	1



LIGHT KIT



3 ABS PLASTIC
BLADES



DC -POWER
MOTOR

- 52" (132CM) Decorative ceiling fan
- With forward and reverse function
- 3 ABS plastic blades
- DC powerful motor:153 × 15mm, 2.1kg
- Revolutions per minute:180±10 RPM
- Blade angle 13°
- 5 speeds and light remote control
- 15W 3IN1 CCT - 1500 Lumens
- Motor Power DC:220V,50HZ,35W (energy-saving)
- G.W.:7.2KG / N.W.:6.5KG

STAND FAN CROSS BASE



SKU	Watts	Model	Box Qty
7922	40W	VT-4016-3	1



Oscillation
LOW | MEDIUM | HIGH

- 16" STAND FAN
- AC: 220—240V~50/60Hz 40W
- 3 speed control
- Oscillation function
- 1.2m height
- 600mm Cross Base
- GW:2.6KGS
- Size:600 × 600 × 1200mm

STAND FAN ROUND BASE

SKU	Watts	Model	Box Qty
7923	55W	VT-5016-5	1



Oscillation
LOW | MEDIUM | HIGH

- 16" STAND FAN
- AC: 220—240V~50/60Hz 55W
- 3 speed control
- Oscillation function
- 1.25m height
- 410mm Round Base
- GW:4.3KGS
- Size:430 × 410 × 1200mm



DESK FANS

SKU	Watts	Model	Box Qty
7925-16"	40W	VT-4017-3	1



Oscillation
LOW | MEDIUM | HIGH

- AC: 220—240V~50/60Hz 40W
- 3 speed control
- Oscillation function
- GW:2.0KGS
- 12" Size: 340 × 260 × 480mm
- 16"Size: 410 × 260 × 510mm
- Box Qty: 1pc

LED BOX FAN CEILING LIGHT RF CONTROL 3 IN 1- BLUE RING



LED - 3IN1 CCT



7 MDF BLADES



AC -POWER MOTOR

SKU	Watts	Model	Box Qty
217934	45W	VT-5022-B-N	1

- 24inch(60cm) Decorative ceiling box fan
- 45W AC Motor, 220V 50Hz
- 35W LED (3000lm) - 3IN1 CCT (3000K/4000K/6500K)
- 3 Speeds(low, medium and high) and light remote control
- 7 ABS Blades
- Blade angle 13°
- 360° Air flow
- Revolutions per minute 1100±10RPM

LED BOX FAN CEILING LIGHT RF CONTROL 3 IN 1- GREY RING



LED - 3IN1 CCT



7 MDF BLADES




AC -POWER MOTOR

- 24inch(60cm) Decorative ceiling box fan
- 45W AC Motor, 220V 50Hz
- 35W LED (3000lm) - 3IN1 CCT (3000K/4000K/6500K)
- 3 Speeds(low, medium and high) and light remote control
- 7 ABS Blades
- Blade angle 13°
- 360° Air flow
- Revolutions per minute 1100±10RPM

SKU	Watts	Model	Box Qty
217935	45W	VT-5022-G-N	1

TOWER FAN



3 Wind Mode
NORMAL | NATURAL | SLEEP

- Voltage/Freq: AC:220-240V,50Hz
- Size(inches): 36
- Material: ABS
- Unit Color: White
- Speed: 3(Low-Med-High)
- Wind Mode: 3 (Normal-Natural-Sleep)
- Timer: 1-15hrs(Max)
- Power Cord Length: 1.8m
- Plug Type: EU
- IP Rating: IP20

SKU	Watts	Model	Box Qty
7900	55W	VT-5536	1

V-TAC
Meaningful Innovation.



WIRELESS SPEAKERS

Bring the music anywhere you want to — this speaker is perfect for beach parties, your garden, or any indoor or outdoor event. Achieve full sound clarity even without a full sound system — enjoy the convenience of our quality, perfect for music and movies.



TROLLEY SPEAKER



400W
P.M.P.O

SOUNDR 6x2
Wireless Party Speaker

- P.M.P.O 400W
- 2x8Inch Speaker
- Output:10Wx2
- Frequency: 100HZ---20KHZ
- Power Supply: DC:5V
- Battery: 3.7V 2400mAh
- 230x210x485mm
- Includes USB cable,User manual,Remote control & One wired mic
- Function: BT/USB/TF/FM /AUX/Three knob/Karaoke/
- Running LED light/Display/TWS/3knobs

SKU	Model	Box Qty
7676	VT-4000W	1 pc

V-TAC
Meaningful Innovation.



DIGITAL ACCESSORIES

Power your setup anywhere with a high-capacity power bank, ensuring uninterrupted performance for your devices on the go. Paired with a sleek LED ring light, it delivers soft, even illumination—perfect for content creation, video calls, and professional shoots.

SLIM POWER BANK



SKU	Model	Watts	Color	Box Qty
23035	VT-3527-S	10W	SILVER	50
23036	VT-3527-B	10W	BLACK	40
23037	VT-3527-G	10W	GREY	40

- Super-slim Powerbank
- Built-in LED battery indicator display
- 10000mAh high capacity battery
- 2 USB Output, 1 Type C Input
- Type C Input: 5V/2.0A
- USB Output: 5V/2.4A
- Easy charge for all smart phones ,tablets, etc.

10000
mAh

10" LED RING LIGHT WITH 1 PHONE HOLDER



SKU	Model	Watts	Lumens	Box Qty
23048 - 3IN1	VT-45010	7W	550	20

- >90 CRI
- 125° Beam Angle
- 255x265x27mm
- DC:5V
- IP20

3-IN-1
COLOR
CHANGING

DIMMABLE

CRI 90

18" LED RING LIGHT WITH 3 PHONE HOLDER



SKU	Model	Watts	Lumens	Box Qty
23047 - 3IN1	VT-45055	55W	6000	4

- >90 CRI
- 125° Beam Angle
- 540x440x70mm
- AC:220-240V, 50Hz
- IP20

3-IN-1
COLOR
CHANGING

DIMMABLE

CRI 90


V-TAC
Meaningful Innovation.



INSECT KILLER & ROBOT CLEANER

At V-TAC, we believe in utilizing existing technology and resources to continuously improve our way of living. This new category comprises our latest tech innovations for a safe, modern, and comfortable space.





ROBOTIC WINDOW CLEANER


Built-in Optocoupler Sensor Anti-falling and Smart Frameless detecting make window cleaning be more safe.

With anti-fall function, when the robot cleans window which may have one side without frame, the sensors detects frameless edge and withdraw timely to avoid falling down

Large Suction Power, firmly attach to the glass
Easily clean stubborn stains without damaging glass. with anti-fall function and 2200-3200 Pa suction power

- 72 Watts Robotic Smart Window Cleaner
- Compatible with Amazon Alexa, google and Tuya App
- Large capacity dual water tanks total in 100ML
- 2500-3000Pa strong suction power
- Wireless remote control
- Automatic water spray to left/ right/ down
- UPS power-failure protection for more than 20mins
- Powerful steady-climbing system & industry-leading anti-slip driving system
- Multi-tier all-round safety protections
- Intelligent path planning
- Automatically return to the original position when the work is finished
- New noise reduction technology 62dB

SKU	Model	Box Qty
23332	VT-5558	4



ROBOTIC WINDOW CLEANER

Intelligent Window Cleaning Robot

Strong Cleaning Power More safer & More cleaner

70ML Water Tank | Twist & Wipe via Double Vacuum Suckers | Frame Detection | Path Planning | Ultra-thin Design

Double adsorption with two vacuum suckers, cooperate with multiple safety protection measures to ensure the safety of the robot

- 72 Watts Robotic Smart Window Cleaner
- Compatible with Amazon Alexa, google and Tuya App
- 2800Pa strong suction power
- Wireless remote control
- Dual nozzle, Automatic water spray
- Cleaning speed: 4mins/□
- UPS power-failure protection for more than 20mins
- Sustainable time in full charge: 20-30minsning
- 4m Safety Rope
- Smart edge detection sensor
- Automatically return to the original position when the work is finished
- New noise reduction technology 65dB

SKU	Model	Box Qty
23333	VT-5559	4

ELECTRONIC INSECT KILLER



- Lamp life time up to 8000-hour
- Slim design - ON/OFF switch
- Removable tray
- For Indoor Use Only
- Housing made of special treated, Aluminium, scratch-proof, corrosion-proof and easy to clean
- Power supply: AC:220—240V 50/60Hz



SKU	Model	Watts	Coverage Area	Size	Box Qty
11179	VT-3216	16W	50m2	280x354x93.5mm	6
11180	VT-3220	20W	80m2	280x397x93.5mm	6
11181	VT-3230	30W	100m2	280x502x93.5mm	6
11182	VT-3240	40W	150m2	280x655x93.5mm	4

INSECT KILLER TUBES

SKU	Watts	Base/Base	Size	Box Qty
11215	8W	T5/G5	Ø15x305mm	100
11216	10W	T8/G13	Ø25x345mm	100
11217	15W	T8/G13	Ø25x505mm	50
11218	20W	T8/G13	Ø25x605mm	50



LED SMART HOME AND LIGHTS

V-TAC meets the growing IoT demand for home lighting with the new SMART Light series — a collection of Wi-Fi-supported LED lighting & home efficiency solutions that can be fully controlled via Amazon Alexa or Google Home.





LED SMART BULB-CANDLE

Voltage/Frequency: AC:220-240v,50Hz
 CRI: >80
 Beam Angle: 180°
 Wireless Frequency: 2.4GHz
 Wireless Standard: IEEE 802.11 b/g/n
 Life Span: 20,000 hr



RGB+COLOR CHANGE
 DIMMABLE
 CONTROL BRIGHTNESS LEVEL
 FROM 0% TO 100%



SKU	Model	Watts	Lumens	Base	Size(mm)	Box Qty
212754-RGB+3IN1	VT-5114-N	4.8W	450	E14	36.5x110mm	50



LED SMART BULB-G45

Voltage/Frequency: AC:220-240v,50Hz
 CRI: >80
 Beam Angle: 180°
 Wireless Frequency: 2.4GHz
 Wireless Standard: IEEE 802.11 b/g/n
 Life Span: 30,000 hr



RGB+COLOR CHANGE
 DIMMABLE
 CONTROL BRIGHTNESS LEVEL
 FROM 0% TO 100%



SKU	Model	Watts	Lumens	Base	Size(mm)	Box Qty
2755-RGB+3IN1	VT-5124	5W	470	E27	Ø45x81mm	200



LED SMART BULB-A60

Voltage/Frequency: AC:220-240v,50Hz
 CRI: >80
 Beam Angle: 180°
 Wireless Frequency: 2.4GHz
 Wireless Standard: IEEE 802.11 b/g/n
 Life Span: 20,000 hr



RGB+COLOR CHANGE
 DIMMABLE
 CONTROL BRIGHTNESS LEVEL
 FROM 0% TO 100%



SKU	Model	Watts	Lumens	Base	Size(mm)	Box Qty
212756 -RGB+3IN1	VT-5154-N	4.8W	450	E14	Ø45x81mm	50



LED SMART BULB-A60

Voltage/Frequency: AC:220-240v,50Hz
 CRI: >80
 Beam Angle: 200°
 Wireless Frequency: 2.4GHz
 Wireless Standard: IEEE 802.11 b/g/n
 Life Span: 20,000 hr



RGB+COLOR CHANGE
 DIMMABLE
 CONTROL BRIGHTNESS LEVEL
 FROM 0% TO 100%



SKU	Model	Watts	Lumens	Base	Size(mm)	Box Qty
212752 -RGB+3IN1	VT-5113-N	11W	1055	E27	Ø60x125mm	100



LED SMART FILAMENT BULB-E27

Voltage/Frequency: AC:220-240v,50Hz
 CRI: >80
 Beam Angle: 300°
 Wireless Frequency: 2.4GHz
 Wireless Standard: IEEE 802.11 b/g/n
 Life Span: 20,000 hr



RGB+COLOR CHANGE
 DIMMABLE
 CONTROL BRIGHTNESS LEVEL FROM 0% TO 100%



SKU	Model	Watts	Lumens	Base	Size(mm)	Box Qty
3001-3IN1	VT-5137	7W	806	E27	60x105mm	50



LED SMART SPOTLIGHT

Voltage/Frequency: AC:220-240v,50Hz
 CRI: >80
 Beam Angle: 100°
 Wireless Frequency: 2.4Ghz
 Wireless Standard: IEEE 802.11 b/g/n
 Life Span: 20,000 /30,000 hr



RGB+COLOR CHANGE
 DIMMABLE
 CONTROL BRIGHTNESS LEVEL FROM 0% TO 100%



SKU	Model	Watts	Lumens	Base	Size(mm)	Box Qty
2757-RGB+3IN1	VT-5164	5.5W	400	GU10	50x57mm	200



SMART LED DOME LIGHT

Voltage/Frequency: AC:220-240V, 50Hz
 CRI: >80
 Wireless Frequency: 2.4GHz
 Wireless Standard: IEEE 802.11 b/g/n
 Life Span: 20,000 hr



RGB+COLOR CHANGE
 DIMMABLE
 CONTROL BRIGHTNESS LEVEL FROM 0% TO 100%



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
7694 -RGB+3IN1	VT-5184	24W	2400	310x55mm	5
7695 -RGB+3IN1	VT-5138	36W	3600	350x55mm	5



SMART LED DOME LIGHT

Voltage/Frequency: AC:175-265V,50/60Hz
 CRI: >80
 Beam Angle: 120°
 Wireless Frequency: 2.4Ghz
 Wireless Standard: IEEE 802.11 b/g/n
 Life Span: 20,000 hr



COLOR CHANGE
 DIMMABLE
 CONTROL BRIGHTNESS LEVEL FROM 0% TO 100%



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
1497-3IN1	VT-5141	40w	2800	Ø:467x70mm	5
1498-3IN1	VT-5161	60w	4200	Ø572.5x70mm	5

LED SMART PANEL



Voltage/Frequency: AC:220-240v,50Hz
 CRI: >80
 Beam Angle: 120°
 Wireless Frequency: 2.4GHz
 Wireless Standard: IEEE 802.11 b/g/n
 Life Span: 20,000 hr



COLOR CHANGE
 DIMMABLE
 CONTROL BRIGHTNESS LEVEL FROM 0% TO 100%



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
8080-3IN1	VT-5140	40w	4800	595x595mm	5

LED SMART STRIPLIGHT KIT



LED Type: SMD
 Watt/M: 13W
 Current/M: 1.08A
 Beam Angle: 120°
 IP Rating: IP65
 Width: 10mm



RGB+COLOR CHANGE
 DIMMABLE
 CONTROL BRIGHTNESS LEVEL FROM 0% TO 100%



SKU	Model	Box Qty
2699-RGB+3IN1	VT-5050 90 BS	20
2910-RGB+3IN1	VT-5050 90 EU	20

LED SMART STRIPLIGHT KIT-2IN1



LED Type: SMD
 Watt/M: 4w
 Current/M: 0.75A
 Voltage: DC:12V,50/60Hz
 lm/M: 230
 lm/LED: NA
 Beam Angle: 120°
 IP Rating: IP65
 Width: 10mm



RGB+COLOR CHANGE
 DIMMABLE
 CONTROL BRIGHTNESS LEVEL FROM 0% TO 100%



SKU	Model	Box Qty
2628-RGB+3IN1	VT-5050 54 EU	20

LED SMART SENSOR FLOODLIGHT



Voltage/Frequency: AC:220-240V, 50Hz
 CRI: >80
 Beam Angle: 100°
 Wireless Frequency: 2.4GHz
 Wireless Standard: IEEE 802.11 b/g/n
 Life Span: 25,000 hr



COLOR CHANGE
 DIMMABLE
 CONTROL BRIGHTNESS LEVEL FROM 0% TO 100%



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
3027-3IN1	VT-5191S	10W	725	113x133x60mm	20
3010-3IN1	VT-5192S	20W	1500	128x157x60mm	20



COB SMART GARDEN SPIKE LIGHT

Voltage/Frequency: AC:220-240V, 50/60Hz
 CRI: >80
 Beam Angle: 70°
 Wireless Frequency: 2.4GHz
 Wireless Standard: IEEE 802.11 b/g/n
 Life Span: 25,000 hr



RGB+COLOR CHANGE
 DIMMABLE
 CONTROL BRIGHTNESS LEVEL FROM 0% TO 100%



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
3014 -RGB+3IN1	VT-5167	7W	520	232x140mm	20

LED SMART GARDEN SPIKE LIGHT



Voltage/Frequency: AC:220-240V, 50/60Hz
 CRI: >80
 Beam Angle: 70°
 Wireless Frequency: 2.4GHz
 Wireless Standard: IEEE 802.11 b/g/n
 Life Span: 25,000 hr



RGB+COLOR CHANGE
 DIMMABLE
 CONTROL BRIGHTNESS LEVEL FROM 0% TO 100%



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
3015 -RGB+3IN1	VT-5168	7Wx3	520	232x140mm	10

LED SMART AMBIANCE LAMP



Voltage/Frequency: DC:5V
 Wireless Frequency: 2.4GHz
 Wireless Standard: IEEE 802.11 b/g/n
 Life Span: 25,000 hr



RGB+COLOR CHANGE
 DIMMABLE
 CONTROL BRIGHTNESS LEVEL FROM 0% TO 100%



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
405851 -RGB+3IN1	VT-5152	2.2W	210	85x102mm	50

LED SMART AMBIANCE LAMP



Voltage/Frequency: DC:5V
 Wireless Frequency: 2.4GHz
 Wireless Standard: IEEE 802.11 b/g/n
 Life Span: 20,000 hr



RGB+COLOR CHANGE
 DIMMABLE
 CONTROL BRIGHTNESS LEVEL FROM 0% TO 100%



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
405861 -RGB+3IN1	VT-5155	5W	550	198x200x110mm	20

LED SMART AMBIANCE LAMP



Voltage/Frequency: DC:5V
 Wireless Frequency: 2.4GHz
 Wireless Standard: IEEE 802.11 b/g/n
 Life Span: 25,000 hr



RGB
 DIMMABLE
 CONTROL BRIGHTNESS LEVEL
 FROM 0% TO 100%



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
405871 -RGB	VT-7208	8W	NA	100x188mm	20

COB MAGNETIC TRACK LIGHT-FLEXIBLE TUBE



Voltage/Frequency: DC:48V
 CRI: >80
 Beam Angle: 200°
 Wireless Frequency: 2.4GHz
 Wireless Standard: IEEE 802.11 b/g/n
 Life Span: 20,000 hr



COLOR CHANGE
 DIMMABLE
 CONTROL BRIGHTNESS LEVEL
 FROM 0% TO 100%



SKU	Model	Watts	Lumens	Size(mm)
10275 -3IN1	VT-42112-S	11W	1270	1000mm
10276 -3IN1	VT-42024-S	23W	2810	2000mm

LED SMART MAGNETIC TRACK LIGHT



Voltage/Frequency: DC:48V
 CRI: >90
 Beam Angle: 90°
 Wireless Frequency: 2.4GHz
 Wireless Standard: IEEE 802.11 b/g/n
 Life Span: 20,000 hr



COLOR CHANGE
 DIMMABLE
 CONTROL BRIGHTNESS LEVEL
 FROM 0% TO 100%



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
6882-3IN1	VT-3612	12W	1200	292x22x43mm	50
6883-3IN1	VT-3620	20W	2100	580x22x43mm	20

LED SMART MAGNETIC TRACK LIGHT



Voltage/Frequency: DC:48V
 CRI: >90
 Beam Angle: 30°
 Wireless Frequency: 2.4GHz
 Wireless Standard: IEEE 802.11 b/g/n
 Life Span: 20,000 hr



COLOR CHANGE
 DIMMABLE
 CONTROL BRIGHTNESS LEVEL FROM 0% TO 100%



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
6884-3IN1	VT-3614	14W	1300	292x22x43mm	50
6885-3IN1	VT-3621	20W	2000	580x22x43mm	20

LED SMART MAGNETIC TRACK LIGHT



Voltage/Frequency: DC:48V
 CRI: >90
 Beam Angle: 27°
 Wireless Frequency: 2.4GHz
 Wireless Standard: IEEE 802.11 b/g/n
 Life Span: 20,000 hr



COLOR CHANGE
 DIMMABLE
 CONTROL BRIGHTNESS LEVEL FROM 0% TO 100%



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
6888-3IN1	VT-908D	8W	700	50x150x210mm	20

LED SMART MAGNETIC TRACK LIGHT



Voltage/Frequency: DC:48V
 CRI: >90
 Beam Angle: 30°
 Wireless Frequency: 2.4GHz
 Wireless Standard: IEEE 802.11 b/g/n
 Life Span: 20,000 hr



COLOR CHANGE
 DIMMABLE
 CONTROL BRIGHTNESS LEVEL FROM 0% TO 100%



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
6886-3IN1	VT-3610	10W	900	162x22x137mm	20
6887-3IN1	VT-3618	18W	1500	300x22x137mm	20

LED SMART MAGNETIC TRACK LIGHT



Voltage/Frequency: DC:48V
 CRI: >90
 Beam Angle: 30°
 Wireless Frequency: 2.4GHz
 Wireless Standard: IEEE 802.11 b/g/n
 Life Span: 20,000 hr



COLOR CHANGE
 DIMMABLE
 CONTROL BRIGHTNESS LEVEL
 FROM 0% TO 100%



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
6889-3IN1	VT-908D-P	8W	700	40x1460mm	20




Trimless Track Rail-1000mm

SKU	Box Qty
6890	10



Trimless Track Rail-2000mm

SKU	Box Qty
6891	10



End Cap-Trimless Track Rail

SKU	Box Qty
6892	500



Trimless L Shape Vertical Connector

SKU	Box Qty
6893	100



Trimless L Shape Side Connector

SKU	Box Qty
6894	100




Surface Track Rail-1000mm

SKU	Box Qty
6896	10



Surface Track Rail-2000mm

SKU	Box Qty
6897	10



End Cap-Surface Track Rail

SKU	Box Qty
6898	500



Surface L Shape Vertical Connector

SKU	Box Qty
6899	100



Surface L Shape Side Connector

SKU	Box Qty
6900	100



I Connector for Track Rail

SKU	Box Qty
6901	100



Soft Connector for Track Rail

SKU	Box Qty
6902	100



Driver-200W

SKU	Box Qty
6895	20

Watts: 200
 Output Voltage: DC:48V
 Input Power: AC:220-240V

IR REMOTE CONTROL



- Input: DC:5V/1A
- Wi-Fi Frequency: 2.4Ghz
- Infrared Frequency: 38Khz
- Infrared Range: ≤ 8meters

Easy To Set-Up: Just point your remote to this device, name function on the app, and start managing all IR controls in your home.



SKU	Model	Box Qty
8651	VT-5151	100



IR REMOTE CONTROL



- Compatible with V-TAC LED Bulbs
- IR frequency 38KHz with 2.4G WiFi
- DC:5V/1A Input Voltage
- Type C USB and Blue LED Indicator
- Supports Android 4.4 or newer & IOS 8.0 or newer



SKU	Model	Box Qty
11412	11412	50



SMART WIFI PIR SENSOR

- Wi-Fi enabled simple and intelligent PIR Sensor
- Works with V-TAC Smart Light app or Alexa and Google Home
- Standby Current 40uA, Wireless Type WIFI 2.4G
- Protocol: IEEE 802.11b/g/n
- Working humidity 85%RH
- Blue LED Indicator
- Supports Android 4.4 or newer & IOS 8.0 or newer



SKU	Model	Box Qty
6781	VT-5176	50



SMART WIFI DOOR SENSOR

- Wi-Fi enabled simple and intelligent Door Motion Sensor
- Works with V-TAC Smart Light app or Alexa and Google Home
- Standby Current 40uA, Wireless Type WIFI 2.4G
- Protocol: IEEE 802.11b/g/n
- Working humidity 85%RH
- Blue LED Indicator
- Supports Android 4.4 or newer & IOS 8.0 or newer
- Reserved lamp for external expansion: Micro



SKU	Model	Box Qty
6782	VT-5177	50



WI-FI EU SOCKET

- Wi-Fi enabled EU sockets designed to meet EU standards
- Works with V-TAC Smart Light app or Alexa and Google Home
- Max Rated Power 3680W
- Wifi frequency 2.4GHz + Bluetooth
- Working humidity 85%RH
- Blue LED Indicator
- Supports Android 4.4 or newer & IOS 8.0 or newer



SKU	Model	Box Qty
7696	VT-5172	50



WI-FI EU SOCKET

- Wi-Fi enabled EU sockets designed to meet EU standards
- Works with V-TAC Smart Light app or Alexa and Google Home
- Max Rated Power 3680W
- Wifi frequency 2.4GHz + Bluetooth
- Working humidity 85%RH
- Blue LED Indicator
- Supports Android 4.4 or newer & IOS 8.0 or newer



SKU	Model	Box Qty
7698	VT-5175	50



E27 LAMP HOLDER-WI-FI

Voltage/Frequency: AC: 90-250V,50/60Hz
 Wireless Frequency: 2.4GHz
 Max Watts: 20w(LED Bulb)
 Material: PC
 On/Off Cycle: 10,000 Times
 IP RATING : IP20
 Dimension: D:67x02mm



SKU	Model	Box Qty
8421	VT-5007	50

WALL SOCKET-WI-FI(EU)



Voltage/Frequency: AC: 90-250V,50/60Hz
 Wireless Frequency: 2.4GHz
 Max Watts: 3500w
 Material: PC
 On/Off Cycle: 10,000 Times
 IP RATING : IP20
 Dimension: 86x86x45mm



SKU	Model	Box Qty
8797- BLACK 8798- WHITE	VT-5134	60

TEMPERATURE HUMIDITY SCHEDULER



- Max. Current-16A
- Material: PC
- Input: AC:90-250V,50/60Hz
- 2.4Ghz Wi-Fi
- Smart Link technology
- Remote control connected appliance
- Remotely monitor Temperature & Humidity
- DIY your favorite scenes
- Size: 137x45x28mm



SKU	Model	Box Qty
8467	VT-5145	100

WATERPROOF TEMPERATURE PROBE



- Material: ABS
- Measuring Range: -50~+125°C
- Wire Length: 1 Meter
- Waterproof - IP66 Rated
- Compatible with V-TAC Temperature Humidity scheduler (Not included)
- Size: 70x70x1000mm



SKU	Model	Box Qty
8469	VT-5147	200

TEMPERATURE & HUMIDITY SENSOR



- Material: ABS
- Temperature Humidity: 0~99.9%RH
- Measuring Range: -40~+80°C
- Wire Length: 0.5 Meter
- Compatible with V-TAC Temperature Humidity scheduler (Not included)"
- Size: 61x26mm(50cm Wire Length)



SKU	Model	Box Qty
8468	VT-5146	200

RF433 GATEWAY



- Input Voltage: 90-250V
- Max Current:13A
- Wireless Standard Wi-Fi 2.4Ghz
- Material:PC
- Power supply: Micro USB 5V/1A
- RF:433MHz
- Control Mode:VTAC Smartphone App
- Size: 110x25mm



SKU	Model	Box Qty
8466	VT-5144	100

RF Gateway is a bridge converting any device operated with RF functionality into a smart device. One RF Bridge supports a maximum of 4 RF Remotes.

SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page
159	191	509	125	1340	337	2573	308	2757	596	2904	320	2943	371	2981	282	3141	256	3236	333
321	185	542	136	1349	367	2582	303	2781	193	2906	302	2944	371	2982	282	3142	256	3237	335
322	185	543	136	1350	367	2587	314	2782	193	2907	302	2945	371	2983	282	3143	256	3238	335
325	185	545	135	1354	424	2588	314	2783	193	2908	302	2946	371	2984	197	3145	259	3239	335
333	185	571	125	1355	424	2589	314	2784	193	2909	320	2947	371	2985	197	3146	259	3240	335
350	167	586	125	1356	425	2590	327	2785	193	2910	597	2948	371	2986	197	3147	259	3243	331
352	167	603	161	1361	162	2603	303	2845	221	2911	324	2949	371	2987	229	3148	259	3244	331
358	167	606	158	1363	163	2604	303	2851	222	2912	324	2950	372	2989	229	3149	259	3246	331
364	167	607	158	1365	163	2614	313	2853	222	2913	324	2951	372	3001	596	3150	259	3247	331
368	167	680	150	1366	163	2621	313	2854	221	2914	324	2952	372	3010	597	3151	259	3248	333
370	167	784	32	1369	425	2628	597	2870	219	2915	324	2953	372	3014	598	3152	259	3249	335
378	160	785	31	1382	163	2630	297	2871	320	2916	324	2954	372	3015	598	3153	245	3250	333
386	161	835	183	1383	163	2642	328	2872	320	2917	324	2955	372	3018	326	3154	245	3251	333
393	161	884	137	1398	409	2650	304	2873	317	2918	325	2956	372	3027	597	3155	245	3252	333
394	161	885	137	1399	409	2651	304	2874	317	2919	325	2957	372	3029	195	3156	246	3253	331
399	161	886	137	1401	409	2655	328	2875	317	2920	325	2958	404	3101	333	3157	246	3256	332
433	116	887	137	1405	409	2656	328	2876	317	2921	325	2959	404	3112	237	3158	246	3257	332
434	116	888	137	1406	409	2657	328	2877	318	2922	325	2960	404	3114	238	3159	246	3258	332
435	116	890	137	1424	353	2658	328	2878	318	2923	325	2961	404	3115	256	3160	246	3259	332
436	117	954	138	1426	353	2659	328	2880	305	2924	325	2962	404	3116	256	3161	246	3261	331
437	117	955	138	1427	353	2660	328	2889	42	2926	195	2963	404	3117	258	3162	246	3262	331
444	118	973	180	1446	426	2661	328	2890	43	2928	195	2964	404	3118	258	3163	246	3263	332
448	116	976	180	1451	163	2662	328	2891	44	2929	195	2965	404	3119	258	3164	247	3264	335
449	116	977	180	1468	431	2663	329	2892	43	2931	300	2966	404	3120	258	3165	247	3265	332
454	118	979	180	1471	431	2664	329	2893	43	2932	300	2967	404	3121	258	3166	247	3271	333
456	118	981	180	1497	596	2665	329	2894	44	2933	300	2968	404	3122	258	3167	247	3272	335
457	116	982	180	1498	596	2666	329	2895	301	2934	370	2969	404	3124	258	3168	247	3273	331
459	116	984	180	2144	312	2669	304	2896	309	2935	370	2970	433	3125	258	3169	247	3274	332
460	117	999	180	2336	300	2671	335	2897	301	2936	370	2971	433	3126	259	3170	247	3275	332
466	116	1235	338	2516	313	2672	335	2898	310	2937	370	2975	385	3128	259	3228	332	3300	326
502	120	1238	338	2538	314	2697	302	2899	326	2938	370	2976	385	3136	238	3231	332	3303	326
503	120	1297	337	2554	327	2698	302	2900	326	2939	370	2977	385	3137	238	3232	332	3309	326
504	120	1303	337	2556	327	2699	597	2901	326	2940	370	2978	385	3138	238	3233	332	3312	326
505	181	1334	337	2557	327	2707	202	2902	327	2941	370	2979	385	3139	238	3234	333	3326	327
507	181	1337	337	2569	313	2755	595	2903	320	2942	371	2980	385	3140	255	3235	333	3327	326

SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page
3337	327	3479	557	3591	255	3643	251	3711	552	3798	556	3925	554	4968	424	5140	330	6356	278
3338	327	3482	557	3592	255	3644	251	3714	552	3799	556	3928	465	4982	424	5141	330	6364	277
3339	327	3483	557	3594	250	3645	251	3715	552	3800	556	3931	464	5077	422	5150	23	6387	288
3340	327	3484	557	3595	254	3646	251	3722	556	3801	556	3932	465	5078	426	5151	23	6388	288
3341	327	3485	557	3596	254	3647	251	3723	556	3802	556	3933	465	5081	426	5152	23	6399	288
3350	321	3500	314	3597	254	3648	248	3724	556	3805	556	3934	465	5082	426	5153	23	6400	288
3351	322	3501	314	3598	254	3649	249	3725	556	3806	556	3936	464	5083	427	5155	444	6415	279
3352	321	3502	314	3599	251	3650	249	3727	549	3807	556	3937	464	5084	425	5157	437	6418	279
3353	321	3503	314	3600	251	3651	249	3729	549	3808	556	3938	465	5085	425	5502	20	6459	288
3354	321	3504	314	3605	252	3652	249	3730	548	3809	556	3939	465	5086	421	5503	24	6460	288
3355	321	3505	314	3606	252	3653	249	3732	549	3810	556	3946	555	5087	421	5504	24	6462	288
3356	321	3507	314	3607	252	3654	249	3735	548	3821	550	3947	555	5088	421	5505	24	6500	25
3357	322	3508	314	3608	252	3655	340	3738	548	3822	550	3948	555	5089	421	5506	24	6606	420
3358	322	3512	314	3609	252	3656	340	3742	557	3829	551	3950	555	5090	419	5571	423	6607	420
3359	322	3524	340	3610	252	3659	340	3743	557	3837	553	3952	555	5091	423	5572	423	6608	420
3360	322	3525	340	3612	252	3660	340	3744	557	3851	553	3953	556	5116	330	5745	265	6609	420
3361	323	3526	340	3613	253	3664	248	3745	557	3852	553	3974	519	5117	330	5917	265	6610	421
3362	323	3527	340	3614	253	3665	248	3749	557	3853	553	3975	519	5118	330	5984	264	6611	421
3363	323	3528	340	3615	253	3666	248	3750	557	3859	551	3980	518	5119	330	5985	264	6612	421
3364	321	3529	340	3616	253	3667	248	3751	555	3865	547	3981	518	5120	330	6018	273	6613	421
3365	321	3559	340	3617	237	3668	141	3756	553	3874	468	3986	476	5121	330	6052	283	6627	273
3366	321	3560	340	3618	237	3669	253	3761	553	3880	547	3992	473	5123	330	6053	283	6629	542
3367	321	3565	340	3619	237	3673	225	3765	554	3881	547	3993	473	5124	330	6054	283	6630	542
3368	321	3566	340	3622	267	3674	249	3777	557	3885	547	3994	473	5127	330	6055	283	6632	239
3369	321	3575	232	3623	267	3676	248	3783	557	3892	485	3996	473	5128	330	6057	283	6633	239
3370	322	3576	232	3624	141	3689	253	3785	557	3893	518	3997	473	5129	330	6271	272	6634	240
3371	323	3581	232	3625	326	3690	253	3787	557	3898	485	4156	197	5130	330	6313	284	6635	240
3372	323	3582	232	3627	248	3691	249	3788	557	3899	518	4223	231	5131	330	6322	283	6636	239
3423	232	3584	250	3628	248	3692	249	3789	557	3912	543	4278	204	5132	330	6324	283	6637	239
3469	252	3585	250	3629	248	3694	255	3790	557	3913	543	4449	196	5133	330	6325	283	6638	240
3470	252	3586	250	3630	247	3695	255	3791	557	3914	543	4483	217	5134	330	6328	272	6639	240
3471	252	3587	254	3631	247	3696	255	3792	557	3920	554	4485	217	5135	330	6348	278	6640	240
3472	253	3588	254	3632	248	3697	255	3793	557	3921	554	4798	278	5136	330	6352	278	6641	240
3473	253	3589	254	3641	249	3698	225	3794	557	3923	554	4863	276	5137	330	6353	278	6642	240
3474	253	3590	255	3642	251	3710	552	3797	556	3924	554	4967	422	5139	330	6355	278	6643	240

SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page
6644	240	6693	239	6754	262	6810	396	6863	303	6901	602	6968	17	7010	192	7435	224	7546	444
6645	241	6694	242	6756	23	6811	396	6864	310	6902	602	6969	17	7011	147	7438	224	7549	444
6646	241	6695	242	6758	23	6812	396	6865	310	6903	466	6970	17	7012	147	7468	210	7552	444
6647	241	6696	242	6760	23	6813	396	6866	310	6904	466	6971	17	7013	147	7500	434	7553	437
6648	241	6697	243	6761	234	6814	396	6867	310	6906	482	6973	17	7014	147	7501	434	7554	437
6649	241	6698	245	6762	235	6815	396	6869	307	6908	491	6974	17	7015	147	7502	434	7564	447
6650	241	6699	245	6763	235	6816	396	6870	307	6909	492	6975	17	7016	147	7503	434	7565	447
6651	241	6700	245	6764	235	6817	396	6871	307	6911	491	6976	17	7017	147	7504	434	7566	447
6652	241	6708	273	6765	235	6818	396	6872	307	6912	492	6982	277	7018	147	7505	434	7567	447
6653	241	6709	289	6766	235	6820	381	6873	307	6914	491	6983	277	7019	147	7506	434	7568	447
6654	241	6721	262	6767	235	6821	526	6874	307	6915	492	6984	277	7020	147	7508	434	7569	435
6655	242	6724	262	6768	235	6828	394	6876	308	6917	491	6985	277	7021	147	7509	435	7570	436
6656	242	6725	262	6769	235	6829	394	6877	328	6918	492	6986	491	7022	147	7510	435	7571	439
6657	242	6726	262	6770	236	6830	394	6878	328	6920	506	6987	492	7057	452	7511	435	7572	439
6658	242	6727	262	6771	236	6831	394	6879	328	6921	506	6988	491	7058	451	7512	435	7573	237
6659	242	6728	262	6772	236	6832	394	6880	328	6923	507	6989	492	7059	451	7513	449	7574	237
6660	50	6729	262	6773	236	6833	394	6882	599	6924	507	6990	491	7061	453	7515	438	7651	525
6661	50	6733	262	6774	236	6834	394	6883	599	6926	507	6991	492	7062	453	7516	438	7652	525
6662	50	6734	262	6775	235	6835	394	6884	600	6927	508	6992	491	7063	453	7517	438	7653	525
6665	44	6735	262	6776	235	6836	441	6885	600	6929	508	6993	492	7068	451	7518	445	7654	525
6666	44	6736	262	6779	236	6837	441	6886	600	6931	467	6994	506	7072	451	7519	449	7655	293
6667	45	6737	262	6780	236	6838	441	6887	600	6933	482	6995	506	7073	451	7520	449	7656	293
6668	45	6738	262	6781	603	6839	441	6888	600	6935	483	6996	507	7077	449	7521	450	7657	293
6669	45	6740	262	6782	603	6840	398	6889	601	6937	483	6997	507	7083	385	7522	450	7667	362
6682	242	6741	262	6783	339	6842	398	6890	601	6939	483	6998	508	7154	217	7523	33	7673	362
6683	242	6742	262	6784	339	6844	25	6891	601	6941	484	7000	508	7173	203	7525	390	7675	412
6684	236	6743	262	6785	390	6847	195	6892	601	6943	484	7001	508	7178	217	7528	33	7676	587
6685	236	6744	262	6786	390	6848	196	6893	601	6957	472	7002	509	7180	217	7529	451	7687	411
6686	236	6745	262	6787	390	6849	25	6894	601	6958	472	7003	509	7188	217	7530	452	7688	412
6687	237	6746	262	6788	390	6850	25	6895	602	6959	472	7004	509	7289	196	7537	267	7689	526
6688	237	6747	262	6805	30	6855	309	6896	601	6962	466	7005	510	7290	196	7539	435	7690	526
6689	237	6748	262	6806	30	6856	309	6897	601	6964	17	7006	512	7293	197	7540	436	7691	526
6690	238	6749	262	6807	396	6857	309	6898	601	6965	17	7007	524	7302	202	7541	436	7694	596
6691	238	6752	262	6808	396	6858	309	6899	602	6966	17	7008	524	7309	196	7542	436	7695	596
6692	239	6753	262	6809	396	6862	303	6900	602	6967	17	7009	524	7427	223	7543	436	7696	603

SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page
7698	603	7846	15	7888	295	7959	347	8000	456	8218	386	8549	20	8597	244	8720	580	8797	604
7699	225	7847	15	7889	295	7960	347	8001	456	8219	386	8551	383	8598	244	8721	580	8798	604
7794	192	7848	15	7890	295	7961	347	8002	456	8234	396	8552	383	8599	244	8723	580	8799	569
7795	192	7852	328	7891	295	7962	347	8003	456	8267	401	8557	53	8608	244	8724	580	8800	569
7796	282	7853	390	7892	293	7963	347	8010	480	8274	413	8558	53	8623	445	8725	580	8803	573
7797	282	7854	390	7893	293	7964	347	8011	480	8276	33	8559	52	8624	445	8727	580	8804	572
7798	282	7855	274	7894	536	7965	347	8012	479	8277	33	8564	543	8625	446	8728	581	8806	573
7799	282	7856	274	7895	532	7966	348	8013	479	8278	33	8565	543	8626	437	8731	578	8807	571
7801	282	7857	274	7896	532	7967	348	8014	479	8279	33	8566	438	8627	437	8735	577	8808	571
7803	282	7858	274	7897	532	7968	348	8017	481	8281	384	8567	438	8628	449	8740	577	8810	573
7804	51	7859	274	7898	532	7969	348	8018	481	8293	374	8568	438	8629	452	8742	577	8811	573
7805	327	7860	274	7899	532	7970	349	8019	481	8327	377	8571	543	8651	602	8744	578	8815	574
7807	219	7861	274	7900	585	7971	349	8020	480	8338	380	8573	18	8674	19	8746	578	8816	574
7817	411	7862	274	7919	583	7972	349	8021	480	8343	153	8574	18	8686	451	8747	579	8818	572
7818	411	7863	274	7920	583	7973	349	8022	481	8379	567	8575	18	8687	453	8748	577	8819	574
7819	411	7864	274	7922	583	7977	349	8023	481	8421	604	8576	18	8688	453	8749	577	8820	574
7820	411	7865	274	7923	584	7978	349	8024	432	8437	413	8577	18	8689	53	8751	233	8822	575
7821	15	7866	274	7937	532	7979	349	8025	432	8458	567	8578	18	8692	243	8753	233	8830	579
7822	15	7867	274	7938	532	7981	237	8026	432	8459	567	8579	254	8693	243	8754	570	8831	579
7823	15	7868	274	7939	532	7982	238	8027	413	8460	567	8580	254	8694	243	8762	571	8832	579
7824	15	7869	274	7940	529	7985	534	8044	190	8461	567	8581	255	8695	243	8763	571	8833	578
7825	15	7870	275	7941	529	7986	534	8046	189	8462	567	8582	255	8696	243	8764	571	8834	578
7826	15	7871	275	7942	529	7987	534	8048	285	8463	567	8583	257	8701	577	8767	571	8840	233
7827	15	7872	275	7943	529	7988	529	8049	285	8466	605	8584	257	8704	569	8770	569	8841	573
7828	15	7873	275	7944	529	7989	540	8050	285	8467	604	8585	257	8705	569	8771	569	8842	337
7829	15	7874	275	7945	529	7990	540	8054	285	8468	605	8586	257	8706	575	8773	570	8843	338
7830	15	7875	275	7946	535	7991	540	8056	206	8469	604	8587	257	8707	576	8774	570	8845	97
7837	22	7876	275	7947	533	7992	455	8057	206	8504	542	8588	258	8708	576	8775	570	8847	97
7839	15	7877	275	7948	533	7993	455	8064	206	8505	542	8589	257	8709	576	8776	570	8877	244
7840	15	7878	275	7949	533	7994	455	8078	337	8506	542	8590	257	8710	576	8777	570	8878	244
7841	15	7879	275	7951	349	7995	455	8080	597	8517	449	8591	257	8711	576	8782	573	8879	245
7842	15	7880	275	7954	348	7996	455	8142	338	8520	541	8592	258	8715	576	8783	572	8880	245
7843	15	7881	275	7955	348	7997	455	8156	273	8541	376	8594	446	8716	578	8784	572	8936	251
7844	15	7886	295	7956	348	7998	456	8158	273	8547	19	8595	246	8717	579	8785	572	8937	251
7845	15	7887	295	7957	348	7999	456	8213	383	8548	20	8596	246	8719	579	8789	572	8938	250

SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page
8939	250	8996	256	10019	102	10083	457	10195	366	10248	345	10284	379	10325	530	10415	18	10475	441
8940	250	8997	256	10020	101	10084	457	10196	366	10249	345	10285	379	10326	530	10416	18	10476	441
8941	250	8998	257	10023	102	10085	457	10197	366	10250	345	10286	399	10327	536	10417	450	10477	274
8942	250	8999	257	10024	102	10086	457	10198	366	10251	346	10287	399	10328	531	10420	450	10478	274
8943	250	9104	267	10025	102	10087	487	10199	366	10252	346	10288	399	10329	531	10421	452	10479	274
8944	243	9255	106	10028	103	10088	486	10200	366	10253	346	10289	399	10330	530	10422	449	10480	274
8945	243	9546	267	10029	103	10089	487	10206	295	10254	346	10290	400	10341	539	10423	452	10481	274
8946	244	9747	20	10030	103	10090	487	10207	295	10255	346	10291	400	10342	539	10426	442	10482	274
8947	244	9891	106	10033	103	10091	459	10208	295	10256	346	10292	400	10345	539	10427	393	10483	274
8948	244	9892	106	10034	103	10137	164	10209	295	10257	345	10293	400	10346	539	10428	393	10484	274
8949	244	9893	106	10043	474	10138	164	10210	295	10258	345	10294	238	10353	109	10429	393	10485	274
8955	254	9894	106	10044	474	10140	165	10211	295	10259	345	10295	238	10355	109	10430	393	10486	274
8956	256	9895	106	10045	458	10141	165	10223	287	10260	345	10296	245	10363	109	10431	393	10487	274
8959	446	9896	106	10046	458	10142	165	10224	22	10261	345	10297	247	10371	338	10434	393	10488	274
8960	448	9897	106	10047	458	10143	165	10225	22	10262	345	10298	234	10372	439	10435	393	10489	274
8961	446	9898	101	10048	458	10170	165	10226	22	10263	346	10299	234	10373	439	10436	393	10490	274
8962	446	9899	101	10049	486	10171	165	10227	22	10264	346	10301	230	10374	438	10437	393	10491	274
8963	446	9944	340	10050	486	10172	165	10228	22	10265	346	10302	230	10375	438	10438	393	10492	275
8964	447	9945	340	10051	475	10173	165	10229	22	10266	346	10303	230	10376	405	10439	393	10493	275
8965	448	9952	340	10052	475	10174	165	10232	349	10267	346	10304	49	10377	405	10443	382	10494	275
8966	448	9953	340	10053	475	10175	165	10233	344	10268	346	10305	28	10378	405	10444	382	10495	275
8967	448	9954	340	10054	475	10176	165	10234	344	10269	349	10306	28	10379	243	10445	382	10496	275
8968	448	9955	340	10055	486	10177	165	10235	344	10270	349	10307	29	10380	243	10446	382	10497	275
8971	545	9956	323	10056	486	10178	165	10236	344	10271	349	10308	29	10384	39	10447	373	10498	275
8973	546	9969	273	10057	487	10179	165	10237	344	10272	349	10309	41	10395	39	10448	373	10499	275
8974	545	9997	273	10060	486	10180	165	10238	344	10273	349	10310	17	10399	37	10449	534	10500	275
8975	545	10010	101	10074	459	10181	165	10239	344	10275	599	10311	17	10402	38	10450	534	10514	275
8976	448	10011	102	10075	459	10182	165	10240	344	10276	599	10313	17	10405	18	10467	292	10516	275
8977	448	10012	102	10076	459	10183	165	10241	344	10277	344	10314	17	10406	18	10468	155	10554	299
8978	446	10013	102	10077	458	10184	165	10242	345	10278	344	10315	28	10407	18	10469	155	10555	304
8979	448	10014	101	10078	458	10185	165	10243	345	10279	344	10316	28	10408	18	10470	445	10556	299
8983	447	10015	101	10079	458	10187	524	10244	345	10280	344	10320	318	10409	18	10471	445	10558	391
8984	447	10016	101	10080	458	10188	524	10245	345	10281	338	10321	318	10410	18	10472	445	10559	391
8993	256	10017	102	10081	466	10192	524	10246	345	10282	380	10322	318	10413	18	10473	373	10560	391
8994	256	10018	102	10082	466	10194	524	10247	345	10283	380	10324	530	10414	18	10474	373	10561	449

SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page
10562	392	11161	581	11362	412	14996	478	20039	120	20309	111	20489	51	21419	119	21807	172	23011	45
10563	392	11162	581	11368	412	14997	478	20059	174	20312	111	21114	190	21420	118	21808	172	23012	37
10564	391	11163	581	11412	602	14998	459	20060	159	20314	111	21125	192	21421	118	21809	172	23013	37
10566	540	11164	581	11449	273	14999	459	20113	378	20316	442	21131	187	21476	119	21815	169	23014	39
10567	540	11165	581	11617	565	15000	459	20115	378	20317	442	21132	187	21477	119	21816	169	23015	50
10568	531	11166	581	11618	565	15001	422	20116	378	20318	442	21133	187	21535	141	21820	170	23016	38
10569	531	11167	581	11823	450	15011	422	20117	378	20341	22	21145	189	21538	141	21822	170	23017	38
10570	531	11168	581	11824	450	15021	423	20118	378	20346	145	21148	191	21600	159	21832	173	23018	18
10571	531	11169	581	11825	451	15031	422	20169	110	20349	145	21149	191	21601	159	21839	173	23019	18
10572	540	11170	581	11826	452	15338	459	20170	110	20351	145	21165	187	21602	159	21840	173	23020	450
10573	540	11171	581	11827	452	15339	488	20171	110	20352	145	21166	187	21651	144	21841	173	23021	442
10574	540	11172	581	11828	453	15340	479	20173	110	20354	145	21167	187	21652	144	21842	173	23022	393
10575	540	11173	581	11884	27	15341	488	20174	110	20355	145	21187	193	21654	144	21843	173	23023	275
10576	540	11174	581	11885	27	15342	511	20182	110	20356	145	21211	191	21655	144	21844	173	23024	298
10578	351	11175	581	11886	27	15343	488	20185	190	20402	107	21212	191	21657	144	21845	173	23025	298
10579	351	11176	581	11887	27	15344	489	20190	191	20405	107	21267	189	21658	144	21846	173	23026	298
10580	351	11177	581	11888	27	15345	477	20256	112	20409	107	21268	189	21670	145	21956	139	23027	391
10581	351	11178	581	11889	27	15346	489	20258	112	20411	107	21321	185	21671	145	21957	139	23028	389
10582	351	11179	593	13959	173	15347	511	20259	112	20423	132	21324	185	21672	143	21958	139	23029	389
10583	351	11180	593	14980	515	15348	514	20262	112	20425	132	21351	167	21686	143	21959	139	23030	389
10584	389	11181	593	14981	515	15349	512	20270	113	20427	133	21353	167	21687	143	21960	139	23031	389
10585	389	11182	593	14982	515	15350	512	20273	113	20433	131	21354	167	21688	143	21961	139	23032	30
10586	389	11188	581	14983	515	15351	513	20281	114	20450	104	21355	167	21689	149	21962	139	23033	31
10587	389	11189	581	14984	511	15352	513	20283	114	20452	104	21356	167	21690	149	21963	139	23034	52
10588	389	11190	581	14985	511	15353	513	20284	114	20462	158	21357	167	21691	149	23000	164	23035	589
10589	389	11191	581	14986	477	15354	513	20285	114	20464	158	21359	167	21692	149	23001	164	23036	589
10590	389	11215	593	14987	477	15355	513	20286	114	20468	152	21360	167	21693	149	23002	165	23037	589
10591	389	11216	593	14988	478	15356	504	20288	114	20470	152	21361	167	21694	149	23003	234	23041	528
11077	561	11217	593	14989	478	15357	503	20291	114	20480	123	21371	167	21695	149	23004	40	23042	528
11078	562	11218	593	14990	510	15358	503	20292	115	20482	123	21372	167	21696	149	23005	40	23043	528
11079	560	11258	23	14991	510	15359	503	20293	115	20483	123	21374	159	21697	149	23006	40	23044	52
11088	563	11341	329	14992	478	15360	504	20294	115	20484	123	21375	159	21784	32	23007	382	23045	52
11109	559	11342	329	14993	478	20028	187	20299	115	20486	167	21376	159	21785	31	23008	382	23046	52
11159	581	11343	329	14994	510	20037	120	20302	115	20487	187	21384	160	21798	143	23009	41	23047	589
11160	581	11361	293	14995	510	20038	120	20308	111	20488	50	21418	119	21799	143	23010	41	23048	589

SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page
23049	373	23145	297	23201	98	23356	530	23391	149	23429	417	23587	358	23672	351	23721	311	23762	234
23050	373	23146	308	23202	98	23357	536	23392	149	23430	418	23588	358	23673	351	23722	311	23763	234
23051	441	23148	271	23203	98	23358	536	23394	504	23431	468	23589	359	23674	351	23723	311	23764	234
23052	441	23155	352	23216	98	23359	512	23395	505	23432	468	23590	359	23675	351	23724	311	23765	270
23053	444	23156	352	23217	98	23360	512	23396	505	23434	472	23591	359	23676	351	23725	311	23766	270
23060	450	23157	352	23218	98	23361	546	23397	505	23435	472	23592	359	23677	421	23726	311	23767	261
23061	446	23158	352	23219	98	23362	546	23398	46	23436	472	23593	359	23678	421	23727	311	23768	261
23083	288	23159	224	23220	98	23363	467	23399	46	23437	472	23594	359	23679	419	23728	311	23769	261
23084	288	23160	367	23221	98	23364	467	23400	48	23438	19	23595	360	23680	284	23729	311	23770	26
23085	288	23161	419	23326	277	23365	485	23401	46	23439	19	23596	366	23681	284	23730	311	23783	285
23086	288	23162	419	23327	277	23366	546	23402	574	23441	99	23597	366	23682	284	23731	311	23784	285
23087	288	23163	419	23328	277	23367	546	23403	574	23442	100	23598	366	23683	537	23732	311	23785	285
23088	288	23164	420	23332	591	23368	470	23405	369	23443	100	23599	99	23684	537	23733	311	23786	285
23089	264	23165	420	23333	592	23369	470	23406	369	23444	99	23600	99	23685	537	23734	311	23787	285
23090	535	23166	207	23334	300	23370	471	23407	234	23445	525	23602	100	23686	538	23735	311	23788	285
23091	535	23167	207	23335	300	23371	506	23408	234	23446	525	23603	100	23690	100	23736	291	23824	26
23092	528	23168	207	23337	429	23372	469	23409	464	23447	525	23604	567	23692	108	23737	291	23826	108
23093	528	23169	207	23338	429	23373	471	23410	528	23457	326	23605	567	23693	108	23738	291	23831	295
23094	539	23170	208	23339	429	23374	471	23411	528	23459	51	23607	299	23694	108	23739	291	23832	295
23095	539	23171	208	23340	430	23375	487	23412	526	23465	328	23608	299	23696	108	23740	291	23833	295
23096	477	23172	208	23341	156	23376	552	23413	526	23466	328	23609	299	23697	265	23741	291	23834	295
23097	474	23173	318	23342	156	23377	552	23414	533	23568	205	23610	326	23699	108	23742	291	23835	295
23098	474	23174	319	23343	156	23378	463	23415	533	23569	205	23613	263	23700	108	23743	291	23836	295
23099	468	23175	319	23344	156	23379	463	23416	533	23570	205	23614	263	23701	108	23744	291	23837	352
23100	484	23176	319	23345	157	23380	541	23417	533	23571	205	23615	263	23702	108	23747	202	23850	261
23101	457	23177	319	23346	157	23381	462	23418	172	23572	205	23616	121	23703	108	23748	202	23851	261
23102	457	23178	319	23347	157	23382	463	23419	172	23573	205	23617	121	23704	108	23749	202	23852	261
23103	457	23179	319	23348	157	23383	34	23420	175	23574	205	23618	134	23713	285	23750	291	23853	261
23138	310	23180	320	23349	47	23384	34	23421	174	23575	205	23619	134	23714	285	23751	291	23854	261
23139	310	23184	181	23350	49	23385	34	23422	175	23576	205	23620	134	23715	311	23756	16	23855	261
23140	310	23196	98	23351	29	23386	47	23423	427	23577	205	23621	134	23716	311	23757	47	23856	261
23141	310	23197	98	23352	29	23387	149	23425	418	23578	21	23622	293	23717	311	23758	392	23857	261
23142	310	23198	98	23353	452	23388	149	23426	418	23579	21	23623	293	23718	311	23759	392	23870	265
23143	310	23199	98	23354	530	23389	149	23427	418	23585	358	23667	271	23719	311	23760	387	23871	281
23144	310	23200	98	23355	530	23390	149	23428	427	23586	358	23671	351	23720	311	23761	234	23872	281

SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page
23873	281	24004	443	24074	292	24109	416	24144	270	24201	498	24251	334	24292	523	24350	388	24392	342
23874	281	24005	443	24075	292	24110	416	24152	36	24202	494	24252	334	24293	26	24355	415	24393	342
23875	281	24006	443	24076	292	24111	417	24153	36	24203	494	24253	334	24294	26	24356	415	24394	342
23876	281	24007	443	24077	292	24112	417	24154	49	24204	494	24254	331	24295	26	24357	415	24395	342
23878	198	24008	443	24078	292	24113	417	24155	264	24205	498	24255	331	24296	315	24358	415	24396	342
23879	198	24009	443	24079	292	24114	550	24156	264	24206	498	24256	331	24297	316	24359	416	24397	342
23880	198	24010	406	24080	271	24115	550	24166	433	24213	284	24257	331	24298	316	24360	73	24398	342
23881	228	24012	287	24081	271	24116	550	24167	433	24215	317	24258	331	24299	316	24361	291	24399	342
23882	228	24013	287	24082	16	24117	550	24172	84	24216	317	24259	331	24300	316	24365	35	24400	342
23883	204	24014	287	24083	16	24118	551	24173	84	24218	284	24260	331	24301	316	24366	270	24401	342
23884	204	24015	287	24084	16	24119	499	24174	500	24219	430	24261	331	24302	316	24367	270	24402	342
23885	204	24016	287	24085	16	24120	499	24175	500	24220	430	24262	333	24306	433	24368	341	24403	342
23886	229	24017	287	24086	16	24121	499	24176	500	24221	245	24263	333	24307	433	24369	341	24404	342
23887	229	24018	199	24087	445	24122	517	24177	501	24222	239	24264	333	24308	436	24370	341	24405	342
23888	228	24019	199	24088	445	24123	551	24178	501	24223	239	24265	333	24309	436	24371	341	24406	343
23889	205	24020	199	24089	26	24124	547	24179	502	24224	239	24266	333	24310	436	24372	341	24407	343
23890	205	24021	227	24090	27	24125	548	24180	502	24225	239	24267	333	24311	387	24373	341	24408	343
23891	205	24022	202	24091	27	24126	551	24182	501	24226	240	24268	334	24312	387	24374	341	24409	343
23892	205	24023	202	24092	27	24127	551	24184	502	24227	437	24269	334	24313	443	24375	341	24410	343
23893	205	24024	227	24093	27	24128	517	24185	493	24228	437	24270	334	24314	435	24376	341	24411	343
23894	205	24025	227	24094	27	24129	460	24186	493	24229	442	24271	334	24315	435	24377	341	24412	343
23895	205	24026	227	24095	27	24130	538	24187	493	24230	406	24272	334	24316	437	24378	341	24413	343
23896	205	24027	227	24096	32	24131	523	24188	493	24231	406	24277	16	24320	298	24379	341	24414	343
23897	205	24028	227	24097	32	24132	548	24189	493	24232	461	24280	269	24321	298	24380	341	24415	341
23898	205	24029	227	24098	36	24133	548	24190	493	24233	461	24281	269	24322	307	24381	341	24423	24
23899	205	24030	203	24099	20	24134	460	24191	493	24235	331	24282	461	24323	298	24382	341	34235	232
23900	205	24031	203	24100	314	24135	460	24192	493	24236	331	24283	461	24324	269	24383	341	35771	232
23901	204	24032	203	24101	314	24136	495	24193	493	24237	331	24284	462	24329	307	24384	341	35831	232
23902	204	24033	203	24102	314	24137	495	24194	496	24238	331	24285	462	24330	307	24385	341	40011	469
23903	204	24034	203	24103	315	24138	495	24195	496	24239	331	24286	441	24341	19	24386	341	40061	489
23904	148	24035	203	24104	315	24139	494	24196	496	24240	331	24287	35	24345	388	24387	341	40071	534
23924	282	24037	205	24105	315	24140	494	24197	497	24241	331	24288	35	24346	388	24388	341	40081	534
23926	282	24038	201	24106	315	24141	269	24198	497	24242	331	24289	470	24347	388	24389	341	40111	549
23996	48	24050	307	24107	315	24142	269	24199	497	24249	334	24290	517	24348	388	24390	341	40121	549
23997	48	24063	26	24108	416	24143	270	24200	498	24250	334	24291	538	24349	388	24391	342	40131	549

SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page
40141	520	76361	361	78631	129	94012	18	128324	377	211316	408	211685	230	212032	311	212162	302	212597	300
40151	520	76371	361	78641	129	94026	18	128325	377	211317	408	211686	230	212034	311	212163	302	212598	300
40181	520	76381	361	78646	70	94027	18	128326	377	211319	408	211687	230	212035	311	212164	302	212599	301
40191	521	76391	361	78651	129	95532	21	128333	377	211322	408	211876	60	212036	311	212165	302	212600	301
40211	520	76401	361	78661	129	95534	21	200606	94	211323	408	211886	60	212037	312	212166	302	212601	301
40221	521	76411	361	78671	129	97212	264	203446	64	211326	407	211891	228	212038	312	212341	202	212602	303
40231	521	76421	361	78676	70	98417	21	203456	64	211328	407	211896	60	212041	305	212346	58	212622	299
40251	521	76431	361	78681	129	104771	129	203466	64	211329	407	211901	228	212042	305	212356	58	212623	299
40331	519	76441	361	78691	129	104781	129	203476	64	211330	407	211906	60	212043	311	212366	58	212624	299
40411	520	76451	361	78701	128	104806	70	203486	64	211331	407	211911	228	212044	312	212430	306	212625	309
40441	513	76461	361	78706	71	104836	70	203496	64	211356	57	211916	60	212051	229	212431	306	212626	309
40571	547	76471	361	78711	128	104861	129	203506	64	211366	57	211921	228	212071	228	212459	306	212627	309
44801	216	76481	361	78721	128	104866	70	203516	64	211376	57	211926	61	212081	228	212460	312	212649	304
71811	216	76491	361	78731	128	104896	70	203526	64	211386	57	211931	228	212106	57	212461	301	212651	304
76151	360	76501	361	78736	71	104921	128	203546	64	211396	57	211936	61	212116	57	212462	301	212652	303
76161	360	76591	361	78741	128	104926	71	203556	64	211406	57	211941	228	212118	312	212463	301	212653	303
76171	360	76601	361	78751	128	104931	128	211086	60	211416	57	211946	61	212120	306	212546	298	212654	303
76181	360	76611	361	78761	128	104941	128	211111	197	211426	57	211956	60	212122	306	212547	306	212667	304
76191	360	76621	361	78766	71	104951	128	211121	197	211436	57	211966	60	212124	305	212549	297	212686	57
76201	360	76631	361	78771	128	104956	71	211131	197	211446	58	211971	228	212126	306	212552	306	212696	57
76211	360	76641	361	78781	128	104961	128	211207	407	211456	58	211976	60	212128	306	212553	306	212701	219
76221	360	76651	361	78791	128	104971	128	211208	407	211463	430	211981	228	212133	305	212558	298	212702	219
76231	360	76661	361	78796	71	104981	128	211209	407	211464	430	211986	61	212135	305	212559	298	212703	219
76241	360	76681	361	83111	413	104986	71	211210	407	211465	431	211991	228	212137	306	212560	298	212704	208
76251	360	76691	362	87111	575	104991	128	211255	339	211466	431	211996	61	212138	306	212561	298	212705	209
76261	360	76701	362	87121	575	105146	71	211256	339	211467	431	212002	305	212143	306	212562	312	212706	209
76271	360	76711	362	87131	575	121402	409	211257	339	211468	431	212005	305	212144	312	212563	312	212713	203
76281	360	76721	362	87371	575	121403	409	211278	353	211469	431	212006	61	212145	312	212564	312	212714	203
76291	360	76741	362	93573	433	128317	377	211279	353	211470	431	212009	305	212148	312	212574	308	212715	203
76301	360	78551	129	93574	433	128318	377	211280	353	211471	431	212011	305	212149	312	212591	306	212728	224
76311	360	78561	129	93575	42	128319	377	211285	339	211472	431	212013	305	212150	312	212592	307	212733	200
76321	360	78586	70	93578	42	128320	377	211286	339	211486	355	212015	305	212155	312	212593	300	212734	200
76331	361	78611	129	94006	18	128321	377	211287	339	211487	355	212016	305	212156	306	212594	300	212738	198
76341	361	78616	70	94008	18	128322	377	211314	408	211488	354	212025	305	212159	306	212595	300	212752	595
76351	361	78621	129	94010	18	128323	377	211315	408	211489	354	212031	311	212161	302	212596	300	212754	595

SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page
212756	595	213989	476	214414	219	214874	276	216318	282	216976	64	217241	201	217454	223	217935	585	218262	401
212790	209	213990	476	214421	211	215116	60	216319	282	217078	381	217242	201	217455	223	217976	60	218263	401
212792	231	213991	476	214422	223	215251	140	216320	282	217079	381	217251	218	217456	213	218086	75	218264	401
212793	231	214084	231	214423	223	215261	140	216321	282	217080	381	217260	200	217457	211	218209	382	218265	401
212794	231	214122	197	214424	223	215271	140	216380	127	217081	385	217261	200	217458	217	218210	382	218266	401
212802	218	214123	199	214425	221	215281	140	216381	127	217082	385	217262	200	217459	217	218211	382	218269	401
212815	218	214124	199	214428	221	215291	140	216392	281	217087	381	217328	213	217460	217	218214	383	218270	402
212818	201	214160	198	214429	220	215301	140	216393	281	217088	381	217335	210	217465	209	218215	383	218271	402
212819	201	214162	198	214430	220	215311	140	216394	281	217089	381	217336	210	217472	215	218217	386	218272	402
212820	201	214164	197	214431	220	215321	140	216423	276	217090	385	217349	200	217473	214	218220	386	218273	402
212834	203	214166	197	214444	219	215951	263	216475	143	217091	385	217350	200	217474	211	218233	396	218280	384
212835	203	214174	199	214445	219	215953	263	216476	143	217092	385	217351	200	217475	213	218234	396	218282	384
212836	203	214207	198	214446	219	215954	263	216478	143	217093	397	217352	201	217524	390	218235	396	218283	384
212842	221	214216	197	214453	201	215956	263	216479	143	217100	216	217353	201	217527	390	218236	396	218284	384
212843	221	214224	231	214454	201	215957	263	216481	143	217113	215	217354	201	217544	444	218237	396	218285	384
212844	221	214225	231	214455	201	215959	263	216482	143	217114	215	217358	199	217545	444	218238	396	218286	374
212845	221	214255	231	214456	201	216262	281	216483	150	217115	215	217364	199	217547	444	218239	395	218287	374
212846	221	214256	231	214457	201	216263	281	216506	63	217116	216	217407	198	217548	444	218240	395	218288	374
212847	221	214257	231	214458	201	216264	281	216516	63	217120	217	217408	198	217550	444	218241	395	218289	374
212848	220	214272	217	214473	212	216265	281	216526	63	217142	214	217409	198	217551	444	218242	395	218291	374
212850	220	214300	221	214499	216	216272	281	216536	63	217143	214	217410	222	217555	432	218243	395	218292	374
212988	229	214301	219	214854	276	216273	281	216546	63	217144	214	217411	222	217556	432	218244	395	218295	384
213894	516	214302	220	214855	276	216282	289	216556	63	217145	213	217412	222	217558	432	218245	395	218297	384
213900	516	214303	217	214856	276	216283	289	216566	63	217146	212	217413	223	217559	432	218246	395	218298	384
213959	469	214304	223	214857	276	216284	289	216576	63	217155	212	217416	211	217560	432	218247	395	218299	384
213966	490	214305	223	214858	276	216285	289	216586	63	217157	211	217423	219	217562	432	218250	402	218301	386
213967	490	214306	221	214859	276	216286	289	216625	272	217216	212	217424	219	217602	363	218252	402	218302	386
213969	490	214308	220	214860	276	216287	289	216896	64	217217	212	217425	219	217603	363	218254	403	218305	386
213970	490	214361	211	214861	276	216292	276	216906	64	217218	211	217429	227	217604	363	218255	403	218306	386
213971	490	214362	211	214862	276	216293	276	216916	64	217220	212	217430	227	217605	363	218256	403	218309	397
213984	516	214367	220	214864	276	216294	276	216926	64	217229	201	217431	227	217606	363	218257	403	218328	377
213985	516	214410	218	214865	276	216295	276	216936	64	217234	231	217436	224	217607	363	218258	403	218334	380
213986	476	214411	218	214866	276	216297	276	216946	64	217235	231	217439	224	217608	363	218259	403	218335	380
213987	476	214412	218	214868	276	216309	281	216956	64	217236	231	217440	224	217609	363	218260	403	218338	380
213988	476	214413	219	214871	276	216310	281	216966	64	217240	201	217453	223	217934	584	218261	403	218341	380

SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page	SKU	Page
218527	381	218666	56	232206	79	240836	84	243546	92	2120210	151	2141246	55	2174581	218	76231-24	176	76681-24	178
218528	381	218675	400	232216	79	241456	67	405811	515	2120214	153	2141606	56	2174591	218	76241-24	176	76691-24	179
218529	381	218676	400	233876	65	241466	67	405821	515	2120216	153	2141626	56	2174601	218	76251-24	176	76701-24	179
218530	381	218681	378	233886	65	241476	68	405831	515	2120221	151	2141666	55	2187811	230	76261-24	176	76711-24	179
218531	381	218682	378	233896	65	241486	68	405841	515	2120222	151	2141746	55	2187911	230	76271-24	176	76721-24	179
218532	381	218683	375	233906	65	241506	90	405851	598	2120223	151	2142076	56	2188011	230	76281-24	176	76741-24	179
218533	398	218684	375	233916	65	241516	90	405861	598	2120319	124	2142151	197	21200216	59	76291-24	176	7925-16	584
218534	398	218686	56	233926	65	241546	85	405871	599	2120323	124	2142166	55	21200226	59	76301-24	176	801-24	171
218535	399	218721	228	236246	67	241556	85	500081	563	2120422	132	2142411	197	21200236	59	76311-24	176	801-24-6	75
218536	399	218726	61	236256	67	241566	85	500082	563	2120423	132	2142501	199	21200271	227	76321-24	176	801-27	357
218537	376	218731	228	238256	79	241576	85	972126	81	2120424	132	2142511	199	21203231	124	76331-24	177	804-24	171
218538	376	218736	61	239986	89	241586	85	2111116	55	2120425	132	2142521	199	21421516	55	76341-24	177	804-27	357
218539	376	218746	61	239996	89	241596	85	2111216	55	2120426	133	2142581	197	21424116	55	76351-24	177	806-24	171
218540	376	218751	228	240006	87	241606	85	2111316	55	2120427	133	2143421	198	21425816	55	76361-24	177	806-27	357
218543	376	218756	60	240016	87	241616	85	2113889	173	2120428	133	2143431	198	21662516	69	76371-24	177	812-24	171
218544	376	218766	60	240026	88	241626	85	2114551	364	2120429	133	2143441	198	21146-6	58	76381-24	177	812-24-6	74
218553	383	218771	228	240036	88	241636	85	2114601	366	2120434	131	2144101	218	21201-6	61	76391-24	177	812-27	357
218554	383	218776	60	240646	63	241646	85	2114611	366	2120436	131	2144536	56	2120186-6	55	76401-24	177	836-6	95
218560	375	218781	229	240656	63	241656	85	2114621	366	2120438	133	2144546	56	21202-6	61	76411-24	177	8437-0	413
218561	375	218786	61	240666	63	242086	79	2114741	364	2120439	133	2144556	56	21203-6	61	76421-24	177	899-6	95
218562	375	218791	229	240676	63	242096	79	2114751	365	2125966	83	2144566	56	21212-6	57	76431-24	177	9255-5	105
218563	375	218796	61	240686	63	242106	79	2114761	365	2125976	83	2144576	56	21267-6	57	76441-24	177	9891-5	105
218609	376	218801	229	240696	63	242116	79	2114911	365	2125986	83	2144586	56	21284-6	59	76451-24	177	9892-5	105
218610	376	218806	61	240706	81	242126	79	2114921	364	2125996	83	2162826	65	21285-6	59	76461-24	177	9892-6	80
218612	376	230896	81	240716	81	242136	79	2114931	364	2126006	83	2162836	65	21867-6	56	76471-24	177	9893-5	105
218613	379	231976	79	240726	81	242146	79	2114941	365	2126016	83	2162846	65	23770-1	27	76481-24	177	9893-6	80
218614	379	231986	79	240736	81	242156	79	2114951	364	2126226	83	2162856	65	23824-1	27	76491-24	177	9894-5	105
218615	379	231996	79	240746	77	242186	80	2119211	229	2126236	83	2162866	65	24063-1	27	76501-24	177	9894-6	80
218616	379	232006	79	240756	77	242196	80	2119311	229	2126246	83	2162876	65	76151-24	176	76591-24	178	9895-5	105
218617	379	232016	79	240766	77	242816	77	2119411	229	2140311	541	2166261	127	76161-24	176	76601-24	178	9895-6	80
218618	379	232026	79	240776	77	243426	91	2120026	187	2140321	541	2172606	56	76171-24	176	76611-24	178	9896-5	105
218619	379	232036	79	240786	77	243436	91	2120027	187	2140451	513	2172616	56	76181-24	176	76621-24	178	9896-6	80
218620	379	232166	79	240796	77	243446	91	2120054	174	2140471	513	2172626	56	76191-24	176	76631-24	178	9897-5	105
218636	55	232176	79	240806	83	243516	93	2120056	174	2140491	514	2173496	56	76201-24	176	76641-24	178	9897-6	80
218646	55	232186	79	240816	83	243526	92	2120114	378	2141226	55	2173506	56	76211-24	176	76651-24	178		
218656	55	232196	79	240826	83	243536	93	2120203	151	2141236	55	2173516	56	76221-24	176	76661-24	178		



MOVING TOWARDS SUSTAINABILITY.



Download Solar Energy
Catalog



Meaningful Innovation.

TOWARDS A BRIGHTER FUTURE

www.v-tac.eu | www.vtacexports.com

75+
Countries

5000+
Products



Sofia Office

V-TAC Europe Ltd
41, bul. Rozhen
1271 Sofia
Bulgaria
www.v-tac.eu
office@v-tac.eu

UK Office

V-TAC House,
Kelpatrick Road, Slough, Berkshire, SL1 6BW,
UK.
www.v-tac.co.uk
info@v-tac.co.uk

V-TAC West Europe

Ground Floor, 71 Lower Baggot
Street, Dublin 02, Ireland
D02 P593

Poland Office

V-TAC POLAND sp. z o.o.
Ul. Obornicka 330
60-689 Poznań

Hungary Office

6723 Szeged, Ág utca 3.

Romania Office

Bulevardul Unirii,
numărul 33 (vis-a-vis de Institutul Bancar
Român), București

Middle East Office

Unit# 407/8/9 Jumeirah Bay Towers, Plot#
X3, JLT,
P.O. Box 45244, Dubai